

# IFAS Database Schemas

## Release 7.9

**NOTICE**

Copyright © 2008 by

SunGard Public Sector

890 Fortress Street

Chico, CA 95973

SUNGARD PUBLIC SECTOR MAKES NO REPRESENTATIONS OR WARRANTIES, ORAL OR WRITTEN, EXPRESS OR IMPLIED, WITH RESPECT TO THE SYSTEM, SERVICES, SOFTWARE, DOCUMENTATION, OPERATING ENVIRONMENT, ANY OTHER SOFTWARE OR SERVICES PROVIDED HEREUNDER OR ANY OTHER MATTER ADDRESSED HEREUNDER, AND SUNGARD PUBLIC SECTOR EXPLICITLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF TITLE, MERCHANTABILITY AND FITNESS FOR A SPECIFIC PURPOSE.


SunGard Public Sector shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance or use of this material. This documentation is proprietary and confidential information of SunGard Public Sector. Copying, reproduction or distribution is strictly prohibited. All rights reserved.

**REVISION HISTORY**


Date	Who	Comments
2009-11-19	DRC	Added Human Resources Schema (currently doesn't indicate indexed columns)
2008-10-15	DRC	Created Revision History Page.
2008-10-14	DRC	<ul style="list-style-type: none"> <li>• Added Payroll Schema.</li> <li>• Marked specific tables in AR, PE and PR with "Currently Not Used".</li> <li>• Modified grouping for IF and OH.</li> </ul>
2008-10-07	DRC	Initial creation of schema document.

# Table of Contents

ARDB	Accounts Receivable	4	Pddb	Professional Development	50
Bddb	Budget Item Detail	7	PEdb	Person Entity	51
BKdb	Bank Reconciliation and Check Management	8	PEIMS	Public Educ Info Mgmt System	53
BOdb	Bid Online	9	POdb	Purchasing	54
BQdb	Bid / Quote Management	10	PRdb	Procurement	55
CMdb	Contract Management	12	PYdb	Payroll	57
ECdb	eCommerce	13	RCdb	Recurrent Calculations	63
EMdb	Endowment Management	14	ROOTdb	Nucleus	64
ENdb	Encumbrance	16	SADB	Student Activities	66
FADB	Fixed Assets	17	SCdb	System Catalog	67
GLdb	General Ledger	19	SIDb	Stores Inventory	68
GMdb	Grants Management	22	STdb	Substitute Tracker	70
HRdb	Human Resources	23	SYdb	Security, Logging and Caching	71
IFdb	Interface	42	TXdb	Threaded Notes	72
IMdb	Attachments / Documents Online	44	UFdb	User Defined Fields	73
LIDb	License Tracking	45	WFdb	Workflow	74
OHdb	Accounts Payable / Open Hold	46	WODb	Work Order Management	75
PADB	Project Allocation	48	XIDb	Extracted Information	76
PBdb	Position Budgeting	49	YEDb	Year End W2 Definitions	77



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX







**ARG\_GEN\_ID** char(2)  
 ARG\_ASTATUS\_DFLT char(2)  
 ARG\_ATYPE\_CD01 \*\*\* 9 char(4)  
 ARG\_ATYPE\_DESC01 \*\*\* 9 char(16)  
 ARG\_ATYPE\_DFLT01 \*\*\* 9 char(4)  
 ARG\_TYPE\_CD01 \*\*\* 9 char(4)  
 ARG\_TYPE\_DESC01 \*\*\* 9 char(16)  
 ARG\_TYPE\_INIT01 \*\*\* 9 char(2)  
 ARG\_AGE\_METHOD char(2)  
 ARG\_VAL\_FLAG char(20)  
 ARG\_TTL\_LIST\_V char(24)  
 ARG\_TTL\_DESC01 \*\*\* 6 char(30)  
 ARG\_EX\_DIV01 \*\*\* 6 char(4)  
 ARG\_AR\_FLIMIT num(10)  
 ARG\_AR\_FLIMIT\_I num(10)  
 ARG\_CR\_FLIMIT num(10)  
 ARG\_CR\_FLIMIT\_I num(10)  
 ARG\_TOTAL\_DEF01 \*\*\* 6 char(6)  
 ARG\_DF\_AMT01 \*\*\* 9 char(4)  
 ARG\_ADF\_AMT01 \*\*\* 9 char(4)  
 ARG\_DF\_DESC01 \*\*\* 9 char(16)  
 ARG\_ADF\_DESC01 \*\*\* 9 char(16)  
 ARG\_ADF\_INIT01 \*\*\* 9 num(20,5)  
 ARG\_DF\_INIT01 \*\*\* 9 char(2)  
 ARG\_VAL\_CHK\_CR num(10)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**ARR\_GL\_GR** char(2)  
**ARR\_ARAR\_CD** char(8)  
 ARR\_DESC char(16)  
 ARR\_OUTPUT char(12)  
 ARR\_STATUS char(2)  
 ARR\_PRI char(2)  
 ARR\_SEL\_CD char(8)  
 ARR\_OFFSET char(2)  
 ARR\_ROUND char(2)  
 ARR\_ROUND\_VAL num(10,2)  
 ARR\_MIN char(12)  
 ARR\_MAX char(12)  
 ARR\_PERCENT char(12)  
 ARR\_CALC\_TYPE char(4)  
 ARR\_CALC char(40)  
 ARR\_AMT\_CRI char(20)  
 ARR\_RPE\_ID char(12)  
 ARR\_JL\_GR char(2)  
 ARR\_RACCT01 \*\*\* 2 char(40)  
 ARR\_RDIV01 \*\*\* 2 char(4)  
 ARR\_RPC01 \*\*\* 2 char(2)  
 ARR\_RDESC01 \*\*\* 2 char(30)  
 ARR\_RFIN\_CD01 \*\*\* 2 char(8)  
 ARR\_TEXT\_ID char(14)  
 ARR\_TRNS\_SEL\_CD char(8)  
 ARR\_GROUP char(2)  
 ARR\_PERIOD char(30)  
 ARR\_LAST\_DT date

**ARD\_GR** char(2)  
**ARD\_DEF\_CD** char(8)  
 ARD\_DESC char(30)  
 ARD\_STATUS char(2)  
**ARD\_PRI** char(2)  
 ARD\_SEL\_CD char(8)  
 ARD\_NUM\_PERIOD num(5)  
 ARD\_PERIOD char(30)  
 ARD\_START\_DT char(8)  
 ARD\_INT\_RATE num(10,6)  
 ARD\_DUE\_OFFSET char(20)  
 ARD\_OVER\_DT01 \*\*\* 12 char(8)  
 ARD\_ENABLE\_FC char(2)  
 ARD\_FIRST\_PERC num(10,6)  
 ARD\_FIRST\_MIN num(20,2)  
 ARD\_FIRST\_MAX num(20,2)  
 ARD\_FORCE\_FLAG char(2)  
 ARD\_DISTINCT char(2)  
 ARD\_FIXED char(2)  
 ARD\_OPTIONS\_V char(10)  
 ARD\_PLAN\_FIN char(8)


**AR\_SEL\_C** char(2)  
**AR\_SEL\_CD** char(8)  
 AR\_SEL\_DESC char(16)  
 AR\_SEL\_STAT char(2)  
 AR\_SEL\_BUFF\_V01 char(232)  
 AR\_SEL\_BUFF\_V02 char(232)  
 AR\_SEL\_BUFF\_V03 char(232)




**ARDM\_MISC\_GR** char(2)  
**ARDM\_MISC** char(4)  
 ARDM\_DESC char(16)  
 ARDM\_DESCL char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**ARDP\_PAYT\_GR** char(2)  
**ARDP\_PAYT** char(2)  
 ARDP\_DESC char(16)  
 ARDP\_DESCL char(30)  
 ARDP\_REQ\_CC char(2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**ARDS\_STAT\_GR** char(2)  
**ARDS\_STAT** char(2)  
 ARDS\_DESC char(16)  
 ARDS\_DESCL char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**ARDG\_CATG\_GR** char(2)  
**ARDG\_CATEGORY** char(4)  
**ARDG\_CATG** char(4)  
 ARDG\_DESC char(16)  
 ARDG\_DESCL char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**ARDT\_TERM\_GR** char(2)  
**ARDT\_TERM** char(8)  
 ARDT\_DESC char(16)  
 ARDT\_DESCL char(30)  
 ARDT\_GROUP\_CD char(4)  
 ARDT\_START\_DT date  
 ARDT\_END\_DT date  
 ARDT\_TERM\_CAT01 \*\*\* 6 char(4)  
 ARDT\_STATUS char(2)  
 ARDT\_SORT char(8)  
 ARDT\_REL\_AID char(2)  
 ARDT\_GEN\_NUM01 \*\*\* 6 num(20,5)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date





**ARDC\_CALC\_GR** char(2)  
**ARDC\_CALC** char(8)  
 ARDC\_DESC char(16)  
 ARDC\_DESCL char(30)  
 ARDC\_STATUS char(2)  
 ARDC\_FIN\_CD char(8)  
 ARDC\_PERIOD char(20)  
 ARDC\_CALC\_EXP char(250)  
 ARDC\_VAR\_DESC01 \*\*\* 6 char(16)  
 ARDC\_GROUP char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**ARDF\_FIN\_GR** char(2)  
**ARDF\_FIN** char(8)  
 ARDF\_DESC char(16)  
 ARDF\_DESCL char(30)  
 ARDF\_GL\_GR char(2)  
 ARDF\_GL\_KEY char(10)  
 ARDF\_GL\_OBJ char(8)  
 ARDF\_JL\_GR char(2)  
 ARDF\_JL\_KEY char(10)  
 ARDF\_JL\_OBJ char(8)  
 ARDF\_POST\_CD char(2)  
 ARDF\_DIV char(4)  
 ARDF\_MISC char(4)  
 ARDF\_BANK\_ID char(2)  
 ARDF\_AMT num(20,2)  
 ARDF\_TR\_TYPE char(2)  
 ARDF\_TERM char(8)  
 ARDF\_LINK\_FIN\_CD char(8)  
 ARDF\_HIT\_AR char(2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date





**ARDD\_DIV\_GR** char(2)  
**ARDD\_DIV** char(4)  
 ARDD\_DESC char(16)  
 ARDD\_DESCL char(30)  
 ARDD\_GR char(2)  
 ARDD\_KEY char(10)  
 ARDD\_OBJ char(8)  
 ARDD\_POST\_CD char(2)  
 ARDD\_DAYS\_LATE01 \*\*\* 6 num(5)  
 ARDD\_FORM\_SET char(2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date





**ARPD\_SOURCE** char(4)  
 ARPD\_BATCH\_ID char(16)  
 ARPD\_ACCT\_ID char(30)  
 ARPD\_CR\_REF char(16)  
 ARPD\_AR\_REF char(16)  
 ARPD\_ORIG\_REF char(16)  
 ARPD\_AMT num(20,2)  
 ARPD\_DATE date  
 ARPD\_STATUS char(2)  
 ARPD\_TIME\_STAMP date



**AR\_ID** char(30)  
 AR\_NAME char(50)  
 AR\_ADDR char(40)  
 AR\_CITY char(20)  
 AR\_STATE char(2)  
 AR\_ZIP char(10)  
 AR\_NO\_CHECK char(2)  
 AR\_ACCT\_BAL num(20,2)  
 AR\_TIME\_STAMP date



**AR\_ID** char(30)  
 AR\_NAME char(50)  
 AR\_ADDR char(40)  
 AR\_CITY char(20)  
 AR\_STATE char(2)  
 AR\_ZIP char(10)  
 AR\_NO\_CHECK char(2)  
 AR\_ACCT\_BAL num(20,2)  
 AR\_TIME\_STAMP date



**ARCM\_DOC\_ID** char(12)  
 ARCM\_PAYER char(40)  
 ARCM\_PAY\_TYPE char(2)  
 ARCM\_PAY\_REF char(16)  
 ARCM\_AMT num(20,2)  
 ARCM\_DATE date  
 ARCM\_TEXT\_ID1 char(8)  
 ARCM\_TEXT\_ID2 char(8)  
 ARCM\_TEXT\_ID3 char(8)  
 ARCM\_STATUS char(4)  
 ARCM\_EXP\_DT char(4)  
 ARCM\_LOG\_DT date  
 ARCM\_SOURCE char(4)  
 ARCM\_LOG\_CLERK char(8)  
 ARCM\_AR\_CLERK char(8)  
 ARCM\_DEP\_CLERK char(8)  
 ARCM\_MISC\_CD char(12)  
 ARCM\_MISC\_DT date  
 ARCM\_CREATE\_WHEN date  
 ARCM\_CREATE\_WHO char(8)  
 ARCM\_UPDATE\_WHEN date  
 ARCM\_UPDATE\_WHO char(8)



**ARIR\_ID** char(30)  
 ARIR\_REF char(16)  
 ARIR\_DESC char(30)  
 ARIR\_FIN\_CD char(8)  
 ARIR\_AMT num(20,2)

**ARIR\_ID** char(30)  
 ARIR\_REF char(16)  
 ARIR\_DESC char(30)  
 ARIR\_FIN\_CD char(8)  
 ARIR\_AMT num(20,2)

**ARCD\_DOC\_ID** char(12)  
 ARCD\_ACCT\_ID char(12)  
 ARCD\_GL\_GR char(2)  
 ARCD\_GL\_KEY char(10)  
 ARCD\_GL\_OBJ char(8)  
 ARCD\_JL\_GR char(2)  
 ARCD\_JL\_KEY char(10)  
 ARCD\_JL\_OBJ char(8)  
 ARCD\_WO char(12)  
 ARCD\_DESC char(128)  
 ARCD\_AMT num(10,2)  
 ARCD\_REF char(16)  
 ARCD\_STUD\_ID char(12)  
 ARCD\_ACT\_ID char(16)  
 ARCD\_TEXT\_ID char(8)  
 ARCD\_MISC\_CD char(12)  
 ARCD\_MISC\_DT date  
 ARCD\_CREATE\_WHEN date  
 ARCD\_CREATE\_WHO char(8)  
 ARCD\_UPDATE\_WHEN date  
 ARCD\_UPDATE\_WHO char(8)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

<b>GR</b>	<i>char(2)</i>
BALPART	char(4)
FY1	char(4)
FY2	char(4)
FY3	char(4)
GRDESC	char(20)
L1DESC	char(16)
L1PART	char(4)
L1PARTNO	char(1)
L2DESC	char(16)
L2PART	char(4)
L2PARTNO	char(1)
PS	char(4)
RESPART	char(4)
SCRN	char(1)
SCRNORDER	char(1)
UNIQREF	char(1)
VERS	char(1)
VERSORDER	char(1)
YR	char(1)
YRORDER	char(1)

<b>TEMPLATE</b>	<i>char(8)</i>
GR	char(2)
FY	char(4)
LEVELCD	char(2)
VERS	char(2)
DESCRIPTION	char(30)
ENDKEY	char(10)
ENDKPART1 *** 8	char(8)
ENDOBJ	char(8)
ENDOGRP1 *** 8	char(8)
ENDPRI	char(2)
ENDREF	char(16)
MKEY	char(10)
MKPART1 *** 8	char(8)
MOBJ	char(8)
MOGRP1 *** 8	char(8)
MPRI	char(2)
MREF	char(16)
STKEY	char(10)
STKPART1 *** 8	char(8)
STOBJ	char(8)
STOGRP1 *** 8	char(8)
STPRI	char(2)
STREF	char(16)

<b>PACK</b>	<i>char(8)</i>
APRV	char(1)
APRVWHEN	date
COMM	char(2000)
DESCRIPTION	char(30)
MORECOMM	char(2000)

<b>GR</b>	<i>char(2)</i>
CODEID	char(10)
CODEVAL	char(16)
CODEDESC	char(30)

<b>FY</b>	<i>char(4)</i>
<b>GR</b>	<i>char(2)</i>
<b>KEY</b>	<i>char(10)</i>
<b>OBJ</b>	<i>char(8)</i>
<b>LEVELCD</b>	<i>char(2)</i>
<b>VERS</b>	<i>char(2)</i>




<b>FY</b>	<i>char(4)</i>
<b>GR</b>	<i>char(2)</i>
<b>KEY</b>	<i>char(10)</i>
<b>OBJ</b>	<i>char(8)</i>
<b>LEVELCD</b>	<i>char(2)</i>
<b>VERS</b>	<i>char(2)</i>
AMT	num(20,2)
COMM	char(2000)
CONTRACT	char(16)
CUTOFF	date
DESCRIPTION	char(30)
FAFLAG	char(1)
FNDSRC	char(10)
GLFQA_ACCT	char(40)
JOBNO	char(16)
MFCT	char(25)
MO	char(2)
MODEL	char(25)
PACK	char(8)
PKEY	char(36)
PRI	char(2)
PURCHDT	date
QTY	num(20,5)
REFRN	char(16)
UNITPC	num(20,2)
UPDATE_WHO	char(12)

<b>FY</b>	<i>char(4)</i>
<b>GR</b>	<i>char(2)</i>
<b>KEY</b>	<i>char(10)</i>
<b>OBJ</b>	<i>char(8)</i>
<b>LEVELCD</b>	<i>char(2)</i>
<b>VERS</b>	<i>char(2)</i>
AMT	num(20,2)
COMM	char(2000)
CUTOFF	date
DESCRIPTION	char(30)
GLFQA_ACCT	char(40)
JOBNO	char(8)
JUST	char(2000)
MO	char(2)
MODEL	char(25)
PACK	char(8)
PRI	char(2)
REASON	char(4)
REFRN	char(16)
TR-CREDIT	num(20,2)
TR-DEBIT	num(20,2)
TR-NET	num(20,2)
TRANSFER	char(2)
TYP	char(2)
UPDATE_WHO	char(12)

<b>FY</b>	<i>char(4)</i>
<b>GR</b>	<i>char(2)</i>
<b>KEY</b>	<i>char(10)</i>
<b>OBJ</b>	<i>char(8)</i>
<b>LEVELCD</b>	<i>char(2)</i>
<b>VERS</b>	<i>char(2)</i>
AMT	num(20,2)
BU	char(8)
COMM	char(2000)
CUTOFF	date
DEPT	char(8)
DESCRIPTION	char(30)
EMPID	char(12)
FRINGE	num(20,2)
JOB	char(8)
JOBNO	char(8)
LCTN	char(8)
MO	char(2)
MODEL	char(25)
PACK	char(8)
PKEY	char(36)
POS	char(12)
PRI	char(2)
REFRN	char(16)
SAL	num(20,2)
SALTB	char(24)
UPDATE_WHO	char(12)

<b>FY</b>	<i>char(4)</i>
<b>GR</b>	<i>char(2)</i>
<b>KEY</b>	<i>char(10)</i>
<b>OBJ</b>	<i>char(8)</i>
<b>LEVELCD</b>	<i>char(2)</i>
<b>VERS</b>	<i>char(2)</i>
AMT	num(20,2)
CAMT	num(20,2)
COMM	char(2000)
CPP	num(20,2)
CUTOFF	date
DESCRIPTION	char(30)
ENDT	date
FAMT	num(20,2)
GLFQA_ACCT	char(40)
LAMT	num(20,2)
LCTN	char(30)
MAMT	num(20,2)
MO	char(2)
PACK	char(8)
PERSONS	num(10)
PKEY	char(36)
PRI	char(2)
REFRN	char(16)
STARTDT	date
TAMT	num(20,2)
TTLAYS	num(10,1)
TTYPE	char(4)
UPDATE_WHO	char(12)



AMT1	num(20,2)
AMT2	num(20,2)
AMT3	num(20,2)
DESCRIPTION	char(35)
FY1	char(4)
FY2	char(4)
FY3	char(4)
GR	char(2)
L1DESC	char(16)
L1PART	char(4)
L1VALUE	char(8)
L2DESC	char(16)
L2PART	char(4)
L2VALUE	char(8)
TYPE	char(4)

DESCRIPTION	char(2000)
GR	char(2)
L1DESC	char(16)
L1PART	char(4)
L1VALUE	char(8)
L2DESC	char(16)
L2PART	char(4)
L2VALUE	char(8)
TYPE	char(4)

COA_ELEM	char(4)
GR	char(2)
KEYTYPE	char(1)
PGINDEX	char(1)
REND	char(10)
RSTART	char(10)
RTYPE	char(2)
SCR	char(8)
USERIX	char(12)

CDVAL_DESC	char(30)
CODE_VALUE	char(30)
CODEID	char(8)
MODEL_DESC	char(30)
MODEL_ID	char(12)

<b>GR</b>	<i>char(2)</i>
L1DESC	char(16)
L1PART	char(4)
L1VALUE	char(8)
L2DESC	char(16)
L2PART	char(4)
L2VALUE	char(8)
SUMCOM	char(2000)

<b>GR</b>	<i>char(2)</i>
L1DESC	char(16)
L1PART	char(4)
L1VALUE	char(8)
SUMM	char(2000)

CLST	char(8)
------	---------


**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**BK\_CK\_ID** char(2) BK\_REVERSE\_DATE date  
**BK\_TYPE** char(4) BK\_ESCHEAT\_DATE date  
**BK\_NUMBER** char(10) BK\_HOLD\_DATE date  
 BK\_FORMER\_ID char(2) BK\_MAIL\_DATE date  
 BK\_FORMER\_TYPE char(4) BK\_AUDIT\_REF char(16)  
 BK\_FORMER\_NO char(10) BK\_AUDIT\_AMT num(20,2)  
 BK\_REPLACE\_ID char(2) BK\_AUDIT\_DATE date  
 BK\_REPLACE\_TYPE char(4) BK\_RECON\_TYPE char(4)  
 BK\_REPLACE\_NO char(10) BK\_RECON\_NUMBER  
 BK\_TYPE2 char(2) char(10)  
 BK\_STATUS char(2) BK\_CREATE\_USER char(8)  
 BK\_SUBSYSTEM char(2) BK\_CREATE\_DATE date  
 BK\_WARRANT char(10) BK\_UPDATE\_DATE date  
 BK\_JOB\_NO num(10) BK\_AMOUNT num(20,2)  
 BK\_JOB\_NO2 num(10) BK\_PE\_ID char(12)  
 BK\_JOB\_NO\_RV num(10) BK\_PEDB\_CD char(2)  
 BK\_DATE date BK\_PE\_NAME char(50)  
 BK\_DEP\_STATUS char(2) BK\_PE\_NAME\_U char(50)  
 BK\_MATCH\_STATUS BK\_ADDR1 char(40)  
 char(2) BK\_ADDR2 char(40)  
 BK\_RECON\_STATUS BK\_ADDR3 char(40)  
 char(2) BK\_ADDR4 char(40)  
 BK\_CANCEL\_DATE date BK\_CITY char(20)  
 BK\_STALE\_DATE date BK\_STATE char(2)  
 BK\_STOP\_DATE date BK\_ZIP char(10)  
 BK\_RELEASE\_DATE date BK\_COUNTRY char(4)  
 BK\_REVIEW\_DATE date CC\_FASTKEY char(16)


**BK\_CK\_ID** char(2)  
**BK\_END\_DATE** date  
 BK\_FILE\_DATE date  
 BK\_FILE\_NAME char(16)  
 BK\_END\_AMOUNT num(20,2)  
 BK\_JOB\_NO num(10)  
 BK\_CREATE\_USER char(8)  
 BK\_RECON\_STATUS char(2)  
 BK\_RECON\_DATE date  
 BK\_RECON\_USER char(8)

**BKI\_S\_CK\_ID** char(2)  
**BKI\_S\_TYPE** char(4)  
**BKI\_S\_NUMBER** char(10)  
 BKI\_E\_CK\_ID char(2)  
 BKI\_E\_TYPE char(4)  
 BKI\_E\_NUMBER char(10)  
 BKI\_USER\_ID char(8)  
 BKI\_ASSIGN\_DATE date  
 BKI\_ASSIGN\_BY char(8)  
 BKI\_STATUS char(2)



**BANK\_LEDGER** char(2) ACH1\_IMM\_DEST char(10)  
**BANK\_ID** char(2) ACH1\_IMM\_ORIGIN char(10)  
 BANK\_STATUS char(2) char(10)  
 BANK\_LONG\_DESC char(30) ACH1\_DEST\_NAME char(23)  
 BANK\_SHORT\_DESC char(12) ACH1\_ORIGIN\_NAME char(23)  
 BANK\_PE\_ID char(12) ACH5\_COMP\_NAME  
 ACCOUNT\_TYPE char(1) char(16)  
 CASH\_GL\_GR char(2) ACH5\_DR\_DISC char(20)  
 CASH\_GL\_KEY char(10) ACH5\_CR\_DISC char(20)  
 CASH\_GL\_OBJ char(8) ACH5\_COMP\_ID char(10)  
 TRANS\_GL\_GR char(2) ACH5\_DR\_DESC char(10)  
 TRANS\_GL\_KEY char(10) ACH5\_CR\_DESC char(10)  
 TRANS\_GL\_OBJ char(8) ACH5\_ODFI\_ID char(8)  
 LAST\_CHECK\_NUM CR\_PRENOTE\_FLAG char(1)  
 num(10) CR\_PAPER\_FLAG char(1)  
 END\_OF\_BOX num(10) CR\_DEBIT\_FLAG char(1)  
 START\_OF\_BOX num(10) ACH\_DR\_FILE\_NAME char(8)  
 VOID\_START\_CNT num(5) char(8)  
 VOID\_END\_CNT num(5) ACH\_CR\_FILE\_NAME char(8)  
 ELF\_FORM\_NUM num(5) CHK\_RANGE\_BEGIN char(8)  
 CHK\_RANGE\_BEGIN num(10) CREATE\_WHEN date  
 num(10) CREATE\_WHO char(12)  
 CHK\_RANGE\_END num(10) UPDATE\_WHEN date  
 UPDATE\_WHO char(12)



BK\_AMOUNT num(20,2) **BK\_CK\_ID** char(2) **BK\_CK\_ID** char(2) **BK\_CK\_ID** char(2)  
 BK\_REL\_ONE char(2) **BK\_TYPE** char(4) **BK\_TYPE** char(4) **BK\_TYPE** char(4)  
 BK\_REL\_TWO char(2) **BK\_NUMBER** char(10) **BK\_NUMBER** char(10) **BK\_NUMBER** char(10)  
 BK\_PAY\_TYPE char(2) BK\_TEXT char(80) BKL\_ELEMENT\_NAME char(16) BKA\_VALUE num(20,5)  
 BK\_FIN\_CD char(4) BK\_TEXT\_LNO num(5) char(16) BKA\_DESC char(40)  
 BK\_REF\_DATE date BKL\_OLD\_VALUE char(16) BKA\_DATE date  
 BK\_REF2\_DATE date BKL\_NEW\_VALUE char(16) BKA\_CODE char(8)  
**BK\_CK\_ID** char(2) BKL\_UPDATE\_USER char(8)  
**BK\_TYPE** char(4) BKL\_UPDATE\_DATE date  
**BK\_NUMBER** char(10)



**BK\_CK\_ID** char(2)  
**BK\_END\_DATE** date  
 BK\_TYPE char(4)  
 BK\_NUMBER char(10)  
 BK\_MATCH\_STATUS char(2)  
 BK\_RECON\_STATUS char(2)  
 BK\_RECON\_TYPE char(4)  
 BK\_RECON\_NUMBER char(10)  
 BK\_RECON\_DATE date  
 BK\_RECON\_USER char(8)  
 BK\_AMOUNT num(20,2)  
 BK\_OVER\_AMOUNT num(20,2)  
 BK\_DATE date  
 BK\_FILE\_RECNO num(10)



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX




**COMMODITY\_CODE** char(16)  
**COMMODITY\_TYPE** char(8)  
 COMMODITY\_PART1 char(8)  
 COMMODITY\_PART2 char(8)  
 COMMODITY\_PART3 char(8)  
 COMMODITY\_PART4 char(8)  
 COMMODITY\_PART5 char(8)  
 COMMODITY\_DESC varchar(50)  
 COMMODITY\_TITLE varchar(250)  
 COMMODITY\_DEFN varchar(250)

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
 NEW\_BIDDER\_STATUS char(2)  
 NUCLEUS\_USER\_SEED char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BIDDER\_ID** char(12)  
**TAX\_ID** char(9)  
**TAX\_ID\_TYPE** char(1)  
 NUCLEUS\_ID char(12)  
 BIDDER\_STATUS char(2)  
 PROFILE\_CHANGED char(1)  
 COMPANY\_NAME varchar(50)  
 LAST\_LOGIN\_DATE date  
 LAST\_RESP\_DATE date  
 LAST\_AWARD\_DATE date  
 BID\_CONTACT\_NAME varchar(40)  
 BID\_ADDR1 varchar(40)  
 BID\_ADDR2 varchar(40)  
 BID\_ADDR3 varchar(40)  
 BID\_ADDR4 varchar(40)  
 BID\_CITY char(20)  
 BID\_STATE\_CD char(2)  
 BID\_ZIP char(14)  
 BID\_COUNTRY\_CD char(4)  
 BID\_PHONE char(14)  
 BID\_FAX char(14)  
 BID\_EMAIL varchar(50)  
 ORDER\_SAME\_FLAG char(1)  
 ORDER\_CONTACT\_NAME varchar(40)  
 ORDER\_ADDR1 varchar(40)  
 ORDER\_ADDR2 varchar(40)  
 ORDER\_ADDR3 varchar(40)  
 ORDER\_ADDR4 varchar(40)  
 ORDER\_CITY char(20)  
 ORDER\_STATE\_CD char(2)  
 ORDER\_ZIP char(14)  
 ORDER\_COUNTRY\_CD char(4)  
 ORDER\_PHONE char(14)  
 ORDER\_FAX char(14)  
 ORDER\_EMAIL varchar(50)  
 PAY\_SAME\_FLAG char(1)  
 PAY\_CONTACT\_NAME varchar(40)  
 PAY\_CITY char(20)  
 PAY\_ADDR1 varchar(40)  
 PAY\_ADDR2 varchar(40)  
 PAY\_ADDR3 varchar(40)  
 PAY\_ADDR4 varchar(40)  
 PAY\_CITY char(20)  
 PAY\_STATE\_CD char(2)  
 PAY\_ZIP char(14)  
 PAY\_COUNTRY\_CD char(4)  
 PAY\_PHONE char(14)  
 PAY\_FAX char(14)  
 PAY\_EMAIL varchar(50)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
 BID\_TYPE char(1)  
 BID\_STATUS char(2)  
 BID\_DESC char(45)  
 ADVERTISE\_DATE date  
 OPEN\_DATE date  
 CLOSE\_DATE date  
 OPENING\_DATE date  
 BID\_ATTACH\_FLAG char(1)  
 ITEM\_ATTACH\_FLAG char(1)  
 BID\_SHIP\_FLAG char(1)  
 PUBLIC\_POST\_FLAG char(1)  
 CONTACT\_USER char(12)  
 DECRYPT\_USER char(12)  
 COMMODITY\_CODE char(16)  
 COMMODITY\_TYPE char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
 ENTITY\_NAME varchar(50)  
 LOCAL\_TIME\_ZONE char(4)  
 DAYLIGHT\_FLAG char(1)  
 START\_INSTR varchar(1000)  
 END\_INSTR varchar(1000)



**BIDDER\_ID** char(12)  
**COMMODITY\_CODE** char(16)  
**COMMODITY\_TYPE** char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BIDDER\_ID** char(12)  
 COMMODITY\_CODE char(16)  
 COMMODITY\_TYPE char(8)  
 BID\_QUANTITY num(10)  
 UNIT\_OF\_MEASURE char(8)  
 UNIT\_PRICE num(20,5)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BIDDER\_ID** char(12)  
 ACCESS\_DATE date  
 IGNORE\_FLAG char(1)

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BIDDER\_ID** char(12)  
 RESPONSE\_STATUS char(2)  
 RESPONSE\_BLOB long raw  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BIDDER\_ID** char(12)  
 SHIP\_NUMBER num(5)  
 SHIP\_VIA char(10)  
 SHIP\_DATE date  
 TRACKING\_NUMBER varchar(40)  
 ETA\_DATE date  
 RECEIVE\_DATE date  
 SHIP\_DESC varchar(1000)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BIDDER\_ID** char(12)  
**AMEND\_NUMBER** num(5)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**QNA\_NUMBER** num(5)  
**BIDDER\_ID** char(12)  
 QUESTION\_TEXT varchar(1000)  
 ANSWER\_TEX varchar(1000)  
 QUESTION\_DATE date  
 ANSWER\_DATE date  
 PUBLIC\_FLAG char(1)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
**BID\_NUMBER** char(30)  
 FIELD\_TYPE char(1)  
 OLD\_CHARACTER varchar(50)  
 NEW\_CHARACTER varchar(50)  
 OLD\_NUMERIC num(20,5)  
 NEW\_NUMERIC num(20,5)  
 OLD\_DATE date  
 NEW\_DATE date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
**BID\_NUMBER** char(16)  
 BID\_BLOB long raw  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


<b>BIDNUMBER</b>	<i>char(16)</i>	NUM_RESP	num(5)	BID_DT	date
ADVERT ***4	date	NUMRENEWAL	char(1)	BID_REF	char(8)
AWARDDATE	date	PRNUM	char(8)	CINC_DT	date
BIDCYCLE	char(12)	RENEW1	char(2)	PROJECT_ID	char(16)
BIDITEMS	num(5)	RENEW2	char(2)	REJ_DT	date
BIDSTATUS	char(2)	RESPONSES	num(5)	RENEW_COUNT	num(10)
BIDTYPE	char(8)	RESPONSIVE	num(5,2)	RENEW_MAX	num(10)
BM_TYPE	char(1)	RETURNED	num(5,2)	TERM_FLAG	char(1)
BUYER	char(12)	SENTOUT	num(5)	OLD_JOB	char(16)
CC_DATE	date	SHORT_DESC	char(45)	BOND_DT	date
CLOSE_DATE	date	TEXT_FILE	char(8)	BID_LEDGER	char(2)
COMM1	varchar(999)	TIME_FIELD	char(7)	COMMODITY_CODE	char(16)
COMMENTS	char(120)	BIDNOTE	varchar(500)	PUBLISH_DT	date
CONTRACT	char(10)	BUYERNOTE	varchar(500)	CREATE_WHEN	date
DELIV	date	CINC	char(8)	CREATE_WHO	char(12)
EDITTEXT	char(1)	NOTES	varchar(300)	UPDATE_WHEN	date
ISSUEDATE	date	TARGET	date	UPDATE_WHO	char(12)
L_DESC	varchar(180)	AWARD_CD	char(8)		
LENRENEWAL	char(2)	BEGIN_DT	date		
NOTELOG	char(1)	END_DT	date		



<b>BIDNUMBER</b>	<i>char(16)</i>
VENDOR	char(12)
VENDOR_ST	char(2)
NAME	char(50)
LAST_AW_DT	date
LAST_BD_DT	date
BUILDLIST	char(1)
CC1 *** 4	char(16)
PC1 *** 4	char(16)
SELECTCODE	char(1)
SSC1 *** 5	char(12)




<b>BDBIDNO</b>	<i>char(16)</i>
BDBIDCYCLE	char(12)
BDBIDSTAT	char(2)
BDBUYER	char(12)
BUYERNAME	char(24)
BDTASKNO1	char(6)
COMMQ	char(1)
STEP	char(2)
TASKAPPR	char(12)
TASKBEG	date
TASKCOMPQ	char(1)
TASKEND	date
TITLE	char(17)



<b>BIDNUMBER</b>	<i>char(16)</i>
ALT	char(1)
ALTITEM	char(1)
AWARD_DATE	date
AWARDED	char(1)
B_WRITTEN	char(1)
BRANDQ	char(2)
BUYER	char(12)
CATALOG	char(20)
COMM	char(50)
CONTACT	char(24)
DESCRIPTION	char(60)
FIXEDASSET	char(1)
GOODDATE	date
GROUP_ITEM	char(1)
HAZMAT	char(1)
ITEM_TTL	num(20,2)
LEADTIME	char(24)
LINENUMBER	num(5)
MEASURE	char(12)
MEETSPECS	char(1)
ORDERMAX	num(20,2)
ORDERMIN	num(20,2)
P_DESC	char(36)
PRICE	num(20,2)
PRODUCTID	char(16)
RESPONSE	char(1)
RUN_TTL	num(20,2)
STOCKITEM	char(1)
TERMS	char(8)
TIMELINE	char(1)
VENDORID	char(12)
VENDORNAME	char(30)
QUANTITY	num(10)
CREATE_WHEN	date
UPDATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHO	char(12)




<b>OLD_BID</b>	<i>char(16)</i>
NEW_BID	char(16)




<b>BIDNUMBER</b>	<i>char(16)</i>
F_VENDOR	char(10)
T_VENDOR	char(10)




<b>BIDNUMBER</b>	<i>char(16)</i>
ITEM	num(5)
PRICE	num(20,2)
PRODUCT	char(16)
VENDOR	char(12)




<b>BID_NUMBER</b>	<i>char(16)</i>
QUEST_SET_ID	char(12)
QUEST_LEVEL	char(1)
QUEST_SORT	num(5)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date



<b>BID_NUMBER</b>	<i>char(16)</i>
PE_ID	char(12)
NOTIFIED_DATE	date
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date



<b>BID_NUMBER</b>	<i>char(16)</i>
PE_ID	char(12)
LINE_NUMBER	num(5)
QUEST_NUMBER	num(5)
QUEST_SHORT_DESC	varchar(1000)
ANSWER_TYPE	char(1)
TEXT_ANSWER	varchar(1000)
CHAR_ANSWER	varchar(50)
NUM_ANSWER	num(20,5)
DATE_ANSWER	date
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date



<b>BID_NUMBER</b>	<i>char(16)</i>
AMEND_NUMBER	num(5)
AMEND_STATUS	char(2)
AMEND_TEXT	varchar(1000)
POST_DATE	date
NEW_CLOSE_DATE	date
NEW_OPENING_DATE	date
NEW_STATUS	char(2)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX

**PROJECT\_ID** char(16)  
 AMEND char(2)  
 AMEND\_COURT\_DT date  
 ASSIGN\_DT date  
 ASSOC\_PROJ\_ID char(16)  
 BEGIN\_DT date  
 BUYER\_ID char(12)  
 COMM\_CD char(8)  
 COORDINATOR\_ID char(12)  
 COURT\_DT date  
 END\_DT date  
 GL\_GR char(2)  
 GL\_KEY char(10)  
 INSURE\_FLAG char(1)  
 PROJ\_DESC varchar(500)  
 PROJ\_STATUS char(8)  
 PROJ\_TYPE char(8)  
 RENEW\_COUNT num(10)  
 RENEW\_MAX num(10)  
 TERM\_FLAG char(1)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**BID\_ENTITY** char(8)  
 BID\_LEDGER char(2)  
 QUEST\_SET\_ID char(12)  
 SET\_ACTIVE\_FLAG char(1)  
 SET\_DESCRIPTION char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BDQUOTE** char(10)  
**BDITEM** char(4)  
**BDVENID1** char(12)  
 BUYER char(12)  
 BUYER\_E char(30)  
 CMNT char(1)  
 ITEMDESC char(30)  
**PRNUMBER** char(8)  
 PRODPRIE num(20,2)  
 PRODUCT\_E char(40)  
 PRODUNITS char(3)  
 Q\_STATUS char(2)  
 QTY num(5)  
 QUOTETHRU char(10)  
 RESPOND\_FL char(1)  
 S\_DESC char(40)  
 SI\_BALANCE num(5)  
 VENALTITEM char(1)  
 VENAWARD char(1)  
 VENDATE char(10)  
 VENPROD char(16)  
 CREATE\_WHEN date  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHO char(12)

**BDTASKID** char(6)  
 BDTASKITL char(30)  
 TASKDESC char(40)  
 TASKDESC2 char(40)  
 COMMENTS1 char(60)  
 COMMENTS2 char(60)  
 TASKDAYS char(5)  
 DAYSTYPE char(1)  
 POSTTASK1 \*\*\* 5 char(6)  
 PRETASK1 \*\*\* 5 char(6)

**CODEID** char(8)  
**CODEVAL** char(16)  
**C\_DESC** char(36)

**BID\_ENTITY** char(8)  
**BID\_LEDGER** char(2)  
 PE\_ID\_SEED char(8)  
 PE\_OWNER\_ID char(8)  
 APRV\_PROFILE\_FLAG char(1)  
 BID\_ADDR\_CD char(2)  
 ORDER\_ADDR\_CD char(2)  
 PAY\_ADDR\_CD char(2)  
 PHONE\_CD char(2)  
 FAX\_CD char(2)  
 COMM\_TYPE char(8)  
 COMM\_PREFIX char(8)  
 COMM\_MISC char(4)  
 SERVER\_URL varchar(250)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**PROJECT\_ID** char(16)  
 JOB\_ID char(16)  
 PE\_ID char(12)  
 PEDB\_CD char(1)  
 ADDR\_CD char(2)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PROJECT\_ID** char(16)  
 COMPLETE\_DT date  
 JOB\_ID char(16)  
 TARGET\_DT date  
 TASK\_ID char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PROJECT\_ID** char(16)  
 PE\_ID char(12)  
 AUTO\_CERT\_AMT num(20,2)  
 AUTO\_EXP\_DT date  
 AUTO\_FLAG char(1)  
 AUTO\_REQ\_AMT num(20,2)  
 BID\_CERT\_AMT num(20,2)  
 BID\_EXP\_DT date  
 BID\_FLAG char(1)  
 BID\_REQ\_AMT num(20,2)  
 HIPPA\_FLAG char(1)  
 PAY\_CERT\_AMT num(20,2)  
 PAY\_EXP\_DT date  
 PAY\_FLAG char(1)  
 PAY\_REQ\_AMT num(20,2)  
 PERF\_CERT\_AMT num(20,2)  
 PERF\_EXP\_DT date  
 PERF\_FLAG char(1)  
 PERF\_REQ\_AMT num(20,2)  
 PROF\_CERT\_AMT num(20,2)  
 PROF\_EXP\_DT date  
 PROF\_FLAG char(1)  
 PROF\_REQ\_AMT num(20,2)

USR1\_CERT\_AMT num(20,2)  
 USR1\_EXP\_DT date  
 USR1\_FLAG char(1)  
 USR1\_REQ\_AMT num(20,2)  
 USR1\_TYPE char(8)  
 USR2\_CERT\_AMT num(20,2)  
 USR2\_EXP\_DT date  
 USR2\_FLAG char(1)  
 USR2\_REQ\_AMT num(20,2)  
 USR2\_TYPE char(8)  
 USR3\_CERT\_AMT num(20,2)  
 USR3\_EXP\_DT date  
 USR3\_FLAG char(1)  
 USR3\_REQ\_AMT num(20,2)  
 USR3\_TYPE char(8)  
 WORK\_CERT\_AMT num(20,2)  
 WORK\_EXP\_DT date  
 WORK\_FLAG char(1)  
 WORK\_REQ\_AMT num(20,2)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**BID\_ENTITY** char(8)  
 BID\_LEDGER char(2)  
 QUEST\_SET\_ID char(12)  
 QUEST\_SORT num(5)  
 QUEST\_SHORT\_DESC char(20)  
 QUEST\_TEXT varchar(2500)  
 ANSWER\_TYPE char(1)  
 ANSWER\_STYLE char(4)  
 ANSWER\_SIZE num(5,1)  
 ANSWER\_REQ\_FLAG char(1)  
 ANSWER\_DEFAULT char(30)  
 ANSWER\_OPTIONS varchar(2500)  
 BID\_ATTRIBUTE char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BAWARD** char(2)  
 BRAND char(2)  
 CCLEN num(5)  
 ITEMCOM char(1)  
 PC\_BID\_FLG char(1)  
 RRH char(1)  
 SAWARD char(1)  
 TAX\_RATE num(20,4)  
 CREATE\_WHEN date  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHO char(12)

**BIDNUMBER** char(16)  
 ITEM num(5)  
 PRICE num(20,2)  
**PRODUCT** char(16)  
**VENDOR** char(12)


**CYCLEID** char(12)  
**TASK** char(6)  
 CYCLETITLE char(24)  
 CODE char(4)  
 COMMENTS char(60)  
 DAYS\_REQ num(5)  
 DAYSTYPE char(1)  
 DESCRIPTION char(120)  
 STEP num(5)  
 TCT num(5)  
 TDN num(5)

**BIDNUMBER** char(16)  
 ITEM num(5)  
 PRODUCTCD char(16)  
 S\_DETAIL varchar(1000)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

<b>TASKID</b>	char(12)	<b>CYCLE_ID</b>	char(12)
NUMDAYS	num(10)	CYCLE_TITLE	char(20)
POSTTASKID	char(12)	CYCLE_DESC	char(100)
PRETASKID	char(12)	TOTAL_CAL	num(10)
TASKDESC	varchar(100)	TOTAL_DAYS	num(10)
TASKTTL	char(20)	CYCLE_COMMENTS	char(60)
TASKTYPE	char(4)	CREATE_WHEN	date
COMMENTS	varchar(1000)	CREATE_WHO	char(12)
CREATE_WHEN	date	UPDATE_WHEN	date
CREATE_WHO	char(12)	UPDATE_WHO	char(12)
UPDATE_WHEN	date		
UPDATE_WHO	char(12)		

ACCEPT_DT	date	CURRENT	date	STATDESC	char(20)	USER4	char(8)
AMENDSUM	num(20,2)	CURRMAX	num(20,2)	TEXTFILE	char(12)	ADMINISTRATOR	char(12)
APRV1	char(2)	GLOBJ	char(8)	CYCLE_ID	char(12)	<b>ORIGMXAMT</b>	num(20,2)
APRV2	char(2)	LASTAMEND	date	DBE_ACTUAL	num(5,2)	CREATE_WHEN	date
APRV3	char(2)	MSTRCONT	char(8)	DBE_GOAL	num(5,2)	CREATE_WHO	char(12)
APRVDATE	date	ORG	char(10)	PERCENT_METHOD	char(1)	UPDATE_WHEN	date
COMMENTS	varchar(1000)	<b>ORIGBEGIN</b>	date	PERCENT_COMP	num(5,2)	UPDATE_WHO	char(12)
CONTINGENCY	num(20,2)	<b>PEID</b>	char(12)	SEC_CD	char(4)		
<b>CONTMGR</b>	char(8)	PRNUM	char(8)	USER1	char(8)		
<b>CONTNUM</b>	char(8)	RELIEF	date	USER2	char(8)		
CONTSTAT	char(4)	RFPBID	char(12)	USER3	char(8)		
<b>CONTTYPE</b>	char(2)	<b>SHORTDESC</b>	varchar(50)				



**BOLD . . . . CONSTRAINT**  
*ITALICS . . . . INDEX*

**stg\_tran  
\_dtl**

TRAN\_ID char(38)  
 TRAN\_ORIG\_SYS char(4)  
 TRAN\_DEST\_SYS char(4)  
 TRAN\_TYPE char(92)  
 TRAN\_ERR\_STAT char(2)  
 TRAN\_SITE char(12)  
 TRAN\_USER\_ID char(20)  
 PO\_ID char(38)  
 TRAN\_ORIG\_PO num(10)  
 TRAN\_PO\_NUMBER char(16)  
 TRAN\_FINAL\_PAY char(2)  
 TRAN\_MSG char(254)  
 TRAN\_DATE\_IN char(14)  
 TRAN\_DT\_PROCESS char(14)

**stg\_po  
\_dtl**

PO\_ID char(38)  
 PO\_DT char(14)  
 PO\_FISCAL\_DT char(8)  
 VEND\_EFT char(2)  
 VEND\_MANUAL char(2)  
 VEND\_ALT\_ID char(12)  
 VEND\_NAME varchar(50)  
 VEND\_DNB char(10)  
 VEND\_ID char(38)  
 VEND\_ADDR1 varchar(50)  
 VEND\_ADDR2 varchar(50)  
 VEND\_CITY varchar(50)  
 VEND\_STATE char(2)  
 VEND\_ZIP char(6)  
 VEND\_ZIP4 char(4)  
 VEND\_AREA char(4)  
 VEND\_PHONE char(8)  
 VEND\_EXT char(6)  
 SHIP\_ALT\_ID char(12)  
 SHIP\_ATTN varchar(50)  
 SHIP\_NAME varchar(50)  
 SHIP\_ADDR1 varchar(50)  
 SHIP\_ADDR2 varchar(50)  
 SHIP\_CITY varchar(50)  
 SHIP\_STATE char(2)  
 SHIP\_ZIP char(6)  
 SHIP\_ZIP4 char(4)  
 SHIP\_AREA char(4)  
 SHIP\_PHONE char(8)  
 SHIP\_EXT char(6)  
 PO\_MSG varchar(254)

**stg\_item  
\_dtl**

ITEM\_ID char(38)  
 PO\_ID char(38)  
 ITEM\_DELETE char(2)  
 ITEM\_DESC01 char(250)  
 ITEM\_DESC02 char(250)  
 ITEM\_UNITS char(10)  
 ITEM\_QTY\_ORD num(10)  
 ITEM\_CATEGORY num(10)  
 ITEM\_VEND\_PART char(20)  
 ITEM\_REQ\_ID char(20)  
 ITEM\_FIRST\_NAME varchar(20)  
 ITEM\_MIDDLE\_NAME char(2)  
 ITEM\_LAST\_NAME varchar(30)  
 ITEM\_UNIT\_PRICE num(20,2)  
 ITEM\_TOTAL\_PRICE num(20,2)  
 ITEM\_NUMBER char(4)  
 ITEM\_ESM\_ALT\_ID char(38)  
 ITEM\_EN\_REF char(8)  
 ITEM\_MSG varchar(254)

**stg\_acct  
\_dtl**

ITEM\_ID char(38)  
 ACCT\_NUMBER char(40)  
 PO\_ID char(38)  
 ACCT\_AMT num(20,2)  
 ACCT\_ESM\_ID char(38)  
 ACCT\_MSG varchar(254)

**stg\_rec  
\_dtl**

REC\_ID char(38)  
 PO\_ID char(38)  
 ITEM\_ID char(38)  
 TRAN\_ID char(38)  
 REC\_QTY num(10)  
 REC\_MSG varchar(254)

**stg\_pay  
\_dtl**

PAY\_ID char(38)  
 PO\_ID char(38)  
 ITEM\_ID char(38)  
 TRAN\_ID char(38)  
 PAY\_ACCT\_NUMBER char(40)  
 PAY\_AMT num(20,2)  
 PAY\_INVOICE char(20)  
 PAY\_MSG varchar(254)

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*

**EMG\_GR** char(2)  
 EMG\_FIFO\_CODE char(1)  
 EMG\_GEN\_DATE01 \*\*\* 20  
 char(20)  
 EMG\_GEN\_RATE01 \*\*\* 20  
 char(20)  
 EMG\_GEN\_CODE01 \*\*\* 20  
 char(20)  
 EMG\_GEN\_AMT01 \*\*\* 20  
 char(20)  
 MISC\_DT01 \*\*\* 20 date  
 MISC\_CODE01 \*\*\* 20  
 char(20)  
 MISC\_AMT01 \*\*\* 20  
 num(20,2)  
 MISC\_RATE01 \*\*\* 20  
 num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)





**EMG\_GR** char(2)  
 EMG\_DF\_PART char(4)  
 EMG\_DF\_GRP char(4)  
 EMG\_DF\_DATE01 \*\*\* 20  
 char(20)  
 EMG\_DF\_RATE01 \*\*\* 20  
 char(20)  
 EMG\_DF\_CODE01 \*\*\* 20  
 char(20)  
 EMG\_DF\_AMT01 \*\*\* 20  
 char(20)  
 EMG\_DF\_AMT01 \*\*\* 20  
 char(20)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**EMG\_GR** char(2)  
 EMG\_POOL\_PART char(4)  
 EMG\_POOL\_GRP char(4)  
 EMG\_POOL\_DATE01 \*\*\* 20  
 char(20)  
 EMG\_POOL\_RATE01 \*\*\* 20  
 char(20)  
 EMG\_POOL\_CODE01 \*\*\* 20  
 char(20)  
 EMG\_POOL\_AMT01 \*\*\* 20  
 char(20)  
 EMG\_POOL\_NOTE01 \*\*\* 04  
 char(20)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**POOL\_GR** char(2)  
**POOL\_ID** char(10)  
 POOL\_DESCS char(50)  
 POOL\_TYPE char(8)  
 POOL\_STATUS char(8)  
 POOL\_LOCATION char(8)  
 POOL\_UNITIZED char(1)  
 MISC\_DT01 \*\*\* 20 date  
 MISC\_CODE01 \*\*\* 20  
 char(20)  
 MISC\_AMT01 \*\*\* 20  
 num(20,2)  
 MISC\_RATE01 \*\*\* 20  
 num(20,7)  
 CURR\_MV num(20,2)  
 CURR\_MV\_DT date  
 CURR\_COST num(20,2)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**DF\_GR** char(2)  
**DF\_ID** char(10)  
 DF\_DESCS char(50)  
 DF\_TYPE char(8)  
 DF\_STATUS char(8)  
 DF\_LOCATION char(8)  
 MISC\_DT01 \*\*\* 20 date  
 MISC\_CODE01 \*\*\* 20  
 char(20)  
 MISC\_AMT01 \*\*\* 20  
 num(20,2)  
 MISC\_RATE01 \*\*\* 20  
 num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**INV\_GR** char(2)  
**INV\_ID** char(10)  
 INV\_DESCS char(50)  
 INV\_TYPE char(8)  
 INV\_STATUS char(8)  
 INV\_LOCATION char(8)  
 MISC\_DT01 \*\*\* 20 date  
 MISC\_CODE01 \*\*\* 20  
 char(20)  
 MISC\_AMT01 \*\*\* 20  
 num(20,2)  
 MISC\_RATE01 \*\*\* 20  
 num(20,7)  
 CURR\_MV num(20,2)  
 CURR\_MV\_DT date  
 CURR\_COST num(20,2)  
 CURR\_SHARES num(20,7)  
 POOL\_ID char(10)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)



**POOL\_GR** char(2)  
**POOL\_ID** char(10)  
 POOL\_KEY char(10)  
 POOL\_KEY\_TYPE char(8)  
 POOL\_PERCENT num(20,5)  
 POOL\_OBJ char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**POOL\_GR** char(2)  
**POOL\_ID** char(10)  
 CONTACT\_ID char(12)  
 CONTACT\_TYPE char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**POOL\_GR** char(2)  
**POOL\_ID** char(10)  
 ASSOC\_TYPE char(8)  
 ASSOC\_AMT num(20,2)  
 ASSOC\_DT date  
 ASSOC\_CODE char(20)  
 ASSOC\_DESC varchar(256)  
 ASSOC\_RATE num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**POOL\_GR** char(2)  
**POOL\_ID** char(10)  
 MARKET\_VALUE num(20,2)  
 MARKET\_DT date  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**DF\_ID** char(10)  
**DF\_GR** char(2)  
**POOL\_ID** char(10)  
 TOTAL\_MARKET num(20,2)  
 START\_DT date  
 END\_DT date  
 DF\_POOL\_STATUS char(8)  
 TOTAL\_UNITS num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**DF\_GR** char(2)  
**DF\_ID** char(10)  
 DF\_KEY char(10)  
 DF\_KEY\_TYPE char(10)  
 DF\_PERCENT num(20,5)  
 DF\_OBJ char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**DF\_GR** char(2)  
**DF\_ID** char(10)  
 CONTACT\_ID char(12)  
 CONTACT\_TYPE char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**DF\_GR** char(2)  
**DF\_ID** char(10)  
 ASSOC\_TYPE char(8)  
 ASSOC\_AMT num(20,2)  
 ASSOC\_DT date  
 ASSOC\_CODE char(20)  
 ASSOC\_DESC varchar(256)  
 ASSOC\_RATE num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**INV\_GR** char(2)  
**INV\_ID** char(10)  
 INV\_KEY char(10)  
 INV\_KEY\_TYPE char(10)  
 INV\_PERCENT num(20,5)  
 INV\_OBJ char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**INV\_GR** char(2)  
**INV\_ID** char(10)  
 CONTACT\_ID char(12)  
 CONTACT\_TYPE char(8)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**INV\_GR** char(2)  
**INV\_ID** char(10)  
 ASSOC\_TYPE char(8)  
 ASSOC\_AMT num(20,2)  
 ASSOC\_DT date  
 ASSOC\_CODE char(20)  
 ASSOC\_DESC varchar(256)  
 ASSOC\_RATE num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)







**INV\_GR** char(2)  
**INV\_ID** char(10)  
 MARKET\_VALUE num(20,2)  
 MARKET\_DT date  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*

**EMB\_BATCH\_ID** char(16)  
 EMB\_DESC char(30)  
 EMB\_USER\_TOTAL num(20,2)  
 EMB\_BATCH\_TYPE char(2)  
 EMB\_POST\_STATE char(2)  
 EMB\_JOB\_NO num(10)  
 EMB\_GL\_GR char(2)  
 EMB\_JL\_GR char(2)  
 EMB\_USER\_UNITS num(20,7)  
 EMB\_USER\_SHARES num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**EMB\_BATCH\_ID** char(16)  
**EMB\_REF** char(16)  
 EMB\_USER\_TOTAL num(20,2)  
 EMB\_POST\_STATE char(2)  
 EMB\_POST\_JOB\_NO num(10)  
 EMB\_SEQ\_NO num(5)  
 EMB\_USER\_UNITS num(20,7)  
 EMB\_USER\_SHARES num(20,7)

**EMG\_GR** char(2)  
 EMG\_INV\_PART char(4)  
 EMG\_INV\_GRP char(4)  
 EMG\_INV\_DATE01 \*\*\* 20 char(20)  
 EMG\_INV\_RATE01 \*\*\* 20 char(20)  
 EMG\_INV\_CODE01 \*\*\* 20 char(20)  
 EMG\_INV\_AMT01 \*\*\* 20 char(20)  
 EMG\_INV\_NOTED01 \*\*\* 04 char(20)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)




EMT\_GR char(2) EMT\_COST num(20,2)  
 DF\_ID char(10) EMT\_MV num(20,2)  
 POOL\_ID char(10) REF01 \*\*\* 10 char(16)  
 INV\_ID char(10) MISC01 \*\*\* 10 char(16)  
 EMT\_FY char(4) DT01 \*\*\* 10 date  
 GLGR char(2) EMT\_DT date  
 GLKEY char(10) EMT\_UNITS num(20,7)  
 GLOBJ char(8) EMT\_MV\_UNITS num(20,7)  
 JLGR char(2) EMT\_COST\_UNIT num(20,7)  
 JLKEY char(10) EMT\_SHARES num(20,7)  
 JLOBJ char(8) EMT\_MV\_SHARE num(20,7)  
 EMT\_WO char(12) EMT\_COST\_SHARE num(20,7)  
 EMT\_TYPE char(8) EMT\_SEQ\_NO num(10)  
 EMT\_POST\_CD char(4) CREATE\_WHEN date  
 EMT\_STATUS char(8) CREATE\_WHO char(12)  
**EMT\_BATCH\_ID** char(16) UPDATE\_WHEN date  
**EMT\_REF** char(16) UPDATE\_WHO char(12)  
 EMT\_JOB\_NO num(10)  
 EMT\_AMT num(20,2)

EMT\_GR char(2) EMT\_COST num(20,2)  
 DF\_ID char(10) EMT\_MV num(20,2)  
 POOL\_ID char(10) REF01 \*\*\* 10 char(16)  
 INV\_ID char(10) MISC01 \*\*\* 10 char(16)  
 EMT\_FY char(4) DT01 \*\*\* 10 date  
 GLGR char(2) EMT\_DT date  
 GLKEY char(10) EMT\_UNITS num(20,7)  
 GLOBJ char(8) EMT\_MV\_UNITS num(20,7)  
 JLGR char(2) EMT\_COST\_UNIT num(20,7)  
 JLKEY char(10) EMT\_SHARES num(20,7)  
 JLOBJ char(8) EMT\_MV\_SHARE num(20,7)  
 EMT\_WO char(12) EMT\_COST\_SHARE num(20,7)  
 EMT\_TYPE char(8) EMT\_SEQ\_NO num(10)  
 EMT\_POST\_CD char(4) CREATE\_WHEN date  
 EMT\_STATUS char(8) CREATE\_WHO char(12)  
**EMT\_BATCH\_ID** char(16) UPDATE\_WHEN date  
**EMT\_REF** char(16) UPDATE\_WHO char(12)  
 EMT\_JOB\_NO num(10)  
 EMT\_AMT num(20,2)

EMA\_GR char(2)  
 DF\_ID char(10)  
 POOL\_ID char(10)  
 INV\_ID char(10)  
 EMA\_LEVEL\_CD char(8)  
 EMA\_FY char(4)  
 EMA\_ACCUM\_CD char(8)  
 EMA\_AMT\_BF num(20,2)  
 EMA\_AMT01 \*\*\* 14 num(20,2)  
 EMA\_UNITS\_BF num(20,7)  
 EMA\_UNITS01 \*\*\* 14 num(20,2)  
 EMA\_SHARES\_BF num(20,7)  
 EMA\_SHARES01 \*\*\* 14 num(20,7)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)


**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX



<i>FA_LEDGER</i>	<i>char(2)</i>	LICENSE	<i>char(8)</i>	QTY	<i>num(10)</i>
<i>FAID</i>	<i>char(12)</i>	LINKID	<i>num(5)</i>	RFAID	<i>char(12)</i>
ACQCD	<i>char(4)</i>	METHOD	<i>char(2)</i>	SALAMT	<i>num(20,2)</i>
ACRES	<i>num(10,2)</i>	MFCTID	<i>char(25)</i>	SC	<i>char(4)</i>
ACTTYPE	<i>char(4)</i>	MILEAGE	<i>num(10)</i>	SERIALNO	<i>char(25)</i>
ATTIMAGE	<i>char(1)</i>	MILEAGEDT	<i>date</i>	STAT	<i>char(2)</i>
BRAND_CD	<i>char(2)</i>	MISC1	<i>char(4)</i>	T_DAY	<i>date</i>
CIP	<i>char(1)</i>	MISC2	<i>char(8)</i>	TAG	<i>char(20)</i>
COMM	<i>char(1350)</i>	MODEL	<i>char(25)</i>	TAGGED	<i>char(1)</i>
COND	<i>char(4)</i>	OTHER_INFO	<i>char(25)</i>	TC	<i>char(8)</i>
ESTMETHOD	<i>char(1)</i>	PARCEL	<i>char(10)</i>	TITLE	<i>char(4)</i>
F_DESC	<i>char(30)</i>	PARENT1	<i>char(12)</i>	YR	<i>char(4)</i>
FAJOB	<i>char(8)</i>	PARENT2	<i>char(12)</i>	CREATE_WHEN	<i>date</i>
INSERVDT	<i>date</i>	PC	<i>char(2)</i>	CREATE_WHO	<i>char(12)</i>
JOBNO	<i>char(8)</i>	PROD_ID	<i>char(16)</i>	UPDATE_WHEN	<i>date</i>
LEASED	<i>char(1)</i>	PURCHAMT	<i>num(20,2)</i>	UPDATE_WHO	<i>char(12)</i>



<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>	<i>FA_LEDGER</i>	<i>char(2)</i>
<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>	<i>FAID</i>	<i>char(12)</i>
ADDR1	<i>char(40)</i>	BID	<i>char(16)</i>	ACCUM_ACCT	<i>char(40)</i>	ADDR1	<i>char(40)</i>	ACCAMT	<i>num(20,2)</i>	ADDR1	<i>char(40)</i>	LEASID	<i>char(10)</i>	ACCAMT	<i>num(20,2)</i>	ACCAMT	<i>num(20,2)</i>	ADDR1	<i>char(40)</i>
ADDR2	<i>char(40)</i>	CK	<i>char(10)</i>	ACCAMT	<i>num(20,2)</i>	ADDR2	<i>char(40)</i>	AMT	<i>num(20,2)</i>	ADDR2	<i>char(40)</i>	LTYPE	<i>char(1)</i>	AMT	<i>num(20,2)</i>	FREQ	<i>char(2)</i>	ADDR2	<i>char(40)</i>
BLDG	<i>char(4)</i>	CONTRACT	<i>char(16)</i>	AGR	<i>char(2)</i>	AFR	<i>char(12)</i>	FS	<i>char(8)</i>	ADDRCD	<i>char(2)</i>	ACRLDT	<i>date</i>	BOOKAMT	<i>num(20,2)</i>	GR	<i>char(2)</i>	BUSIPH	<i>char(20)</i>
CITY	<i>char(15)</i>	EXPNS_ACCT	<i>char(4)</i>	AKEY	<i>char(10)</i>	CITY	<i>char(15)</i>	LYRAMT	<i>num(20,2)</i>	CARRIER	<i>char(1)</i>	AGCYLF	<i>char(3)</i>	CATE	<i>char(4)</i>	KEY	<i>char(10)</i>	CITY	<i>char(15)</i>
CNT	<i>num(10)</i>	FAJOB	<i>char(8)</i>	AOBJ	<i>char(8)</i>	COMM	<i>char(1350)</i>	YTDAMT	<i>num(20,2)</i>	CITY	<i>char(15)</i>	AGCYLT	<i>char(3)</i>	COMM	<i>char(1350)</i>	OBJ	<i>char(8)</i>	COMM	<i>char(1350)</i>
CONTACT	<i>char(40)</i>	GR	<i>char(2)</i>	AJLGR	<i>char(2)</i>	CONTACT	<i>char(40)</i>	AGR	<i>char(2)</i>	COMM	<i>char(1350)</i>	COST	<i>num(20,2)</i>	COMMENTS	<i>char(201)</i>	JLGR	<i>char(2)</i>	CONTACT	<i>char(40)</i>
DEPT	<i>char(10)</i>	KEY	<i>char(10)</i>	AJLKEY	<i>char(10)</i>	DISPDT	<i>date</i>	AKEY	<i>char(10)</i>	CONTACT	<i>char(40)</i>	ESCDT	<i>date</i>	DESC_L	<i>char(30)</i>	JLKEY	<i>char(10)</i>	ENDDT	<i>date</i>
FAJOB	<i>char(8)</i>	OBJ	<i>char(8)</i>	AJLOBJ	<i>char(8)</i>	DTYPE	<i>char(2)</i>	AOBJ	<i>char(8)</i>	ENDDT	<i>date</i>	EXPDT	<i>date</i>	FAJOB	<i>char(8)</i>	JLOBJ	<i>char(8)</i>	FAXPH	<i>char(20)</i>
FAX	<i>char(22)</i>	JLGR	<i>char(2)</i>	APOST	<i>char(2)</i>	FAJOB	<i>char(8)</i>	AJLGR	<i>char(2)</i>	FAX	<i>char(20)</i>	INCDT	<i>date</i>	FAMIL_ACCT	<i>char(40)</i>	JOBNO	<i>char(8)</i>	SERVPH	<i>char(20)</i>
GLFQA_ACCT	<i>char(40)</i>	JLKEY	<i>char(10)</i>	BOOKAMT	<i>num(20,2)</i>	FAX	<i>char(22)</i>	AJLKEY	<i>char(10)</i>	PEID	<i>char(12)</i>	LDESC	<i>char(50)</i>	GR	<i>char(2)</i>	LASTAMT	<i>num(20,2)</i>	STARTDT	<i>date</i>
GR	<i>char(2)</i>	JLOBJ	<i>char(8)</i>	DEPR_ACCT	<i>char(40)</i>	METHOD	<i>char(2)</i>	AJLOBJ	<i>char(8)</i>	PHONE	<i>char(20)</i>	PAYMTH	<i>char(1)</i>	KEY	<i>char(10)</i>	LASTDT	<i>date</i>	STATE	<i>char(2)</i>
KEY	<i>char(10)</i>	IFAS_JOB	<i>char(8)</i>	FAJOB	<i>char(8)</i>	MILEAGE	<i>num(10)</i>	APOST	<i>char(2)</i>	POLICY	<i>char(20)</i>			OBJ	<i>char(8)</i>	LYAMT	<i>num(20,2)</i>	TECHPH	<i>char(20)</i>
OBJ	<i>char(8)</i>	INVAMT	<i>num(20,2)</i>	FREQ	<i>char(2)</i>	PHONE	<i>char(22)</i>	GR	<i>char(2)</i>	REPLACEAMT	<i>num(20,2)</i>			INCVAL	<i>char(1)</i>	POST	<i>char(2)</i>	TERMS	<i>char(4)</i>
JLGR	<i>char(2)</i>	INVDT	<i>date</i>	STARTDT	<i>date</i>	PURCHBY	<i>char(30)</i>	KEY	<i>char(10)</i>	STARTDT	<i>date</i>			INCVAPAST	<i>char(1)</i>	START_DT	<i>date</i>	TYPE	<i>char(4)</i>
JLKEY	<i>char(10)</i>	INVOICE	<i>char(16)</i>	KEY	<i>char(10)</i>	SALEAMT	<i>num(20,2)</i>	OBJ	<i>char(8)</i>	STATE	<i>char(2)</i>			INEFFAST	<i>char(1)</i>	YTDAMT	<i>num(20,2)</i>	VENDOR	<i>char(40)</i>
JLOBJ	<i>char(8)</i>	ITEMAMT	<i>num(20,2)</i>	OBJ	<i>char(8)</i>	STATE	<i>char(2)</i>	JLGR	<i>char(2)</i>	VENDOR	<i>char(40)</i>			JLGR	<i>char(2)</i>	PERCENTAGE	<i>num(10,5)</i>	WARRNO	<i>char(20)</i>
LCTN	<i>char(10)</i>	PEID	<i>char(12)</i>	JLGR	<i>char(2)</i>	VENDOR	<i>char(40)</i>	JLKEY	<i>char(10)</i>	ZIP	<i>char(10)</i>			JLKEY	<i>char(10)</i>			ZIP	<i>char(10)</i>
PHONE	<i>char(22)</i>	PO	<i>char(8)</i>	JLKEY	<i>char(10)</i>	ZIP	<i>char(10)</i>	JLOBJ	<i>char(8)</i>	CREATE_WHEN	<i>date</i>			JLOBJ	<i>char(8)</i>			CREATE_WHEN	<i>date</i>
ROOM	<i>char(4)</i>	RETAILAMT	<i>num(20,2)</i>	JLOBJ	<i>char(8)</i>	CREATE_WHEN	<i>date</i>	POST	<i>char(2)</i>	CREATE_WHO	<i>char(12)</i>			LASTAMT	<i>num(20,2)</i>			CREATE_WHO	<i>char(12)</i>
ROOMDESC	<i>char(40)</i>	CREATE_WHEN	<i>date</i>	LASTAMT	<i>num(20,2)</i>	CREATE_WHO	<i>char(12)</i>	PCT	<i>num(10,5)</i>	UPDATE_WHEN	<i>date</i>			LASTDT	<i>date</i>			UPDATE_WHEN	<i>date</i>
RPID	<i>char(10)</i>	CREATE_WHO	<i>char(12)</i>	LASTDT	<i>date</i>	UPDATE_WHEN	<i>date</i>	CREATE_WHEN	<i>date</i>	UPDATE_WHO	<i>char(12)</i>			LIFE	<i>num(10)</i>			UPDATE_WHO	<i>char(12)</i>
STATE	<i>char(2)</i>	UPDATE_WHEN	<i>date</i>	LASTUSE	<i>num(10)</i>	UPDATE_WHO	<i>char(12)</i>	CREATE_WHO	<i>char(12)</i>					LIFEREM	<i>num(5)</i>				
ZIP	<i>char(10)</i>	UPDATE_WHO	<i>char(12)</i>	LIFE	<i>num(10)</i>			UPDATE_WHEN	<i>date</i>					LIFETYPE	<i>char(2)</i>				
CREATE_WHEN	<i>date</i>			LIFEREM	<i>num(10)</i>			UPDATE_WHO	<i>char(12)</i>					METHODMI	<i>char(2)</i>				
CREATE_WHO	<i>char(12)</i>			LIFETYPE	<i>char(2)</i>									MIDT	<i>date</i>				
UPDATE_WHEN	<i>date</i>			LYRAMT	<i>num(20,2)</i>									MIID	<i>char(20)</i>				
UPDATE_WHO	<i>char(12)</i>			PCT	<i>num(10,5)</i>									MILEAGE	<i>num(10)</i>				
				POST	<i>char(2)</i>									TYPE	<i>char(1)</i>				
				TYPE	<i>char(4)</i>									WONO	<i>char(12)</i>				
				YTDAMT	<i>num(20,2)</i>									CREATE_WHEN	<i>date</i>				
				CREATE_WHEN	<i>date</i>									CREATE_WHO	<i>char(12)</i>				
				CREATE_WHO	<i>char(12)</i>									UPDATE_WHEN	<i>date</i>				
				UPDATE_WHEN	<i>date</i>									UPDATE_WHO	<i>char(12)</i>				
				UPDATE_WHO	<i>char(12)</i>														

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX





FA_LEDGER	char(2)
AMTFLAG	char(1)
APPOFNSRC	char(1)
CC_SEED	char(1)
COUNTY	char(1)
DEPRFLAG	char(1)
FA_END	num(5)
FA_START	num(5)
FSLIM_TYPE	char(1)
IDNTFLAG	char(1)
IDNTFNDSRC	char(1)
PCFLAG	char(1)
TACCT	char(1)
TDEPT	char(1)
TFLAG	char(1)
TLCTN	char(1)
TRPID	char(1)
UNIQUE_SN	char(1)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

FA_LEDGER	char(2)
CODEID	char(16)
C_DESC	char(30)
FALEDGER	char(8)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

FA_LEDGER	char(2)
LINKID	num(5)
L_DESC	char(30)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

FA_LEDGER	char(2)
TEMPLATE	char(8)
S_DESC	char(30)
STPC	char(2)
MPC	char(2)
ENDPC	char(2)
STSC	char(4)
MSC	char(4)
ENDSC	char(4)
STTC	char(8)
MTC	char(8)
ENDTC	char(8)
STSTAT	char(2)
MSTAT	char(2)
ENDSTAT	char(2)
STTYPE	char(2)
MTYPE	char(4)
ENDTYPE	char(4)
STFREQ	char(2)
MFREQ	char(2)
ENDFREQ	char(2)
STFAID	char(12)
MFAID	char(12)
ENDFAID	char(12)
GR	char(2)
STKEY	char(10)
MKEY	char(10)
ENDKEY	char(10)
STOBJ	char(8)
MOBJ	char(8)
ENDOBJ	char(8)
JLGR	char(2)
STJLKEY	char(10)
MJLKEY	char(10)
ENDJLKEY	char(10)
STJLOBJ	char(8)
MJLOBJ	char(8)
ENDJLOBJ	char(8)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)




[ SEE PREVIOUS PAGE ]



FA_LEDGER	char(2)	FA_LEDGER	char(2)	FA_LEDGER	char(2)
FAID	char(12)	FAID	char(12)	FAID	char(12)
BLDG	char(4)	AMT	num(20,2)	ACCAMT	num(20,2)
CATE	char(4)	COMM	char(30)	BOOKAMT	num(20,2)
COND	char(4)	DEPT	char(10)	CURRDEPR	num(20)
COST	num(20,2)	EDATE	date	JOBNO	char(8)
COUNT	char(4)	FAJOB	char(8)	JOBTYPE	char(4)
DEPT	char(10)	FATR_ACCT	char(40)	LASTAMT	num(20,2)
GR	char(2)	GR	char(2)	LASTDT	date
KEY	char(10)	KEY	char(10)	LASTUSE	num(10)
OBJ	char(8)	OBJ	char(8)	LIFEREM	num(5)
INDT	date	JLGR	char(2)	LYRAMT	num(20,2)
INSERVDT	date	JLKEY	char(10)	MIID	char(20)
INVDT	date	JLOBJ	char(8)	POSTDT	date
JLGR	char(2)	LCTN	char(10)	STAT	char(2)
JLKEY	char(10)	RPID	char(10)	YTDAMT	num(20,2)
JLOBJ	char(8)	JOBNO	char(8)	CREATE_WHEN	date
JOBNO	char(8)	MILEAGE	num(10)	CREATE_WHO	char(12)
LCTN	char(10)	NEWDEPT	char(10)	UPDATE_WHEN	date
LICENSE	char(8)	NEWKEY	char(10)	UPDATE_WHO	char(12)
MAKE	char(25)	NEWOBJ	char(8)		
MODEL	char(25)	NEWJLKEY	char(10)		
ORIGID	char(10)	NEWJLOBJ	char(8)		
P_DESC	char(30)	NEWLCTN	char(10)		
PO	char(16)	NEWRPID	char(10)		
PROCESS_DT	date	POSTCD	char(2)		
PURCHAMT	num(20,2)	POSTDT	date		
QTY	char(4)	POSTED	char(1)		
REPLACE	num(20,2)	REQBY	char(30)		
ROOM	char(4)	TDATE	date		
RPID	char(10)	TTYPER	char(4)		
SERIALNO	char(25)	CREATE_WHEN	date		
STAT	char(1)	CREATE_WHO	char(12)		
SUBTYPE	char(4)	UPDATE_WHEN	date		
TAG	char(20)	UPDATE_WHO	char(12)		
VENDOR	char(12)				
YEAR	char(4)				
CREATE_WHEN	date				
CREATE_WHO	char(12)				
UPDATE_WHEN	date				
UPDATE_WHO	char(12)				

FA_LEDGER	char(2)
PC	char(2)
SC	char(4)
TC	char(8)
FREQ	char(2)
GR	char(2)
KEY	char(10)
OBJ	char(8)
JLGR	char(2)
JLKEY	char(10)
JLOBJ	char(8)
LIFE	num(10)
LIFETYPE	char(2)
POST	char(2)
TYPE	char(4)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

FA_LEDGER	char(2)
FS	char(8)
GR	char(2)
KEY	char(10)
OBJ	char(8)
JLGR	char(2)
JLKEY	char(10)
JLOBJ	char(8)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

GL\_GR char(2)  
 GLG\_DESC char(30)  
 GLG\_TYPE char(2)  
 GLG\_JL\_LIST char(21)  
 GLG\_FISC\_MO num(5)  
 GLG\_INTRA char(8)  
 GLG\_FUND\_NDX num(5)  
 GLG\_FNCT\_NDX num(5)  
 GLG\_OFCR\_NDX num(5)  
 GLG\_INTER char(8)  
 GLG\_PER\_TYPE char(2)  
 GLG\_PER\_NUM char(2)  
 GLG\_BUDG\_CH char(2)  
 GLG\_FISC\_FLAG char(2)  
 GLG\_TITLE char(30)  
 GLG\_PER\_ST char(85)  
 GLG\_PER\_END char(85)  
 GLG\_PER\_NAME char(57)  
 GLG\_FULL\_FMT char(30)  
 GLG\_RPT\_FMT char(30)  
 GLG\_OPTIONS char(41)  
 GLG\_SUBS\_TITLE char(41)  
 GLG\_KEY\_TP char(2)  
 GLG\_KEY\_LN num(5)  
 GLG\_KEY\_D4 char(4)  
 GLG\_KEY\_D8 char(8)  
 GLG\_KEY\_D16 char(16)  
 GLG\_KEY\_PAD char(2)  
 GLG\_KEY\_GRP\_TP char(17)  
 GLG\_KEY\_GRP\_LN01 \*\*\* 8 num(5)  
 GLG\_KEY\_GRP\_D4 char(33)  
 GLG\_KEY\_GRP\_D8 char(65)  
 GLG\_KEY\_GRP\_D16 char(129)  
 GLG\_KEY\_GRP\_PAD char(17)  
 GLG\_KEY\_MISC\_DS char(65)  
 GLG\_KEY\_FLAG\_DS char(81)  
 GLG\_OBJ\_TP char(2)  
 GLG\_OBJ\_LN num(5)  
 GLG\_OBJ\_D4 char(4)  
 GLG\_OBJ\_D8 char(8)  
 GLG\_OBJ\_D16 char(16)  
 GLG\_OBJ\_BC\_PART num(5)  
 GLG\_OBJ\_AT\_PART num(5)  
 GLG\_OBJ\_PAD char(2)  
 GLG\_OBJ\_GRP\_TP char(17)  
 GLG\_OBJ\_GRP\_LN01 \*\*\* 8 num(5)  
 GLG\_OBJ\_GRP\_D4 char(33)  
 GLG\_OBJ\_GRP\_D8 char(65)  
 GLG\_OBJ\_GRP\_D16 char(129)  
 GLG\_OBJ\_GRP\_PAD char(17)  
 GLG\_BUD\_CD char(21)  
 GLG\_BUD\_D8 char(81)  
 GLG\_BUD\_D16 char(161)  
 GLG\_BUD\_DT char(101)  
 GLG\_BUD\_LOG char(21)  
 GLG\_DFLT\_VERS char(2)  
 GLG\_DFLT\_COUNTRY char(10)  
 GLG\_FC\_GL\_OBJ char(8)  
 GLG\_FC\_IC\_OBJ char(8)  
 GLG\_FC\_LOC\_CD char(4)  
 GLG\_JL\_DELIM char(1)  
 GLG\_WO\_DELIM char(1)


GLK\_GR char(2)  
 GLK\_KEY char(10)  
 GLK\_GRP\_PART01 \*\*\* 8 char(8)  
 GLK\_TITLE\_DM char(16)  
 GLK\_TITLE\_DL char(30)  
 GLK\_DIR char(30)  
 GLK\_STAT char(1)  
 GLK\_TYPE char(1)  
 GLK\_GROUP char(2)  
 GLK\_BUDG\_CL\_CD char(4)  
 GLK\_ALLOC\_BW char(1)  
 GLK\_ALLOC\_LEV char(1)  
 GLK\_OVER\_KEY char(10)  
 GLK\_BLOCK\_WARN char(1)  
 GLK\_BUDG\_LEV char(1)  
 GLK\_OVER\_VERS char(2)  
 GLK\_REQ\_ASSOC char(2)  
 GLK\_OBJ\_TYPES01 \*\*\* 06 char(2)  
 GLK\_DERIVED char(2)  
 GLK\_ACCEPT\_TR char(2)  
 GLK\_REQUIRE\_JL char(2)  
 GLK\_KEY\_TP char(2)  
 GLK\_MISC01 \*\*\* 8 char(10)  
 GLK\_COPY\_KEY char(10)  
 GLK\_START\_DT date  
 GLK\_END\_DT date  
 GLK\_KEY\_FLAG01 \*\*\* 10 char(1)  
 GLK\_OLD\_KEY char(10)  
 GLK\_SEL\_CODE01 \*\*\* 8 char(10)  
 GLK\_SEC\_PART01 \*\*\* 32 char(8)  
 GLK\_FQA char(40)  
 GLK\_PLAN\_START date  
 GLK\_PLAN\_END date  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

GLK\_GRP\_GR char(2)  
 GLK\_GRP\_ID char(4)  
 GLK\_GRP char(8)  
 GLK\_GRP\_DM char(16)  
 GLK\_GRP\_DIR char(30)  
 GLK\_GRP\_DL char(30)  
 GLK\_GRP\_FLAG01 \*\*\* 10 char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date


GLO\_OBJ char(2)  
 GLO\_GRP\_PART01 \*\*\* 8 char(8)  
 GLO\_OBJ\_DM char(16)  
 GLO\_OBJ\_DL char(30)  
 GLO\_DIR char(30)  
 GLO\_OBJ\_FLAG01 \*\*\* 10 char(2)  
 GLO\_TYPE char(2)  
 GLO\_BAL\_TYPE char(2)  
 GLO\_START\_DT date  
 GLO\_END\_DT date  
 GLO\_ALLOW\_SUBS01 \*\*\* 20 char(1)  
 GLO\_OLD\_NO char(8)  
 GLO\_CURR\_CD char(4)  
 GLO\_RECALC\_FLAG char(2)  
 GLO\_STATUS char(2)  
 GLO\_REQUIRE\_JL char(2)  
 GLO\_SEC\_PART01 \*\*\* 32 char(8)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

GLO\_GRP\_GR char(2)  
 GLO\_GRP\_ID char(4)  
 GLO\_GRP char(8)  
 GLO\_GRP\_DM char(16)  
 GLO\_GRP\_DL char(30)  
 GLO\_GRP\_DIR char(30)  
 GLO\_GRP\_FLAG01 \*\*\* 10 char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date


GLG\_CLASS\_GROUP char(4)  
 GLG\_GROUP\_DESC char(30)  
 GLG\_CODE\_CLASS char(81)  
 GLG\_GROUP\_FLAGS char(21)




GLQ\_QUICK char(10)  
 GLF\_GR char(2)  
 GLO\_KEY char(10)  
 GLO\_OBJ char(8)




GLF\_FULL\_KEY char(40)  
 GLF\_GR char(2)  
 GLF\_KEY char(10)  
 GLF\_OBJ char(8)




GLC\_CODE\_CLASS char(8)  
 GLC\_CLASS\_DESC char(30)  
 GLC\_APRV\_CODES01 \*\*\* 96 char(4)




GLU\_USER\_ID char(8)  
 GLU\_GROUPS\_CC01 \*\*\* 48 char(6)  
 GLU\_CODES\_CC01 \*\*\* 48 char(6)  
 GLU\_USER\_FLAGS01 \*\*\* 20 char(2)




GLA\_AVG\_SAL\_GR char(2)  
 GLA\_PART01 \*\*\* 05 char(10)  
 GLA\_AVG\_SAL num(20,5)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date



GLP\_GR char(2)  
 GL\_SUBS\_ID char(2)  
 GLP\_PART char(4)  
 GLP\_VALUE char(10)  
 GLP\_START\_DT date  
 GLP\_END\_DT date  
 GLP\_SYMB\_START char(10)  
 GLP\_SYMB\_END char(10)  
 GLP\_WARN\_DAYS num(5)  
 GLP\_BLOCK\_WARN char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date  
 GLP\_PART2 char(4)  
 GLP\_VALUE2 char(10)  
 GLP\_PRI\_FLAG char(2)  
 GLP\_PRI\_NO num(10)




GLR\_LEDGER char(2)  
 GLR\_ORG\_PART char(4)  
 GLR\_DESC char(30)  
 GLR\_PART01 \*\*\* 2 char(4)  
 GLR\_START\_DT date  
 GLR\_END\_DT date  
 GLR\_STATUS char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date















GLF\_FRINGE\_GR char(2)  
 GLF\_PART01 \*\*\* 05 char(10)  
 GLF\_FRINGE\_RATE num(10,5)  
 GLF\_FRINGE\_KEY char(10)  
 GLF\_FRINGE\_OBJ char(8)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date




GLC\_APRV\_CODE char(4)  
 GLC\_CODE\_DESC char(30)




GLSP\_CODE char(16)  
 GLSP\_SUBSYS char(2)  
 GLSP\_GR char(2)  
 GLSP\_DESC varchar(2,50)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date



GLK\_GR char(2)  
 GLK\_KEY char(10)  
 GLK\_ADDR\_CD char(2)  
 GLK\_PE\_ID char(12)  
 GLK\_PEOB\_CD char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date



GLK\_GR char(2)  
 GLK\_KEY char(10)  
 GLK\_GRP\_ID1 \*\*\* 8 char(4)  
 GLK\_GRP1 \*\*\* 8 char(4)



GL\_GR char(2)  
 GLG\_KPART\_D4 char(4)  
 GLG\_KPART\_D8 char(8)  
 GLG\_KPART\_D16 char(16)  
 GLG\_KPART\_TP char(1)  
 GLG\_KPART\_LN num(5)  
 GLG\_KPART\_PAD char(1)  
 GLG\_KPART\_REQ char(1)  
 GLG\_KPART\_VAL char(1)  
 GLG\_KPART\_IDX num(5)

GLO\_GR char(2)  
 GLO\_OBJ char(8)  
 GLO\_GRP\_ID1 \*\*\* 8 char(4)  
 GLO\_GRP1 \*\*\* 8 char(4)

GL\_GR char(2)  
 GLG\_OGOUP\_D4 char(4)  
 GLG\_OGOUP\_D8 char(8)  
 GLG\_OGOUP\_D16 char(16)  
 GLG\_OGOUP\_TP char(1)  
 GLG\_OGOUP\_LN num(5)  
 GLG\_OGOUP\_PAD char(1)  
 GLG\_OGOUP\_REQ char(1)  
 GLG\_OGOUP\_VAL char(1)  
 GLG\_OGOUP\_IDX num(5)

GLD\_USER\_ID char(8)  
 GLD\_MAP\_GL\_KEY char(2)  
 GLD\_MAP\_GL\_OBJ char(8)  
 GLD\_MAP\_JL\_KEY char(10)  
 GLD\_MAP\_JL\_OBJ char(8)  
 GLD\_GL\_KEY char(10)  
 GLD\_GL\_OBJ char(8)  
 GLD\_MAP\_JL\_GR char(2)  
 GLD\_JL\_KEY char(10)  
 GLD\_JL\_OBJ char(8)  
 GLD\_MAP\_WO char(12)  
 GLD\_WO char(12)  
 GLD\_SUBSYS char(2)

GLR\_LEDGER char(2)  
 GLR\_ORG\_PART char(4)  
 GLR\_PART\_CODE char(10)  
 GLR\_ATTR char(4)  
 GLR\_RELOP char(2)  
 GLR\_VAL char(10)  
 GLR\_LOGOP char(4)  
 GLR\_PRI char(8)  
 GLR\_GR char(2)  
 GLR\_START\_DT date  
 GLR\_END\_DT date  
 GLR\_STATUS char(2)

GLC\_APRV\_CODE char(4)  
 GLC\_GR char(2)  
 GLC\_TEST\_ITEM char(4)  
 GLC\_OPERATOR char(4)  
 GLC\_SELECT\_LO char(40)  
 GLC\_SELECT\_HI char(40)  
 GLC\_CONJUNCTION char(4)  
 GLC\_SEQ\_NO char(2)


GLSP\_CODE char(16)  
 GLSP\_SUBSYS char(2)  
 GLSP\_GR char(2)  
 GLSP\_PERCENT num(10,5)  
 GLSP\_DESC varchar(2,50)  
 GLSP\_GL\_GR char(2)  
 GLSP\_GL\_KEY char(10)  
 GLSP\_GL\_OBJ char(8)  
 GLSP\_JL\_KEY char(2)  
 GLSP\_JL\_GR char(10)  
 GLSP\_JL\_OBJ char(8)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

GL\_GR char(2)  
 GL\_BUD\_CD char(2)  
 GL\_FY char(4)  
 GL\_BUD\_DT char(10)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

GL\_GR char(2)  
 GL\_BUD\_CD char(2)  
 GL\_BUD\_D8 char(8)  
 GL\_BUD\_D16 char(16)  
 GL\_BUD\_DT char(10)  
 GL\_BUD\_LOG char(2)  
 GL\_BUD\_CALC varchar(12,8)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date


**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**GLJE\_BATCH\_ID** char(16)  
 GLJE\_DESC char(30)  
 GLJE\_CREATE\_USER char(8)  
 GLJE\_CREATE\_DATE date  
 GLJE\_UPDATE\_USER char(8)  
 GLJE\_UPDATE\_DATE date  
 GLJE\_POST\_STATE char(2)  
 GLJE\_JOB\_NO num(10)  
 GLJE\_BATCH\_TYPE char(2)



**GLJ\_BATCH\_ID** char(16)  
 GLJ\_REF char(16)  
 GLJ\_DESC char(30)  
 GLJ\_SUBS\_REF char(16)  
 GLJ\_PEID char(12)  
 GLJ\_PEDB char(2)  
 GLJ\_CK\_ID char(2)  
 GLJ\_CK\_NO char(8)  
 GLJ\_DATE date  
 GLJ\_GL\_KEY char(10)  
 GLJ\_GL\_OBJ char(8)  
 GLJ\_JL\_KEY char(10)  
 GLJ\_JL\_OBJ char(8)  
 GLJ\_OFFSET char(2)  
 GLJ\_MISC char(4)  
 GLJ\_GL\_CODE char(2)  
 GLJ\_JL\_CODE char(2)  
 GLJ\_TYPE char(2)  
 GLJ\_UNITS num(20,5)  
 GLJ\_MSUR char(4)  
 GLJ\_DR num(20,2)  
 GLJ\_CR num(20,2)  
 GLJ\_HIT\_EN char(2)  
 GLJ\_EN\_TYPE char(2)  
 GLJ\_BUDG\_OVER char(2)  
 GLJ\_WORK\_ORDER char(12)  
 GLJ\_PREP\_ID char(8)  
 GLJ\_CONTRACT\_NO num(16,2)  
 GLJ\_POST\_DATE date  
 GLJ\_JEID\_ACG char(4)  
 GLJ\_TRNS\_ACG char(4)  
 GLJ\_VIEWS char(4)  
 GLJ\_VERSION char(4)  
 GLJ\_REC\_NO num(5)


**GLBA\_BATCH\_ID** char(16)  
 GLBA\_DESC char(30)  
 GLBA\_CREATE\_USER char(8)  
 GLBA\_CREATE\_DATE date  
 GLBA\_UPDATE\_USER char(8)  
 GLBA\_UPDATE\_DATE date  
 GLBA\_POST\_STATE char(2)  
 GLBA\_GL\_GR char(2)  
 GLBA\_JL\_GR char(2)



**GLT\_SUBSYS** char(2)  
 ... same as **glt\_trns\_dtl**  
 GLT\_OFFSET\_INTRA char(1)  
 GLT\_OFFSET\_INTER char(1)  
 GLT\_HIT\_EN char(2)  
 GLT\_EN\_TYPE char(2)  
 GLT\_BUDGET\_OVER char(2)  
 GLT\_REC\_NO num(10)  
 GLT\_ENTRY\_NO num(10)  
 GLT\_USER\_ID char(12)  
 GLT\_FORMS\_FILE char(8)  
 GLT\_FORM\_NAME char(16)  
 GLT\_UNDO\_JOB\_NO num(10)


**gla\_text\_dtl**  
 ... same as **glt\_text\_dtl**  
 GLT\_REC\_NO num(10)  
 GLT\_ENTRY\_NO num(10)  
 GLT\_USER\_ID char(12)  
 GLT\_FORMS\_FILE char(8)  
 GLT\_DELETE\_FLAG num(5)  
 GLT\_TEXT\_BATCH char(16)

**GLAP\_SUBSYS** char(2)  
 GLAP\_REF char(16)  
**GLAP\_BATCH\_ID** char(16)  
 GLAP\_JEID\_ACG char(4)  
 GLAP\_NEXT\_APRV char(4)  
 GLAP\_POST\_STATE char(2)  
 GLAP\_POST\_JOB\_NO num(10)  
 GLAP\_SEQ\_NO num(5)




**GLA\_SUBSYS** char(2)  
**GLA\_REF** char(16)  
 GLA\_GR char(2)  
 GLA\_APRV\_CODE char(4)  
 GLA\_USER\_ID char(8)  
 GLA\_DATE date  
 GLA\_TIME char(8)  
 GLA\_RECORD\_NO num(10)  
 GLA\_ENTRY\_NO num(10)  
**GLA\_BATCH\_ID** char(16)

**GLT\_TEXT\_ID** char(2)  
**GLT\_TEXT\_REF** char(16)  
 GLT\_TEXT char(72)  
 GLT\_TEXT\_JOB num(10)  
 GLT\_TEXT\_NO char(4)




**GLT\_GL\_GR** char(2)  
**GLT\_GL\_KEY** char(10)  
**GLT\_GL\_OBJ** char(8)  
**GLT\_GL\_FY** char(4)  
**GLT\_GL\_PR** char(2)  
**GLT\_JL\_GR** char(2)  
**GLT\_JL\_KEY** char(10)  
**GLT\_JL\_OBJ** char(8)  
**GLT\_JL\_FY** char(4)  
**GLT\_JL\_PR** char(2)  
 GLT\_REF char(16)  
 GLT\_PE\_ID char(12)  
 GLT\_PER char(2)  
 GLT\_TYPE char(2)  
 GLT\_DESC char(30)  
 GLT\_MISC char(4)  
**GLT\_REF2** char(16)  
 GLT\_DATE2 date  
 GLT\_BATCH\_ID char(16)  
 GLT\_DR num(20,2)  
 GLT\_CR num(20,2)  
 GLT\_SUBS\_ID char(2)  
 GLT\_PEDB\_CD char(2)  
 GLT\_CK\_ID char(2)  
 GLT\_CK\_NO char(8)  
 GLT\_UNITS num(20,5)  
 GLT\_JOB\_NO num(10)  
 GLT\_WO char(12)  
 GLT\_FC\_DR num(20,3)  
 GLT\_FC\_CR num(20,3)  
 GLT\_CURR\_CD char(4)  
 GLT\_CURR\_RATE num(10,7)  
 GLT\_USER\_NO num(5)  
 GLT\_SEQ\_NO num(5)  
**GLT\_DATE** date  
 GLT\_PREP\_ID char(8)  
 GLT\_CONTRACT\_NO char(16)  
 GLT\_ORIG\_FY char(4)  
 GLT\_JEID\_ACG char(4)  
 GLT\_TRNS\_ACG char(4)  
 GLT\_ENTRY\_DATE date  
 GLT\_ENTRY\_TIME char(8)  
 GLT\_VIEW\_A char(1)  
 GLT\_VIEW\_C char(1)  
 GLT\_VIEW\_M char(1)  
 GLT\_VIEW\_U char(1)  
 GLT\_POST\_STATE char(2)  
 GLT\_DELETE\_FLAG num(5)

**GLB\_BATCH\_ID** char(16)  
 GLB\_USER\_TOTAL num(20,2)  
 GLB\_CREATE\_USER char(8)  
 GLB\_CREATE\_DATE date  
 GLB\_UPDATE\_USER char(8)  
 GLB\_UPDATE\_DATE date  
 GLB\_BATCH\_TYPE char(2)  
 GLB\_POST\_STATE char(2)  
 GLB\_JOB\_NO num(10)  
 GLB\_GL\_GR char(2)  
 GLB\_JL\_GR char(2)




**GLB\_BATCH\_ID** char(16)  
**GLB\_REF** char(16)  
 GLB\_DESC char(30)  
 GLB\_FY char(4)  
 GLB\_GR char(2)  
 GLB\_KEY char(10)  
 GLB\_OBJ char(8)  
 GLB\_FROM\_FY char(4)  
 GLB\_FROM\_GR char(2)  
 GLB\_FROM\_KEY char(10)  
 GLB\_FROM\_OBJ char(8)  
 GLB\_AMT num(20,3)  
 GLB\_MISC char(4)  
 GLB\_TR\_TYPE char(2)  
 GLB\_FUND\_TYPE char(2)  
 GLB\_TRNS\_ACG char(4)  
 GLB\_UNITS num(20,3)  
 GLB\_LAST\_FLAG char(2)  
 GLB\_DATE date  
 GLB\_REASON char(4)  
 GLB\_LEVEL char(2)  
 GLB\_VERSION char(2)  
 GLB\_PREP\_ID char(8)  
 GLB\_SUBS\_REF char(16)  
 GLB\_SUBS\_DATE date  
 GLB\_BUID\_ACG char(4)  
 GLB\_VERSION\_B char(4)  
 GLB\_USER\_ID char(12)  
 GLB\_REC\_NO num(5)  
 GLB\_ENTRY\_NO num(10)  
 GLB\_FORM\_TYPE char(2)  
 GLB\_DELETE\_FLAG num(5)

**GLB\_BATCH\_ID** char(16)  
**GLB\_REF** char(16)  
 GLB\_POST\_STATE char(2)  
 GLB\_POST\_JOB\_NO num(10)  
 GLB\_SEQ\_NO num(5)




**GLBA\_FY** char(4)  
**GLBA\_GR** char(2)  
**GLBA\_KEY** char(10)  
**GLBA\_OBJ** char(8)  
**GLBA\_LEVEL** char(2)  
 GLB\_OVR\_OBJ\_DS char(30)  
 GLB\_COORD char(12)  
 GLB\_BUDG\_FLAG char(2)  
 GLB\_BUDGET01 ... 10 num(20,2)  
 GLB\_MO\_FLAG01 ... 10 char(2)  
 GLB\_TTL\_CHANGE01 ... 10 num(20,2)  
 GLB\_BUD\_ACC01 ... 10 num(20,2)  
 GLB\_START\_DT date  
 GLB\_END\_DT date  
 GLB\_CURR\_CD char(4)  
 GLB\_STATUS char(2)  
 GLB\_REQUIRE\_JL char(2)  
 GLB\_CALC\_FLAG char(2)




**GLC\_FY** char(4)  
**GLC\_GR** char(2)  
**GLC\_KEY** char(10)  
**GLC\_OBJ** char(8)  
**GLC LEVEL** char(2)  
 GLC\_FROM\_FY char(4)  
 GLC\_FROM\_GR char(2)  
 GLC\_FROM\_KEY char(10)  
 GLC\_FROM\_OBJ char(8)  
 GLC\_FROM\_LEVEL char(2)  
 GLC\_VERS char(2)  
 GLC\_REF char(16)  
 GLC\_DESC char(30)  
 GLC\_MISC char(4)  
 GLC\_TR\_TYPE char(2)  
 GLC\_FUND\_TYPE char(2)  
 GLC\_REASON char(4)  
 GLC\_AMT num(20,2)  
 GLC\_USER\_NO num(5)  
 GLC\_JOB\_NO num(10)  
 GLC\_BATCH\_ID char(16)  
 GLC\_UNITS num(20,5)  
 GLC\_PREP\_ID char(8)  
 GLC\_REF2 char(16)  
 GLC\_DT2 date  
 GLC\_BUID\_ACG char(4)  
 GLC\_TRNS\_ACG char(4)  
 GLC\_ENTRY\_DATE date  
 GLC\_ENTRY\_TIME char(8)  
 GLC\_DT date

GLB\_FTE01 ... 10 num(20,5)  
 GLA\_ACTUAL01 ... 14 num(20,2)  
 GLA\_EN01 ... 14 num(20,2)  
 GLA\_OPEN num(20,2)  
 GLA\_CLOSE num(20,2)  
 AC\_FASTKEY char(22)  
 FY\_FASTKEY char(26)



**GLX\_GL\_FY** char(4)  
**GLX\_GL\_GR** char(2)  
**GLX\_GL\_KEY** char(10)  
**GLX\_GL\_OBJ** char(8)  
**GLX\_GL LEVEL** char(2)  
 GLX\_JL\_FY char(4)  
 GLX\_JL\_KEY char(10)  
 GLX\_JL\_OBJ char(8)  
 GLX\_JL LEVEL char(2)  
 GLX\_VERS char(2)  
 GLX\_REF char(16)  
 GLX\_DESC char(30)  
 GLX\_MISC char(4)  
 GLX\_REF2 char(16)  
 GLX\_AMT num(20,2)  
 GLX\_USER\_NO num(5)  
 GLX\_JOB\_NO num(10)  
 GLX\_DT date





**GLS\_SUMM\_CD** char(2)  
**GLS\_JL\_GR** char(2)  
**GLS\_GL\_GR** char(8)  
 GLS\_PART ... 10 char(4)  
 GLS\_VERS ... 10 char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date





**GLS\_FY** char(4)  
**GLS\_GL\_GR** char(2)  
**GLS\_JL\_GR** char(2)  
**GLS\_SUMM\_CD** char(8)  
**GLS\_CODE** ... 10 char(16)  
 GLB\_BUDGET ... 10 num(20,2)  
 GLB\_BUD\_ACC ... 10 num(20,2)  
 GLA\_ACTUAL ... 15 num(20,2)  
 GLA\_EN ... 15 num(20,2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

**GLL\_LOG\_KEY** char(26)  
**GLL\_LOG\_CLID** char(4)  
**GLL\_LOG\_SEQ\_NO** char(6)  
 GLL\_LOG\_ID char(20)  
 GLL\_LOG\_CH\_DT date  
 GLL\_USER\_ID char(12)  
 GLL\_LOG\_TYPE char(2)  
 GLL\_LOG\_ATT\_MAP01 ... 8 num(5)  
 GLL\_FILE\_NO num(10)  
 GLL\_LOG\_REC\_PTR num(10)  
 GLL\_LOG\_EFF\_DT num(10)

FCC_GR char(2)			
FCC_CURR_CD char(4)			
FCC_YR char(4)			
FCC_MO char(2)	FC_COUNTRY_GR char(2)	FC_CURR_GR char(2)	
FC_DAILY_RATE01 *** 25 num(10,7)	FC_COUNTRY_CD char(10)	FC_CURR_CD char(4)	
	FC_COUNTRY_DESC char(20)	FC_CURR_DESC char(20)	
FC_AVG_RATE num(10,7)	FC_DFLT_CURR char(4)	FC_CURR_DEC_NO num(5)	
FC_DEP_RATE01 *** 20 num(10,7)	FC_IN_CURR char(4)	FC_CURR_1000 char(1)	FC_RATE_GR char(2)
	FC_XP_CURR char(4)	FC_CURR_DEC char(1)	FC_RATE_CURR char(4)
FC_DEP_MEMO01 *** 20 char(20)	FC_DATE_FMT char(4)	FC_CURR_TYPE char(2)	FC_RATE_FY char(4)
		FC_REGION_CD char(4)	FC_RATE01 *** 4 num(10,7)



GLBR\_GL\_GR char(2)  
 GLBR\_JL\_GR char(2)  
 GLBR\_PACK char(16)  
 GLBR\_REQUESTOR char(16)  
 GLBR\_DESCRIPTION char(100)  
 GLBR\_APRV char(1)  
 GLBR\_APRVWHEN date  
 GLBR\_APRVWHO char(16)  
 GLBR\_COMM varchar(2000)  
 GLBR\_MORECOMM varchar(2000)  
 GLBR\_REASON varchar(2000)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)





**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX









EMPLOYEE

addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
<b>bargunit</b>	<b>char(8)</b>
create_when	date
create_who	char(12)
<b>entity_id</b>	<b>char(4)</b>
long_desc	char(30)
notes	char(60)
short_desc	char(15)
union_name	char(30)
union_rep	char(30)
update_when	date
update_who	char(12)



action_cd	char(4)	emp_pinhex	char(32)	numb1**9	num(10,5)
addl_1	date	emp_switch	char(32)	over_40	char(1)
addl_2	num(20,2)	enddt	date	phone_cd	char(2)
addl_3**4	char(15)	<b>entity_id</b>	<b>char(4)</b>	phone_cd2	char(2)
age	char(8)	ethnic	char(4)	phone_ext	char(4)
apprv_cd01**3	char(4)	ethnic_cd	char(1)	phone_no	char(14)
bargunit	char(8)	expire_39	date	phone_no2	char(14)
bdt	date	ext_2	char(4)	possenr	date
beg	date	f_admin	char(1)	prefname	char(20)
bene_fte	num(10,5)	fisa_code	char(1)	publ_priv	char(4)
birthplace	char(30)	fname	char(20)	reas_accom	char(2)
calendar	char(8)	former	char(20)	req_num	char(8)
citizenshp	char(4)	fte	num(10,5)	rpt_flag	char(1)
city	char(20)	gender	char(1)	salannmth	num(5)
ckdist	char(4)	hdt	date	salute	char(4)
class_serv	char(2)	hr_status	char(2)	sel_cd02	char(8)
country	char(4)	hr1**16	char(8)	sen_adj	num(5)
county	char(2)	hr17**32	char(4)	sess_time	num(5)
create_when	date	hrdate1**6	date	skill_cd05	char(4)
create_who	char(12)	<b>id</b>	<b>char(12)</b>	ssn	char(10)
cycle	char(2)	idauto	char(1)	st_1**2	char(30)
day_patch	char(1)	lastdaywrk	date	stat	char(2)
dayswork	num(10,2)	lastpaydt	date	state	char(2)
def_pay	char(1)	lname	char(20)	suffix	char(4)
def_pay_cd	char(1)	longevity	date	termcode	char(4)
department	char(8)	lumpsum	char(1)	termcode2	char(4)
dft_39	char(1)	misc_cd01	num(10)	type	char(4)
disability	char(2)	mname	char(10)	update_when	date
distsenr	date	mnth_paid	num(10,2)	update_who	char(12)
division	char(8)	mrt	char(1)	user_opt1**4	char(12)
e_mail	char(70)	name	char(30)	veteran	char(2)
educ_cd01	char(4)	nclb_cred	char(1)	worksite	char(8)
educ_cd02	char(4)	nomonths	num(5,2)	zip	char(10)
emp_pin	char(16)	notes	char(58)	zipext	char(4)

addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
create_when	date
create_who	char(12)
<b>entity_cd</b>	<b>char(4)</b>
jl_ledger	char(2)
ledger_cd	char(2)
long_desc	char(30)
misc1**5	char(8)
notes	char(60)
short_desc	char(15)
update_when	date
update_who	char(12)



action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
create_when	date
create_who	char(12)
<b>entity_id</b>	<b>char(4)</b>
<b>id</b>	<b>char(12)</b>
misc1**4	char(8)
note_type	char(4)
notes	char(988)
update_when	date
update_who	char(12)

beg	char(10)
cdh_no	num(5)
enddt	char(10)
<b>entity_id</b>	<b>char(4)</b>
<b>id</b>	<b>char(12)</b>
item	char(3)
lastup	date
newenddt	char(10)
pcn	char(10)
position	char(10)
rec_hr	char(2)
rec_py	char(2)
rec_type	char(2)
scrn	char(8)

create_when	date
create_who	char(12)
entity_id	char(4)
id	char(12)
race_cd	char(4)
update_when	date
update_who	char(12)

**BOLD . . . . . CONSTRAINT**  
**ITALICS . . . . . INDEX**
















PERFORMANCE

TRACKING

[PREVIOUSLY DEFINED]

[PREVIOUSLY DEFINED]




action_cd	char(4)	action_cd	char(4)	action_cd	char(4)
addl_1	date	addl_1	date	actiondt	date
addl_2	num(20,2)	addl_2	num(20,2)	addl_1	date
addl_3**4	char(15)	addl_3**4	char(15)	addl_2	date
begdt	date	arbitrator	char(30)	addl_3**4	char(15)
create_when	date	article	char(7)	casenum	char(5)
create_who	char(12)	create_when	date	create_when	date
date_due	date	create_who	char(12)	create_who	char(12)
date_sent	date	datefiled	date	discode	char(2)
enddt	date	deccdate	date	discdate	date
<b>entity_id</b>	<b>char(4)</b>	decision	char(201)	disissue	char(2)
eval_date	date	<b>entity_id</b>	<b>char(4)</b>	<b>entity_id</b>	<b>char(4)</b>
eval_id	char(12)	griev_desc	char(216)	<b>id</b>	<b>char(12)</b>
eval_name	char(30)	grievcode	char(10)	issnotes	char(66)
eval_pcn	char(10)	<b>id</b>	<b>char(12)</b>	misc1**2	char(5)
eval_pos	char(10)	issuecd	char(2)	<b>reportby</b>	<b>char(12)</b>
eval_stat	char(2)	lognum	char(4)	update_when	date
eval_title	char(30)	misc1**5	char(10)	update_who	char(12)
eval_type	char(4)	notes	char(58)		
<b>id</b>	<b>char(12)</b>	<b>suprid</b>	<b>char(12)</b>		
last_eval	date	update_when	date		
misc1**4	char(10)	update_who	char(12)		
next_eval	date				
notes	char(58)				
overall_rt	char(4)				
position	char(10)				
probbeg	date				
proband	date				
received	date				
remind_dt	date				
remind_tp	char(4)				
stepincr	date				
update_when	date				
update_who	char(12)				

action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	action_cd	char(4)	
addl_1	date	addl_1	date	addl_1	date	addl_1	date	addl_1	date	addl_1	date	addl_1	date	addl_1	date	
addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	addl_2	num(20,2)	
addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	addl_3**4	char(15)	
create_when	date	casenum	char(5)	create_when	date	create_when	date	create_when	date	create_when	date	create_when	date	create_when	date	
create_who	char(12)	chemok	char(1)	create_who	char(12)	create_who	char(12)	create_who	char(12)	create_who	char(12)	create_who	char(12)	create_who	char(12)	
date_due	date	chemcase	num(10)	date	chemcomm	char(69)	date	date	chemcost	num(10,2)	date	date	date	date	date	
date_sent	date	chemdate	date	date	chemcost	num(10,2)	id	chemnotify	date	id	chemresult	char(1)	chemtype	char(55)	chemtype	char(55)
enddt	date	chemresult	char(1)	discdate	date	discdate	date	discdate	date	discdate	date	discdate	date	discdate	date	
<b>entity_id</b>	<b>char(4)</b>	chemtype	char(55)	disissue	char(2)	disissue	char(2)	disissue	char(2)	disissue	char(2)	disissue	char(2)	disissue	char(2)	
eval_date	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_id	char(12)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_name	char(30)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_pcn	char(10)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_pos	char(10)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_stat	char(2)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_title	char(30)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
eval_type	char(4)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
<b>id</b>	<b>char(12)</b>	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
last_eval	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
misc1**4	char(10)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
next_eval	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
notes	char(58)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
overall_rt	char(4)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
position	char(10)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
probbeg	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
proband	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
received	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
remind_dt	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
remind_tp	char(4)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
stepincr	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
update_when	date	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	
update_who	char(12)	chemtype	char(55)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	entity_id	char(4)	

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


EDUCATION / SKILLS



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

COMPENSATION (1/2)

action_cd	char(4)	base_daywk	num(20,2)	dflt_holiday	num(10,1)	max_empl	num(10)	pos_short	char(15)
addl_1	date	base_hrs	num(10,5)	dflt_vacdy	num(10,1)	misc1**4	char(8)	<b>position</b>	<b>char(10)</b>
addl_2	num(20,2)	base_hrswk	num(20,2)	division	char(8)	miscval1**4	num(10,2)	postype	char(4)
addl_3**4	char(15)	base_mnth	num(20,2)	eeo_funct	char(2)	notes	char(45)	purpose	char(936)
apprv_cd01**3	char(4)	board_beg	date	efbfg	date	payclass	char(3)	range	char(5)
apprv_fte	num(10,5)	budget_stat	char(2)	effend	date	<b>pcn</b>	<b>char(10)</b>	safety_sen	char(1)
apu_round	char(1)	calendar	char(8)	entity_id	char(4)	pcn_status	char(2)	schedule	char(4)
apu_round2	char(1)	cbeds	char(8)	exam_cd	char(2)	pcnauto	char(1)	short_desc	char(15)
apu_track	char(1)	course_no	char(8)	fiscalyr	char(7)	pct_ratio1**4	num(10,5)	step	char(4)
apu_track2	char(1)	create_when	date	grade_lvl	char(5)	pos_active	char(1)	strs_code	char(2)
assg_empl	char(3)	create_who	char(12)	itinerant	char(1)	pos_apu	num(10,3)	super_id	char(12)
assg_no	char(8)	day_code	char(2)	<b>jobcode</b>	<b>char(10)</b>	pos_create	char(2)	update_when	date
bargunit	char(8)	defectype	char(8)	location	char(8)	pos_filter	char(6)	update_who	char(12)
base_days	num(10,2)	department	char(8)	long_desc	char(30)	pos_long	char(30)	verify_idx	char(1)



action_cd	char(4)	daily_calc	char(1)	pay_stat	char(2)
actl_ann	num(20,2)	date1**2	date	payclass	char(3)
actl_daily	num(20,5)	ded_1**2	char(1)	payouttype	char(2)
actl_days	num(10,2)	department	char(8)	<b>pcn</b>	<b>char(10)</b>
actl_daywk	num(5,2)	dflt_budg	char(1)	pcn_beg	date
actl_hrly	num(20,5)	dflt_days	num(10,2)	pcn_effort	num(10,5)
actl_hrs	num(10,5)	dflt_daywk	num(5,2)	pcn_end	date
actl_hrswk	num(5,2)	dflt_hrs	num(10,5)	pcn_fte	num(10,5)
actl_per	num(20,2)	dflt_hrswk	num(5,2)	pos_anniv	date
addl_1	date	disp_effrt	char(1)	pos_filter	char(10)
addl_2	num(20,2)	division	char(8)	<b>position</b>	<b>char(10)</b>
addl_3**4	char(15)	<b>entity_id</b>	<b>char(4)</b>	proratesal	char(1)
addl_ann	num(20,2)	fiscalyr	char(7)	py_open	char(8)
addl_daily	num(20,5)	fq	char(2)	fy_send	char(6)
addl_hrly	num(20,5)	fqtype	num(5)	r_addann	num(20,2)
addl_per	num(20,2)	gl_ledger	char(2)	r_adddaily	num(20,5)
apprv_cd01**3	char(4)	hire_date	date	r_addhrly	num(20,5)
apu**2	num(10,5)	hrs_1**2	char(1)	r_addper	num(20,2)
as_of_date	date	<b>id</b>	<b>char(12)</b>	r_totann	num(20,2)
assg_stat	char(2)	idx_dates	char(1)	r_totdaily	num(20,5)
aux_salary	num(10,2)	idx_dtes	char(1)	r_totlry	num(20,5)
barg_unit	char(8)	<b>indx_key</b>	<b>char(24)</b>	r_totper	num(20,2)
base_ann	num(20,2)	limit_axp	char(2)	rat_code	char(2)
base_daily	num(20,5)	misc_01**5	char(8)	ratio_amt	num(10,5)
base_hrly	num(20,5)	newfiscal	char(7)	ratio_fact	char(1)
base_mnth	num(20,2)	no_periods	num(5,2)	re_calc	char(1)
base_per	num(20,2)	notes	char(50)	reas_cd	char(2)
budgetamt	num(10,2)	num_01**5	num(10,5)	reas_desc	char(30)
calc_beg	date	optioncode	char(2)	rec_type	char(2)
calc_end	date	order_fld	num(5)	recdfrom	char(10)
calc_per	char(1)	otrate	num(20,2)	reg_rate	char(1)
calendar	char(8)	ov_dayhrs	char(1)	retro_beg	date
cdh_vect01**3	char(6)	over_budg	char(1)	retro_fact	num(10,5)
cnt_1**2	char(1)	over_code	char(8)	retro_save	char(79)
cntrct_ndx	num(5)	override	char(1)	retrotype	char(2)
cont_beg	date	paid_beg	date	sel_id	char(36)
cont_end	date	paid_end	date	seq_sep_id	char(1)
contractid	char(32)	patch_type	char(1)	sequence	char(2)
create_when	date	pay_beg	date	sp_functn	char(8)
create_who	char(12)	pay_end	date	spec_cd01**8	char(4)

action_cd	char(4)	notes	char(58)
addl_1	date	sdi_cntded	char(1)
addl_2	num(20,2)	sdi_vend	char(12)
addl_3**4	char(15)	date	
apprv_cd01**3	char(4)	sdicd01	char(4)
create_when	date	sdicdh	num(5)
create_who	char(12)	sdiccontdh	num(5)
eic_cd03	char(4)	sdiend	date
eicbeg	date	sdfq	char(2)
eiccd01	char(2)	sdfqtype	num(5)
eiccdh	num(5)	sdist	char(2)
eicend	date	sdjyn	char(1)
eicfq	char(2)	sit_vend	char(12)
eicfqtype	num(5)	sitaddam	num(10,2)
eicst	char(2)	sitaddbeg	date
entity_id	char(4)	sitaddend	date
fit_vend	char(12)	sitbeg	date
fitaddam	num(10,2)	sitcd01**4	char(1)
fitaddbeg	date	sitcdh	num(5)
fitaddend	date	sitend	date
fitbeg	date	sitfq	char(2)
fitcd01**4	char(1)	sitfqtype	num(5)
fitcdh	num(5)	sitregam	num(10,2)
fitend	date	sitst	char(2)
fitfq	char(2)	ss_cd	char(1)
fitfqtype	num(5)	ss_vend	char(12)
fitregam	num(10,2)	ssbeg	date
fitst	char(2)	sscd01	char(4)
<b>id</b>	<b>char(12)</b>	sscontdh	num(5)
medi_cd	char(1)	sscontdh	num(5)
medi_vend	char(12)	ssnt	date
medibeg	date	ssfq	char(2)
medicd01	char(4)	ssfqtype	num(5)
medicdh	num(5)	ssst	char(2)
medicntdh	num(5)	ssyn	char(1)
mediend	date	state_cd	char(2)
medifq	char(2)	sui_cntded	char(1)
medifqtype	num(5)	sui_vend	char(12)
medist	char(2)	suibeg	date
mediyn	char(1)	suicd01	char(4)


action_cd	char(4)	action_cd	char(4)	account	char(40)
add_actl	char(2)	addamt	num(20,2)	<b>gl_key</b>	<b>char(10)</b>
amount	num(20,5)	addbeg	date	<b>gl_ledger</b>	<b>char(2)</b>
annlorhrly	char(1)	addend	date	gl_obj	char(8)
apprv_cd01**3	char(4)	addl_1	date	jl_key	char(10)
as_of_date	date	addl_2	num(20,2)	jl_ledger	char(2)
axp	char(1)	addl_3**4	char(15)	jl_obj	char(8)
beg	date	addrtype	char(2)	misc	char(8)
cd01**4	char(1)	amt	num(20,2)	over_budg	char(1)
create_when	date	apprv_cd01*3	char(4)	over_code	char(4)
create_who	char(12)	axp	char(1)	<b>percent</b>	<b>num(10,3)</b>
enddt	date	beg	date	prime_flag	char(1)
<b>entity_id</b>	<b>char(4)</b>	cd01**4	char(4)	<b>rectype</b>	<b>char(2)</b>
fiscalyr	char(7)	cdh_code	char(4)	<b>uniqueid</b>	<b>char(36)</b>
fq	char(2)	create_when	date		
fqtype	num(5)	create_who	char(12)		
<b>id</b>	<b>char(12)</b>	enddt	date		
indx_key	char(24)	<b>entity_id</b>	<b>char(4)</b>		
no	num(5)	fq	char(2)		
notes	char(72)	fqtype	num(5)		
override	char(1)	<b>id</b>	<b>char(12)</b>		
pcn	char(10)	lmt	num(20,2)		
position	char(10)	lpx	char(1)		
prior_calc	num(5)	no	num(5)		
pro_rate	char(1)	notes	char(58)		
r_ann	num(20,2)	placeholdr	char(1)		
r_basann	num(20,2)	recordfrom	char(10)		
r_daily	num(20,5)	st	char(2)		
r_hrly	num(20,5)	track_code	char(20)		
r_per	num(20,2)	update_when	date		
rec_type	char(2)	update_who	char(12)		
sp_functn	char(8)	vendor_cd	char(12)		
st	char(2)				
toemppay	char(1)				
update_when	date				
update_who	char(12)				
wcompfqtype	num(5)				
wcompv_end	char(12)				
wcompbeg	date				
wcompcd01	char(4)				
wcompodh	num(5)				
wcompcontr	num(5)				
wcompend	date				
wcompfq	char(2)				
wcompst	char(2)				
wcompyn	char(1)				
wcp_cntded	char(1)				

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*



WORKERS COMP

action_cd	char(4)
<b>case_num</b>	<b>num(10)</b>
city	char(20)
create_when	date
create_who	char(12)
description	char(40)
<b>emp_entity</b>	<b>char(4)</b>
<b>estab_cd</b>	<b>char(6)</b>
gen_no	char(1)
naturebus	char(59)
osha_num	char(8)
otherspec	char(15)
phone	char(14)
policynum	char(14)
privacy	char(1)
st_1**2	char(30)
state	char(2)
sui_acct	char(15)
type_empr	char(2)
update_when	date
update_who	char(12)
zip	char(10)
zipext	char(4)



action_cd	char(4)
activity	char(78)
actl_daywk	num(5,2)
actl_hrs	num(10,5)
actl_hrswk	num(5,2)
as_of_date	date
exp	char(1)
began_work	char(10)
<b>case_num</b>	<b>num(10)</b>
class_code	char(15)
comp_title	char(30)
county	char(2)
create_when	date
create_who	char(12)
date_emple	date
date_emplr	date
death_dt	date
department	char(30)
dt_lastwrk	date
dt_return	date
<b>emp_entity</b>	<b>char(4)</b>
emp_premis	char(1)
emplmnt_st	char(2)
entity_id	char(4)
equip_etc	char(78)
gross_wage	num(10,2)
hosp_name	char(62)
hosp_phone	char(14)
how_occur	char(312)
id	<b>char(12)</b>

illness_cd	char(3)
inj_am_pm	char(2)
inj_ill_ds	char(78)
inj_ill_dt	date
inj_ill_tm	char(10)
inj_or_ill	char(2)
location	char(8)
missed_day	char(1)
other_exp	char(1)
other_pay	num(10,2)
other_y_n	char(1)
others_aff	char(1)
paid_full	char(1)
phys_name	char(62)
phys_phone	char(14)
pos_deflts	char(1)
position	char(10)
rec_type	char(2)
salary_con	char(1)
still_off	char(1)
update_when	date
update_who	char(12)
work_am_pm	char(2)

[PREVIOUSLY DEFINED]

action_cd	char(4)
<b>case_num</b>	<b>num(10)</b>
create_when	date
create_who	char(12)
<b>emp_entity</b>	<b>char(4)</b>
<b>entity_id</b>	<b>char(4)</b>
<b>id</b>	<b>char(12)</b>
ld_hrs	num(10,2)
ld_ovrride	char(1)
ld_total	num(5)
ldcalendar	char(8)
light_beg	date
light_end	date
md_hrs	num(10,2)
md_ovrride	char(1)
md_total	num(5)
mdcalendar	char(8)
missed_beg	date
missed_end	date
notes	char(156)
osha_rpt	char(1)
update_when	date
update_who	char(12)

action_cd	char(4)
<b>case_num</b>	<b>num(10)</b>
city	char(20)
create_when	date
create_who	char(12)
description	char(40)
<b>emp_entity</b>	<b>char(4)</b>
<b>estab_cd</b>	<b>char(6)</b>
gen_no	char(1)
naturebus	char(59)
osha_num	char(8)
otherspec	char(15)
phone	char(14)
policynum	char(14)
privacy	char(1)
st_1	char(30)
st_2	char(30)
state	char(2)
sui_acct	char(15)
type_empr	char(2)
update_when	date
update_who	char(12)
zip	char(10)
zipext	char(4)


city	char(20)
create_when	date
create_who	char(12)
<b>estab_cd</b>	<b>char(6)</b>
estab_desc	char(55)
estab_name	char(40)
ind_desc	char(50)
lastup	date
lastuser	char(12)
otherspec	char(15)
phone	char(14)
policynum	char(14)
sic	char(4)
st_1	char(30)
st_2	char(30)
state	char(2)
sui_acct	char(15)
type_empr	char(2)
update_when	date
update_who	char(12)
zip	char(10)
zipext	char(4)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX




SYSTEM SETUP

[PREVIOUSLY DEFINED]




add_actl	char(2)	ded_b1112b	date	hrspemnth	num(10,5)	ptchplflag	char(1)
addl_code	char(4)	ded_beg912	date	hrsperyear	num(10,2)	publ_priv	char(4)
addl_mnth	char(1)	ded_bg1011	date	hrspery2	num(10,2)	recalc_pay	char(1)
address_tp	char(2)	ded_bg1012	date	idauto	char(1)	reg_rate	char(1)
all_applic	char(1)	ded_bg1112	date	in_or_fga	char(1)	report_flg	char(1)
appl_id	char(1)	ded_e1012b	date	indx_code	char(2)	req_tb	char(1)
apprv_cd01	char(4)	ded_e1112b	date	job_create	char(1)	retire_cd	char(1)
arscdh	num(5)	ded_ed1011	date	lumpbeg	date	round	char(1)
assg_empl	char(3)	ded_ed1012	date	lumpend	date	sched_type	char(1)
bargunit	char(8)	ded_ed1112	date	lumpsumcdh	num(5)	sdi_cntded	char(1)
basic_cdh1**2	num(5)	ded_end912	date	lumpsumpay	char(1)	sdicd01	char(4)
cal_option	char(1)	def_cnt_1**6	num(5)	max_fte1**5	num(10,5)	sdicdh	num(5)
calc_beg	date	def_cntbx1**6	num(5)	max_remb	num(20,2)	sdicontcdh	num(5)
calc_end	date	def_cntfq1**6	char(2)	maxfte	num(10,5)	sdiyn	char(1)
calc_opt	char(2)	def_ded_1**6	num(5)	medi_cd	char(1)	sendaddcdh	char(1)
calc_per	char(1)	def_ded_9	num(5)	medicd01	char(4)	show_scrn	char(1)
carscdh	num(5)	def_dedbx1**6	num(5)	medicdh	num(5)	sitcdh	num(5)
child_cdh	num(5)	def_dedfq1**6	char(2)	medicntcdh	num(5)	spouse_cdh	num(5)
cnt_b1012b	date	def_defbx1	num(5)	mediyn	char(1)	ss_cd	char(1)
cnt_b1112b	date	def_fq_1**6	char(2)	monthvalue	num(10,2)	sscd01	char(4)
cnt_beg912	date	def_pay_9**11	num(5)	msg_center	char(1)	sscdh	num(5)
cnt_bg1011	date	dft_39	char(1)	patch_type	char(1)	sscontcdh	num(5)
cnt_bg1012	date	dft_date	char(1)	pay_beg	date	ssyn	char(1)
cnt_bg1112	date	dft_hrs	char(1)	pay_end	date	state_cd	char(2)
cnt_e1012b	date	dft_indx	char(24)	payorcalc	char(1)	strs_norm**5	num(5)
cnt_e1112b	date	dft_pyst	char(128)	paystatus	char(1)	strs_red	char(4)
cnt_ed1011	date	dft_sitst	char(2)	pcn_beg	date	strsdef_1**5	num(5)
cnt_ed1012	date	dftinamadd	char(1)	pcn_create	char(1)	strser_1**5	num(5)
cnt_ed1112	date	eiccdh	num(5)	pcn_end	date	strsnon_1**5	num(5)
cnt_end912	date	emp_type1**5	char(4)	pers_norm**5	num(5)	sui_cntded	char(1)
cntrapu_fy	char(1)	entity_id	char(4)	pers_red	char(4)	suicd01	char(4)
cont_beg	date	fiscalyr	char(7)	persdef_1**5	num(5)	sucdh	num(5)
cont_end	date	fitcdh	num(5)	perser_1**5	num(5)	suicontcdh	num(5)
create_when	date	fq	char(2)	persnon_1**5	num(5)	suiyn	char(1)
create_who	char(12)	fqtype	num(5)	pos_create	char(2)	suppl_cdh1**2	num(5)
cycle	char(2)	hirecode	char(2)	pos_type	char(4)	surv_nt_1**5	num(5)
daily_calc	char(1)	hoursmnth	char(1)	poscread_yn	char(1)	surv_t_1**5	num(5)
day_patch	char(1)	houryear	char(1)	posidflag	char(1)	sysderiv04	char(1)
ded_b1012b	date	hrspcr_day	num(10,5)	proratesal	char(1)	sysgenrect	char(1)




create_when	date
create_who	char(12)
entity_id	char(4)
ret_cdh1**5	num(5)
retire_cd	char(4)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
entity_id	char(4)
update_when	date
update_who	char(12)




create_when	date
create_who	char(12)
entity_id	char(4)
sitcdh	num(5)
state_cd	char(2)
update_when	date
update_who	char(12)


create_when	date
create_who	char(12)
cycle	char(2)
perd_type	char(1)
update_when	date
update_who	char(12)



add_1	date
add_2	num(20,2)
add_3**4	char(15)
create_when	date
create_who	char(12)
cycle	char(2)
fiscalyr	char(7)
perd_type	char(1)
period_beg	date
period_end	date
update_when	date
update_who	char(12)



create_when	date
create_who	char(12)
linktocode	char(1)
linktotype	char(1)
update_when	date
update_who	char(12)





comp_title	char(30)
create_when	date
create_who	char(12)
gen_no	char(1)
naturebus	char(59)
otherspec	char(15)
polycnum	char(14)
sui_acct	char(15)
type_empr	char(2)
update_when	date
update_who	char(12)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX




APPLICANT (1/2)


action_cd	char(4)	empend	date		
addl_1	date	entity_id	char(4)	phonecd1**3	char(2)
addl_2	num(20,2)	ethnic	char(4)	rel_cd	char(12)
addl_3**4	char(15)	ext_1**3	char(4)	salute	char(4)
apdate	date	fname	char(20)	senpoints	num(5,2)
bdt	date	formeremp	char(1)	ssn	char(10)
bilingual	char(3)	fullname	char(30)	state	char(2)
city	char(20)	gender	char(1)	stats	char(2)
country	char(4)	id	char(12)	street1**2	char(30)
county	char(2)	idauto	char(1)	suffix	char(4)
create_when	date	lname	char(20)	type	char(4)
create_who	char(12)	mi	char(10)	update_when	date
currentemp	char(1)	misc1**4	char(8)	update_who	char(12)
disable	char(1)	mrt	char(1)	vadisable	char(3)
e_mail	char(70)	notes	char(140)	vapoints	num(5)
emp_updt	char(1)	over40	char(1)	zip	char(10)
empbeg	date	phone**3	char(14)	zipext	char(4)




action_cd	char(4)
addl_1	date
create_when	date
create_who	char(12)
educ_src	char(4)
entity_id	char(4)
exper_src	char(4)
hr_verify	date
id	char(12)
notes	char(30)
reqnum	char(8)
skill	char(8)
update_when	date
update_who	char(12)
verify_st	char(1)
verify_who	char(12)




action_cd	char(4)
bdt	date
create_when	date
create_who	char(12)
disable	char(1)
entity_id	char(4)
ethnic	char(4)
gender	char(1)
id	char(12)
mrt	char(1)
notes	char(72)
over40	char(1)
update_when	date
update_who	char(12)
vadisable	char(3)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(12)
create_when	date
create_who	char(12)
entity_id	char(4)
id	char(12)
notes	char(997)
reqnum	char(8)
update_when	date
update_who	char(12)




create_when	date
create_who	char(12)
id	char(12)
intv_data	image
reqnum	char(8)
status_cd	char(4)
update_when	date
update_who	char(12)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(12)
appl_score	num(5)
applbeg	date
appldate	date
apptype	char(4)
availcode	char(4)
create_when	date
create_who	char(12)
emp_seed	char(8)
empid	char(12)
entity_id	char(4)
entity_ref	char(4)
entityhire	char(4)
hired	char(2)
hiredasof	date
id	char(12)
idauto	char(1)
intv_rtnq	char(8)
intv_score	num(5)
letterdate	date
lettrcd	char(4)
min_req	char(1)
offer_sent	char(1)
posnum	char(10)
refid	char(12)
refsource	char(2)
rej_acdate	date
rej_acep	char(1)
replacing	char(12)
reqdesc	char(30)
reqnum	char(8)
sal_desire	num(20,2)
salarytype	char(1)
update_when	date
update_who	char(12)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
casenum	num(10)
chemcase	num(10)
chemcomm	char(69)
chemcost	num(10,2)
chemdate	date
chemnotify	date
chemresult	char(1)
chemtype	char(55)
contact	char(30)
create_when	date
create_who	char(12)
entity_id	char(4)
id	char(12)
notes	char(72)
phext	char(4)
phone	char(14)
physcom	char(69)
physcost	num(10,2)
phydate	date
phynotify	date
phys_ok	char(1)
physytype	char(55)
recnum	num(5)
reqnum	char(8)
resultphy	char(1)
update_when	date
update_who	char(12)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
awarded	num(10)
create_when	date
create_who	char(12)
credits	num(5,1)
degreecd	char(4)
entity_id	char(4)
gpa	num(5,2)
hr_verify	date
id	char(12)
instcd	char(5)
instdesc	date
major_cd	char(5)
majrdesc	char(25)
minor_cd	char(5)
misc1**5	char(10)
notes	char(4)
pending	char(1)
reqnum	char(8)
unittype	char(1)
update_when	date
update_who	char(12)
verify_st	char(1)
verify_who	char(12)
years_atnd	num(5,2)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(12)
comments	char(138)
create_when	date
create_who	char(12)
crim_hist	char(1)
entity_id	char(4)
formlapp	char(1)
id	char(12)
info_sheet	char(1)
int_initls	char(3)
intrate	char(2)
intvby	char(12)
intvdate	date
licn	char(1)
misc_chk1**8	char(1)
placefile	char(1)
placerate	char(2)
questions	char(1)
ready	char(1)
ready_date	date
reqnum	char(8)
trans	char(1)
update_when	date
update_who	char(12)




actndtdt	date
action_cd	char(4)
actualdob	date
addl_1	date
addl_2	num(20,2)
addl_3**4	char(15)
allpos	char(1)
apprvdate	date
create_when	date
create_who	char(12)
entity_id	char(4)
estdob	date
estndtdt	date
fiscalyr	char(7)
id	char(12)
leav_code	char(3)
leave_cls	char(4)
misc1**2	char(4)
notes	char(58)
pcn	char(10)
position	char(10)
rb	char(1)
stardtd	date
update_when	date
update_who	char(12)




action_cd	char(4)
add_total	char(4)
applied_dt	date
begindt**2	date
create_when	date
create_who	char(12)
detailnote	char(72)
enddt	date
enddt2	date
entity_id	char(4)
expr_code	char(4)
hr_verify	date
id	char(12)
inhouse_yr	num(10,5)
miscocode1**2	char(8)
mscxprinfo	char(1)
notes	char(58)
preemp_yrs	num(10,5)
reqnum	char(8)
update_when	date
update_who	char(12)
val1**5	num(10,2)
verify_st	char(1)
verify_who	char(12)




action_cd	char(4)
addl_1	date
addl_2	num(20,2)
addl_3**4	char(12)
create_when	date
create_who	char(12)
entity_id	char(4)
expdate	date
hr_verify	date
id	char(12)
issdate	date
licn_no	char(20)
licntype	char(6)
notes	char(72)
regid	char(20)
reqnum	char(8)
rstate	char(2)
spec_id1**3	char(10)
update_when	date
update_who	char(12)
verify	date
verify_st	char(1)
verify_who	char(12)



action_cd	char(4)
ann_sal	num(10,2)
beg_date	date
city	char(20)
employer	char(30)
end_date	date
fp_type	char(1)
id	char(12)
job_desc	char(156)
leave_rsn	char(2)
misc1**4	char(8)
notes	char(58)
phone_ext	char(4)
position	char(14)
reqnum	char(8)
reqnum	char(25)
st_1	char(2)
state	char(2)
supervisor	char(27)
work_type	char(4)
zip	char(10)
zipext	char(4)



action_cd	char(4)
create_when	date
create_who	char(12)
e_mail	char(70)
entity_id	char(4)
frame	char(20)
hr_verify	date
id	char(12)
lname	char(20)
notes	char(70)
phone_ext	char(4)
relation	char(2)
reqnum	char(8)
title	char(20)
update_when	date
update_who	char(12)
verify_st	char(1)
verify_who	char(12)
yr_known	num(5)



action_cd	char(4)
addl_1	date
create_when	date
create_who	char(12)
entity_id	char(4)
id	char(12)
mod_perct	num(5,2)
notes	char(72)
passed	char(1)
passing	num(10,2)
percent	num(10,2)
possible	num(10,2)
posting	char(8)
score	num(10,2)
testcode	char(2)
testdate	date
update_when	date
update_who	char(12)
weight	num(5,2)

**BOLD . . . . . CONSTRAINT**  
**ITALICS . . . . . INDEX**





REQUISITION

SYSTEM/HIDDEN


action_cd	char(4)	max_index	char(24)
addl_1	date	maxsal	num(20,5)
addl_2	num(20,2)	min_date	date
addl_3**4	char(12)	min_index	char(24)
apprv_cd01	char(4)	minsal	num(20,5)
apptype	char(4)	minscore	num(5)
apr_v_date	date	neworrepl	char(1)
assg_stat	char(2)	newreq	char(8)
axp**2	char(1)	newrq_desc	char(30)
calc_beg	date	notes	char(60)
calc_end	date	numopen	num(5)
calendar	char(8)	optioncode	char(2)
create_when	date	pay_beg	date
create_who	char(12)	pay_end	date
credent1**5	char(8)	payclass	char(3)
daysyr	num(5,1)	pcn	char(10)
degree1**3	char(4)	position	char(10)
elig_yn	char(1)	posteddate	date
<b>entity_id</b>	<b>char(4)</b>	postended	date
fiscalyr	char(7)	posttype	char(1)
fte	num(10,5)	reas_cd	char(2)
hoursday	num(5,2)	recordfrom	char(10)
hurdl0scor	num(20,2)	replacing	char(12)
hurdl1**9score	num(20,2)	req_desc	char(30)
hurdle1**10	char(4)	<b>reqnum</b>	<b>char(8)</b>
indx_key	char(24)	reqpststat	char(3)
intvrate	char(2)	skill1**5	char(8)
licn1**5	char(6)	test1**5	char(2)
location	char(8)	totalscore	num(20,2)
major_cd**3	char(5)	update_when	date
max_date	date	update_who	char(12)

appl_data	image
create_when	date
create_who	char(12)
<b>id</b>	<b>char(12)</b>
<b>reqnum</b>	<b>char(8)</b>
status_cd	char(4)
update_when	date
update_who	char(12)



app_date	date
create_when	date
create_who	char(12)
field_id	char(25)
field_value	char(250)
id	char(12)
reqnum	char(8)
row_index	num(5)
screen_id	char(24)
update_when	date
update_who	char(12)

[PREVIOUSLY DEFINED] [PREVIOUSLY DEFINED]





create_when	date	action_cd	char(4)
create_who	char(12)	create_when	date
crsrhldr	char(1)	create_who	char(12)
<b>entity_id</b>	<b>char(4)</b>	<b>entity_id</b>	<b>char(4)</b>
fiscalyr	char(7)	notes	char(997)
<b>pcn</b>	<b>char(10)</b>	<b>posting</b>	<b>char(8)</b>
<b>position</b>	<b>char(10)</b>	update_when	date
posteddate	date	update_who	char(12)
postended	date		
posttype	char(1)		
publish_yn	char(1)		
req_code	char(8)		
req_minval	num(10,2)		
req_type	char(4)		
req_wght	num(5)		
<b>reqnum</b>	<b>char(8)</b>		
reqpststat	char(3)		
update_when	date		
update_who	char(12)		

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*





UTILITIES (2/2)


		addflag	char(1)
		addproc	char(20)
		closeflag	char(1)
		closeproc	char(20)
		create_when	date
		create_who	char(12)
		echoattr	char(10)
		echoclus	char(8)
		notes	varchar(128)
		subkeyattr	char(10)
		subkeyclus	char(8)
		subkeytitl	char(20)
		subsys	char(2)
		switchflag	char(1)
create_when	date	switchproc	char(20)
create_who	char(12)	targetrec	char(8)
eff_date	date	targetrec2	char(8)
entity_id	char(4)	title1**4	char(20)
id	char(12)	<b>trnsclass</b>	<b>char(20)</b>
persactn	char(12)	update_when	date
reason	char(8)	update_who	char(12)
update_when	date	updateflag	char(1)
update_who	char(12)	updateproc	char(20)




<b>actiondtl_key</b>	<b>char(36)</b>
create_when	date
create_who	char(12)
entity_id	char(4)
id	char(12)
old_value	char(24)
persactn	char(12)
update_when	date
update_who	char(12)
updt_column	char(15)
updt_table	char(20)
updt_value	char(24)



action_cd	char(4)
apprv_cd01	char(4)
apprv_date	date
create_when	date
create_who	char(12)
lastactdt	date
modetype	char(6)
reqbegdt	date
regenddt	date
reqnotes	varchar(128)
revnotes	varchar(128)
see_notes	char(1)
seedtl	char(1)
subkeyval	char(20)
<b>trnsclass</b>	<b>char(20)</b>
<b>trnsid</b>	<b>char(12)</b>
trnsval1**4	char(20)
update_when	date
update_who	char(12)




create_when	date
create_who	char(12)
description	char(64)
itemname	char(20)
itemno	char(4)
newval	char(24)
oldval	char(24)
<b>trnsid</b>	<b>char(12)</b>
update_when	date
update_who	char(12)



action	char(12)
addamt	num(20,2)
addbeg	date
addend	date
amount	num(20,5)
apprv_cd	char(4)
asofdate	date
bargunit	char(60)
begdate	date
cdh	num(5)
cdh_axp	char(1)
cdh_box	num(5)
cdh_freq	char(2)
cdh_status	char(2)
create_when	date
create_who	char(12)
cust_sq**2	char(64)
dept	char(60)
employees	num(5)
enddate	date
<b>entity_id</b>	<b>char(4)</b>
errorcnt	num(5)
errorfile	char(8)
errprinter	char(8)
filename	char(12)
id	char(60)
lmt	num(20,2)
lpx	char(1)
misc_code	char(4)
misc1**4	char(4)
miscfield1**4	char(8)
name1**2	char(30)
period	num(10)
recsread	num(5)
recsupdate	num(5)
runby	char(12)
rundate	date
runnotes	char(40)
sequenceno	char(8)
track_code	char(20)
update_when	date
update_who	char(12)
vendor_cd	char(12)
warncnt	num(5)

copyscreen	char(8)
create_when	date
create_who	char(12)
<b>frm_entity</b>	<b>char(4)</b>
notes	char(234)
reportonly	char(1)
rundate	date
selcrl	char(546)
<b>to_entity</b>	<b>char(4)</b>
update_when	date
update_who	char(12)


appl_id	char(12)
check_date	date
create_when	date
create_who	char(12)
creds_yn	char(2)
<b>entity_id</b>	<b>char(4)</b>
id	<b>char(12)</b>
misc1**5	char(10)
notes	char(380)
<b>pcn</b>	<b>char(10)</b>
<b>position</b>	<b>char(10)</b>
postapplck	char(1)
reqnum	char(8)
update_when	date
update_who	char(12)



bargunit	char(8)
create_when	date
create_who	char(12)
cycle	char(3)
dayswork	num(10,2)
dftbegdt	date
dftenddt	date
emp_status	char(2)
recsread	char(4)
emptype	char(4)
entity_id	char(4)
id_to_roll	char(12)
lastrolldt	date
mnth_paid	num(10,2)
nomonths	num(10,2)
publ_priv	char(4)
ready	char(1)
rolltype	char(1)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
targetid	char(12)
update_when	date
update_who	char(12)

copy_id	char(8)
copy_entity	char(12)
create_when	date
create_who	char(12)
entity_id	char(4)
flatfile	char(8)
idauto	char(1)
new_entity	char(4)
newappid	char(12)
newappssn	char(10)
newid	char(12)
newssn	char(10)
oldappid	char(12)
oldid	char(12)
update_when	date
update_who	char(12)




appid	char(12)
create_when	date
create_who	char(12)
del_selcrl	char(201)
del_type	char(9)
targetid	char(12)
update_when	date
update_who	char(12)

adjustamt	char(1)
adjustapu	char(1)
adjustfle	char(1)
asofdate	date
begindt	date
create_when	date
create_who	char(12)
enddt	date
entity_id	char(4)
holdcurs	char(1)
oldbegin	date
oldend	date
pcn	char(10)
position	char(10)
update_when	date
update_who	char(12)

action	char(4)
assgnst	char(2)
bargunit	char(8)
beneplan	char(8)
calcasof	date
calcbeg	date
calcend	date
cdh	num(5)
contodh	num(5)
create_when	date
create_who	char(12)
cycle	char(2)
date_type	char(3)
deducdh	num(5)
department	char(8)
distoptn	char(1)
division	char(8)
effasof	date
effbeg	date
effend	date
emp_cal	char(8)
<b>entity_id</b>	<b>char(4)</b>
glikey	char(10)
globj	char(8)
id	char(12)
ijkey	char(10)
jobbj	char(8)
<b>newappcd</b>	<b>char(4)</b>
notes	char(71)
oldappod	char(4)
pay_cal	char(8)
paybarg	char(8)
payclass	char(3)
pcn	char(10)
position	char(10)
reportonly	char(1)
run_by	char(12)
rundate	date
<b>screen</b>	<b>char(8)</b>
sql	char(156)
ssn	char(10)
stat	char(2)
type	char(4)
update_when	date
update_who	char(12)

**BOLD . . . . CONSTRAINT**  
**ITALICS . . . . INDEX**

LISTING/SETUP



beg	char(10)
cdh_no	num(5)
enddt	char(10)
entity_id	char(4)
id	char(12)
item	char(3)
lastup	date
newenddt	char(10)
pcn	char(10)
position	char(10)
rec_hr	char(2)
rec_py	char(2)
rec_type	char(2)
scrn	char(8)

assg_no	char(8)
create_when	date
create_who	char(12)
entity_id	char(4)
fiscalyr	char(7)
jobcode	char(10)
location	char(8)
long_desc	char(30)
position	char(10)
short_desc	char(15)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
del_field	char(10)
del_group	char(8)
del_pri	num(5)
del_screen	char(8)
del_stmt	char(60)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
del_field	char(10)
del_group	char(8)
del_pri	num(5)
del_screen	char(8)
del_stmt	char(60)
update_when	date
update_who	char(12)

calc_beg	date
calc_end	date
create_when	date
create_who	char(12)
entity_id	char(4)
fiscalyr	char(7)
pay_beg	date
pay_end	date
position	char(10)
run_opt	char(1)
update_when	date
update_who	char(12)
w_calcbhip	char(8)
w_calcehip	char(8)
w_fischlip	char(8)
w_paybghip	char(8)
w_payedhip	char(8)
ws_cicbhip	char(8)
ws_cicehip	char(8)
ws_fischlip	char(8)
ws_paybhip	char(8)
ws_payehip	char(8)


create_when	date
create_who	char(12)
dataset	char(20)
entity_id	char(4)
field_desc	char(30)
fieldname	char(15)
newvaldef	char(15)
persactn	char(12)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
del_field	char(10)
del_group	char(8)
del_pri	num(5)
del_screen	char(8)
del_stmt	char(60)
update_when	date
update_who	char(12)

create_when	date
create_who	char(12)
del_field	char(10)
del_group	char(8)
del_pri	num(5)
del_screen	char(8)
del_stmt	char(60)
update_when	date
update_who	char(12)

<b>hr_entylist</b>	copyscreen char(8) error_list char(72) errorcode char(1) frm_entity char(4) reportonly char(1) rundate date to_entity char(4)	<b>hr_addllist</b>	action_txt char(8) cdh num(5) entity_id char(4) errmessage char(78) errorcode char(1) id char(12) newamount num(20,2) neweffbeg date neweffend date oldamount num(20,2) oldeffbeg date oldeffend date reportonly char(1) rundate date runoption char(1) userid char(12)	<b>hr_aprvlist</b>	Aprdate1**2 date aprvrr char(1) aprvrid char(12) aprvmsg char(59) aprvpcn char(10) aprvpos char(10) aprvrectp char(2) bene_plan char(8) cdh num(5) entity_id char(4) newappcd char(4) numupdt num(5) oldappod char(4) reportonly char(1) run_who char(12) rundate date screen char(8)	<b>hr_paylist</b>	action_txt char(8) entity_id char(4) errmessage char(78) errorcode char(1) id char(12) indx_key char(24) newactlann num(20,2) newactldly num(20,5) newactldys num(10,2) newactlthry num(20,5) newactlper num(20,2) newbaseann num(20,2) newbasedly num(20,5) newbasehry num(20,5) newbaseper num(20,2) newcal char(8) newcalcbeg date newcalcend date newfyear char(7) newindx_ky char(24) newnoper num(5,2) newpaybeg date newpayend date newpcn char(10) newpos char(10) oldactlann num(20,2) oldactldly num(20,5) oldactlthry num(20,5) oldactlper num(20,2) oldbaseann num(20,2) oldbasehry num(20,5) oldbaseper num(20,2) oldcal char(8) oldcalcbeg date oldcalcend date oldfyear char(7) oldnoper num(5,2) oldpaybeg date oldpayend date pcn char(10) position char(10) rec_type char(2) reportonly char(1) rundate date runoption char(1) userid char(12)	<b>hr_contlist</b>	msg char(8) new_actlan num(20,2) new_actlda num(10,2) new_actld num(20,5) new_actlhl num(20,5) new_actlhr num(10,5) new_actlpr num(20,2) new_axp char(1) new_cal char(8) new_index char(24) new_paybeg date new_paycls char(3) new_payend date new_pcn char(10) new_pcnfte num(10,5) new_pos char(10) new_rate num(20,5) new_ratelp char(1) new_ratio num(10,5) new_ratiof char(1) run_datetm date run_index char(12) run_mode char(1) runoption char(1) sel_actlda num(10,2) sel_actlhr num(10,5) sel_assgst char(2) sel_axp char(1) sel_barg char(8) sel_calndr char(8) sel_contid char(32) sel_dept char(8) sel_div char(8) sel_entity char(4) sel_fy char(7) sel_id char(12) sel_index char(24) sel_paybeg date sel_paycls char(3) sel_payend date sel_pcn char(10) sel_pcnfte num(10,5) sel_pos char(10) sel_rate num(20,5) sel_ratelp char(1) sel_ratio num(10,5) sel_ratiof char(1) sel_reascd char(2) sel_rectyp char(2) up_who char(12)				
<b>hr_termlist</b>	beg char(10) cdh_no num(5) enddt char(10) entity_id char(4) id char(12) item char(3) lastup date newenddt char(10) pcn char(10) position char(10) rec_hr char(2) rec_py char(2) rec_type char(2) scrn char(8)	<b>hr_hrselect</b>	create_when date create_who char(12) entity_id char(4) notes char(156) selectid char(8) selwhere char(709) seq_desc char(35) sequenceno char(8) update_when date update_who char(12)	<b>hr_beneassoc</b>	bene_group char(8) bene_plan char(8) create_when date create_who char(12) dft_bene char(1) effbeg date effend date entity_id char(4) ienrl_date01**12 char(5) renrl_date01**12 char(5) update_who char(12)	<b>hr_benechnng</b>	action_cd char(4) bene_actn char(8) bene_plan char(8) create_when date create_who char(12) elig_code char(8) elig_date char(8) entity_id char(4) per_action char(12) start_date date update_when date update_who char(12)	<b>hr_hrdelete</b>	bkup_file char(12) create_when date create_who char(12) del_date date del_field char(10) del_group char(8) del_op char(2) del_screen char(8) del_scrn char(8) del_sql char(800) del_string char(40) disp_line char(31) entity_id char(4) notes char(234) run_date date update_when date update_who char(12) userid char(12)	<b>hr_slylist</b>	action_txt char(8) entity_id char(4) errmessage char(80) errorcode char(1) indx_key char(24) newamount num(20,2) neweffbeg date neweffend date oldamount num(20,2) oldeffbeg date oldeffend date reportonly char(1) run_who char(12) rundate date runoption char(1)	<b>hr_earnautd</b>	account char(40) gl_key char(10) gl_ledger char(2) gl_obj char(8) jl_key char(10) jl_ledger char(2) jl_obj char(8) misc char(8) over_budg char(1) over_code char(4) percent num(10,3) prime_flag char(1) rectype char(2) uniqueid char(36)

PRIMARY TABLES (1/3)




**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

PRIMARY TABLES (2/3)

addl_1	date	addl_1	date
addl_2	num(20,2)	addl_2	num(20,2)
addl_3**4	char(15)	addl_3**4	char(15)
create_when	date		
create_who	char(12)	create_when	date
long_desc	char(30)	create_who	char(12)
notes	char(60)	long_desc	char(50)
owner_id	char(12)	notes	char(60)
short_desc	char(15)	<b>rstr_dist</b>	<b>char(5)</b>
update_when	date	short_desc	char(15)
update_who	char(12)	update_when	date
vendor	char(12)	update_who	char(12)

[PREVIOUSLY DEFINED]

[PREVIOUSLY DEFINED]



<b>hr_epaymisc</b>	cmssc_atid1**5 cmssc_beg1**5 cmssc_end1**5 cmssc_scrn1**5 cnum_atid1**5 cnum_beg1**5 cnum_end1**5 cnum_scrn1**5 csp_atid1**8 csp_beg1**8 csp_end1**8 csp_scrn1**8 entity_id msc_atid1**5 msc_beg1**5 msc_end1**5 msc_num1 msc_scrn1**5 num_atid1**5 num_beg1**5 num_end1**5 num_scrn1**5 show_date sp_atid4 sp_atid1**8 sp_beg1**8 sp_end1**8 sp_scrn1**8	char(10) num(5) num(5) char(8) char(10) num(5) num(5) char(8) char(10) num(5) num(5) char(8) char(4) char(10) num(5) num(5) char(8) char(10) char(10) num(5) date char(10) char(10) num(5) num(5) char(8) char(10) num(5) char(8)	allowclose allboxnum allfreq allfreqr allstatus benecode benepack benetype benflag categories covrgflag covrgnrcr create_when cvrbeg1**2 cvrgend1**2 cvrgspeccd cvgunits dedaddflag dedamtype deductflag depdflag depdnumflg depdspeccd dltfreqpr dsplyorder enrlbeg1**2 enrlend1**2 entity_id eogroup eoplantype excludetyp formname formreqflg freqflg includetyp midwrcnge newhireper oneperotype readonlyfil <b>targetrec</b> update_when update_who vendor_url	char(3) char(2) char(2) char(24) char(2) char(4) char(6) char(2) char(1) char(27) char(1) num(10) date char(12) char(5) num(5) num(10) char(1) char(4) char(1) char(1) num(5) char(24) num(5) char(5) char(5) char(4) char(4) char(18) char(25) char(24) char(1) char(1) char(25) char(3) num(5) char(1) char(1) <b>char(12)</b> date char(12) char(32)
<b>hr_eobemstr</b>			category ckdate ckid cknote cknum create_when create_who entity_id id name orderno period typeno update_when update_who value	char(24) date char(2) char(2) num(10) date char(12) <b>char(4)</b> <b>char(12)</b> char(24) num(5) num(10) num(5) date char(12) varchar(135)
<b>hr_crentity</b>	entity ssn type	char(4) char(12) char(4)	newhireper oneperotype readonlyfil <b>targetrec</b> update_when update_who vendor_url	char(1) char(1) char(1) <b>char(12)</b> date char(12) char(32)
<b>hr_dgretble</b>	create_when create_who degree degree_tp entity_id update_when update_who	date char(12) char(4) char(1) char(4) date char(12)		
<b>hr_eostub</b>				



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX








NCLB

create\_when date  
 create\_who char(12)  
**entity\_id** char(4)  
 fiscalyr char(7)  
 map\_type char(8)  
 update\_when date  
 update\_who char(12)






**entity\_id** char(4)  
**fiscalyr** char(7)  
 ifas\_code char(8)  
**map\_type** char(8)  
 ss\_code char(20)

[PREVIOUSLY DEFINED]



**course\_no** char(8)    action\_cd char(4)  
 create\_when date    copy\_crse char(8)  
 create\_who char(12)    copy\_fy char(7)  
 cred\_date date    **course\_no** char(8)  
**entity\_id** char(4)    create\_when date  
**fiscalyr** char(7)    create\_who char(12)  
 update\_when date    cred\_date date  
 update\_who char(12)    cred\_reqtp char(1)  
                           cred\_type char(8)  
                           entity\_id char(4)  
                           **fiscalyr** char(7)  
                           ma\_mi\_code char(6)  
                           ma\_mi\_type char(2)  
                           **nclbreq\_key** char(36)  
                           req\_cntrl char(3)  
                           req\_code char(8)  
                           req\_type char(4)  
                           req\_val num(10,2)  
                           table\_tp char(2)  
                           update\_when date  
                           update\_who char(12)





create\_when date    err\_cnt num(5)  
 create\_who char(12)    error\_msg char(78)  
 entity\_id char(4)    load\_file char(8)  
 err\_cnt num(5)    run\_by char(12)  
 eval\_date date    run\_option char(8)  
 exempt\_cd char(1)    rundate date  
 fiscalyr char(7)  
 id char(12)  
 import\_dt date  
 load\_file char(8)  
 load\_fy char(7)  
 load\_seq num(5)  
 notes char(144)  
 para\_asof date  
 run\_by char(12)  
 run\_option char(8)  
 run\_paras char(1)  
 rundate date  
 sel\_entity char(4)  
 sel\_sql char(156)  
 seq\_no num(5)  
 update\_when date  
 update\_who char(12)

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX



**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPR\_PROD\_ID char(16)  
 IFPR\_DESC char(30)  
 IFPR\_UNIT char(8)  
 IFPR\_STATUS char(2)  
 IFPR\_STOCK\_Q char(1)  
 IFPR\_CLASS char(1)  
 IFPR\_COMMODITY char(16)  
 IFPR\_PRI\_VEND char(12)  
 IFPR\_PROD\_CLASS char(6)  
 IFPR\_BUYER\_ID char(12)  
 IFPR\_MISC char(4)  
 IFPR\_CATEGORY1 char(8)  
 IFPR\_CATEGORY2 char(8)  
 IFPR\_USER1 char(16)  
 IFPR\_USER2 char(16)  
 IFPR\_RETAIL\_PRnum(20,5)  
 TRAN\_OP char(1)  
 SYSTEM\_ID char(8)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPR\_PROD\_ID char(16)  
 IMP\_STATUS num(5)  
 IMP\_ERROR\_NUM num(5)  
 IMP\_ERROR\_TEXT varchar(128)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPE\_VEND\_ID char(12)  
 IFPE\_VEND\_NAME varchar(80)  
 IFPE\_STATUS char(2)  
 IFPE\_DUE\_DAYS num(5)  
 TRAN\_OP char(1)  
 SYSTEM\_ID char(8)  
 PROCESSED\_DT date

**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPO\_REQ\_NO char(8)  
 IFPO\_VEND\_ID char(12)  
 IFPO\_ADDR\_CD char(2)  
 IFPO\_RQS\_DT date  
 IFPO\_RQR\_DT date  
 IFPO\_USER\_ID char(12)  
 IFPO\_EMP\_ID char(12)  
 IFPO\_SHIP\_ID char(12)  
 IFPO\_PRIORITY char(1)  
 TRAN\_OP char(1)  
 SYSTEM\_ID char(8)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPO\_REQ\_NO char(8)  
 IMP\_STATUS num(5)  
 IMP\_ERROR\_NUM num(5)  
 IMP\_ERROR\_TEXT varchar(128)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 IFPO\_REQ\_NO char(8)  
 IFPO\_REQ\_LINE char(4)  
 IFPO\_QTY num(20,3)  
 IFPO\_UNIT\_PRICE num(20,5)  
 IFPO\_UNIT char(8)  
 IFPO\_ACCOUNT varchar(128)  
 IFPO\_WO char(12)  
 IFPO\_PROD\_ID char(16)  
 IFPO\_VEND\_PROD char(20)  
 IFPO\_ITEM\_TEXT varchar(2560)  
 TRAN\_OP char(1)

**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPO\_PO\_NO char(8)  
 IFPO\_PO\_LINE char(4)  
 IFPO\_REQ\_NO char(8)  
 IFPO\_REQ\_LINE char(4)  
 IFPO\_REQ\_QTY num(20,3)  
 IFPO\_REQ\_DT date  
 TRAN\_OP char(1)  
 SYSTEM\_ID char(8)  
 PROCESSED\_DT date

**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFPO\_PO\_NO char(8)  
 IFPO\_PO\_LINE char(4)  
 IFPO\_REQ\_NO char(8)  
 IFPO\_REQ\_LINE char(4)  
 IMP\_STATUS num(5)  
 IMP\_ERROR\_NUM num(5)  
 IMP\_ERROR\_TEXT varchar(128)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 IFPO\_ASSET\_ID char(16)  
 IFPO\_SERIAL char(30)  
 TRAN\_OP char(1)

**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFGL\_BATCH\_ID char(16)  
 IFGL\_REF char(16)  
 IMP\_STATUS num(5)  
 IMP\_ERROR\_NUM num(5)  
 IMP\_ERROR\_TEXT varchar(128)  
 PROCESSED\_DT date



**TRAN\_ID** char(38)  
 TRAN\_DT date  
 IFGL\_BATCH\_ID char(16)  
 IFGL\_BATCH\_DESC varchar(200)  
 IFGL\_REF char(16)  
 IFGL\_DESC varchar(200)  
 IFGL\_SUBS\_REF char(16)  
 IFGL\_PEID char(12)  
 IFGL\_PEDB\_CD char(1)  
 IFGL\_CK\_ID char(2)  
 IFGL\_CK\_NO char(8)  
 IFGL\_DATE date  
 IFGL\_ACCOUNT varchar(128)  
 IFGL\_GL\_GR char(2)  
 IFGL\_GL\_KEY char(10)  
 IFGL\_GL\_OBJ char(8)  
 IFGL\_JL\_GR char(2)  
 IFGL\_JL\_KEY char(10)  
 IFGL\_JL\_OBJ char(8)  
 IFGL\_WO char(12)  
 IFGL\_OFFSET char(2)  
 IFGL\_MISC char(4)  
 IFGL\_TYPE char(2)  
 IFGL\_UNITS num(20,5)  
 IFGL\_MSUR char(4)  
 IFGL\_DR num(20,2)  
 IFGL\_CR num(20,2)  
 IFGL\_HIT\_EN char(2)  
 IFGL\_EN\_TYPE char(2)  
 IFGL\_BUDGET\_OVER char(2)  
 IFGL\_PREP\_ID char(8)  
 IFGL\_CONTRACT\_NO char(16)  
 IFGL\_POST\_DT date  
 IFGL\_JEID\_ACG char(4)  
 IFGL\_TRNS\_ACG char(4)  
 IFGL\_VIEWS char(4)  
 IFGL\_SEQ\_NO num(5)  
 TRAN\_OP char(1)  
 SYSTEM\_ID char(8)  
 PROCESSED\_DT date

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*

<b>TRAN_ID</b>	<b>char(38)</b>	IFPY_LINK	char(8)
TRAN_DT	date	IFPY_EMP_ID2	char(12)
IFPY_BATCH_ID	char(16)	IFPY_ACCOUNT	
IFPY_EMP_ID	char(12)		varchar(128)
IFPY_PER_CC	num(10)	IFPY_WO	char(12)
IFPY_SORT	num(5)	IFPY_PAY_CLASS	char(3)
IFPY_GROUP	char(12)	IFPY_POS	char(10)
IFPY_MISC1	char(4)	IFPY_STEP	char(4)
IFPY_MISC2	char(4)	IFPY_GL_GR	char(2)
IFPY_MISC3	char(4)	IFPY_GL_KEY	char(10)
IFPY_MISC4	char(4)	IFPY_GL_OBJ	char(8)
IFPY_MISC5	char(4)	IFPY_JL_GR	char(2)
IFPY_BEG_DT	date	IFPY_JL_KEY	char(10)
IFPY_TRN_DT	date	IFPY_JL_OBJ	char(8)
IFPY_REC_TYPE	char(2)	IFPY_USER1	char(12)
IFPY_NUM_CD	num(10)	IFPY_USER2	char(12)
IFPY_CDH	num(5)	IFPY_USER3	char(12)
IFPY_RING_IN	date	IFPY_USER4	char(12)
IFPY_RING_OUT	date	IFPY_USER5	char(12)
IFPY_HRS	num(10,5)	IFPY_USER6	char(12)
IFPY_RATE	num(10,5)	IFPY_USER7	char(12)
IFPY_AMT	num(10,2)	IFPY_USER8	char(12)
IFPY_RATE_CD1	char(2)	IFPY_USER9	char(12)
IFPY_RATE_CD2	char(2)	IFPY_APRV_CD1	char(2)
IFPY_RATE_CD3	char(2)	IFPY_APRV_CD2	char(2)
IFPY_RATE_CD4	char(2)	IFPY_APRV_CD3	char(2)
IFPY_RATE_CD5	char(2)	IFPY_APRV_CD4	char(2)
IFPY_REASON_CD	char(2)	IFPY_APRV_CD5	char(2)
IFPY_OVR_HRS	char(1)	TRAN_OP	char(1)
IFPY_OVR_RT	char(1)	SYSTEM_ID	char(8)
IFPY_OVR_AMT	char(1)	PROCESSED_DT	date
IFPY_OVR_NUM	char(1)	IFPY_BATCH_ID	char(16)
IFPY_STATUS	char(2)	IFPY_EMP_ID	char(12)
IFPY_JOB_NO	num(10)	IFPY_WF_CODE	char(30)
IFPY_ORIG	char(6)	IMP_STATUS	num(5)
IFPY_TEXT	varchar(40)	CREATE_WHEN	date
		CREATE_WHO	char(12)
		UPDATE_WHEN	date
		UPDATE_WHO	char(12)

<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFPY_BATCH_ID	char(16)
IFPY_EMP_ID	char(12)
IMP_STATUS	num(5)
IMP_ERROR_NUM	num(5)
IMP_ERROR_TEXT	
UPDATE_WHEN	date
UPDATE_WHO	char(12)
PROCESSED_DT	date










<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFPY_WF_BATCH	char(16)
IFPY_WF_EMP_ID	char(12)
IFPY_WF_GROUP	char(12)
IFPY_WF_CODE	char(16)
IFPY_WF_PER_CC	num(10)
IFPY_WF_APRV_CD	char(2)
PROCESSED_DT	date
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFGL_ACCOUNT	varchar(128)
IFGL_DESC	varchar(200)
IFGL_STATUS	char(2)
IFGL_START_DT	date
IFGL_END_DT	date
TRAN_OP	char(1)
SYSTEM_ID	char(8)
PROCESSED_DT	date

<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFHR_HR_ID	char(12)
IFHR_FNAME	char(20)
IFHR_MNAME	char(10)
IFHR_LNAME	char(20)
IFHR_HR_STATUS	char(2)
IFHR_TYPE	char(4)
IFHR_CREATE_WHEN	date
IFHR_PM_HRLY_RT	num(20,5)
TRAN_OP	char(1)
SYSTEM_ID	char(8)
PROCESSED_DT	date

<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFPE_VEND_ID	char(12)
IFPE_VEND_NAME	varchar(80)
IFPE_STATUS	char(2)
IFPE_DUE_DAYS	num(5)
TRAN_OP	char(1)
SYSTEM_ID	char(8)
PROCESSED_DT	date

<b>TRAN_ID</b>	<b>char(38)</b>
TRAN_DT	date
IFPO_REQ_NO	char(8)
IFPO_PO_NO	char(8)
IFPO_VEND_ID	char(12)
IFPO_ADDR_CD	char(2)
IFPO_PO_DT	date
IFPO_STATUS	char(2)
IFPO_BUYER_ID	char(12)
TRAN_OP	char(1)
SYSTEM_ID	char(8)
PROCESSED_DT	date



ENTITYID	char(4)
ID	char(12)
SSN	char(10)
TYPE	char(4)
HR_STATUS	char(2)
PY_STATUS	char(2)
LASTNAME	char(20)
FIRSTNAME	char(20)
HIREDT	date
BEGINDT	date
BIRTHDT	date
BARGUNIT	char(8)
DAYSWORK	num(10,2)
NOMONTHS	num(5,2)
CALENDAR	char(8)
CYCLE	char(2)
MNTH_PAID	num(10,2)
CKDIST	char(4)
FTE	num(10,5)
ETHNIC	char(4)
GENDER	char(1)
JOBCODE	char(8)
WORKSITE	char(8)
CREATEDATE	char(22)
IMPORTSTATUS	date
PROCESSDATE	date

ID	char(12)
LASTNAME	char(20)
FIRSTNAME	char(20)
JOBCODE	char(8)
WORKSITE	char(8)
PHONE_NO	char(14)
CREATEDATE	char(22)
PROCESSDATE	date

<b>TRAN_ID</b>	<b>char(38)</b>
IFHR_SKILL_CD	char(8)
IFHR_CREATE_WHEN	date
TRAN_OP	char(1)

<b>TRAN_ID</b>	<b>char(38)</b>
IFHR_LICN_TYPE	char(6)
IFHR_CERT_ACTIVE	
IFHR_ISS_DT	date
IFHR_EXP_DT	date
IFHR_REG_ID	date
TRAN_OP	char(1)

<b>TRAN_ID</b>	<b>char(38)</b>
IFPE_ADDR_CD	char(2)
IFPE_CONTACT	varchar(80)
IFPE_ADDR1	varchar(50)
IFPE_ADDR2	varchar(50)
IFPE_ADDR3	varchar(50)
IFPE_ADDR4	varchar(50)
IFPE_CITY	char(30)
IFPE_STATE	char(2)
IFPE_ZIP	char(20)
IFPE_COUNTRY	char(4)
IFPE_PHONE1	char(16)
IFPE_PHONE2	char(16)
TRAN_OP	char(1)

<b>TRAN_ID</b>	<b>char(38)</b>
IFPO_REQ_NO	char(8)
IFPO_REQ_LINE	char(4)
IFPO_PO_LINE	char(4)
IFPO_QTY	num(20,3)
IFPO_UNIT_PRICE	
IFPO_UNIT	num(20,3)
IFPO_UNIT	char(8)
IFPO_ACCOUNT	
IFPO_ITEM_TEXT	varchar(2560)
IFPO_ACTIVE_LINE	char(1)
TRAN_OP	char(1)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


*DOC\_ID* num(10)  
 ACCESS\_DT date  
 ACCESS\_TTL num(10)  
 ARCHIVE\_DT date  
 ARCHIVED\_FLAG char(1)  
 ATTACH\_ID char(36)  
 BATCH\_ID char(10)  
 CLSID char(38)  
 CREATE\_DT date  
 DESCRIPTION char(50)  
 DISCARD\_DT date  
 DOC\_TYPE char(16)  
 EMAIL\_ADDRESS varchar(255)  
 EMAIL\_TYPE char(2)  
 FORM\_ID char(16)  
 ICR\_FLAG char(1)  
 PAGE\_COUNT num(10)  
 REFRESH\_DT date  
 STATUS char(16)  
 STORAGE\_OBJECT char(36)  
**UNIQUE\_KEY** char(36)  
 USER\_ID char(8)  
 VIEWER num(5)

*LAYER\_ID* num(10)  
 CREATE\_DT date  
 LAYER\_DATA blob  
 LAYER\_DESC varchar(255)  
 LAYER\_EXT char(8)  
 LAYER\_SIZE num(10)  
 LAYER\_TYPE char(2)  
 STATUS\_CD char(2)  
**UNIQUE\_KEY** char(36)  
 USER\_ID char(8)

*OBJECT\_ID* char(36)  
 OBJECT\_ASSEMBLY varchar(255)  
 OBJECT\_DESCRIPTION varchar(255)  
 OBJECT\_INSTANCE varchar(255)  
 OBJECT\_TYPE char(2)  
 STATUS\_CD char(2)  
**UNIQUE\_KEY** char(36)

*INDEX\_ID* num(38)  
 ATTACH\_ID char(36)  
 SEQUENCE num(38)  
 TABLE\_NAME char(64)  
**UNIQUE\_KEY** char(36)

*ATTACH\_ID* char(36)  
 ATTACH\_DESC varchar(255)  
 STATUS\_CD char(2)  
**UNIQUE\_KEY** char(36)



*DOC\_ID* num(10)  
 CLSID char(38)  
 DOC\_SIZE num(10)  
 DOCUMENT long raw  
 PAGE\_NO num(5)  
**UNIQUE\_KEY** char(36)

*DOC\_ID* num(10)  
 RPT\_ID char(64)  
 DBNO num(38)  
 REPORT\_GUID char(36)  
 REPORT\_DESC varchar(255)  
**UNIQUE\_KEY** char(36)

*DOC\_ID* num(10)  
 FOLDER\_ID char(36)  
**UNIQUE\_KEY** char(36)

*DOC\_ID* num(38)  
 FORMAT char(32)  
 IFAS\_JOBNO num(10)  
 MASK char(32)  
 MPE\_JOBNO num(10)  
 OUTPUT\_DESC varchar(255)  
**UNIQUE\_KEY** char(36)

*DOC\_ID* num(10)  
 DOC\_SIZE num(10)  
 LAYER num(5)  
 PAGE\_ANNOT long raw  
 PAGE\_NO num(5)  
 REDACTION char(1)  
**UNIQUE\_KEY** char(36)  
 USER\_ID char(8)

*DOC\_ID* num(10)  
 LAYER\_ID num(10)  
 ASSIGN\_DT date  
 PAGE\_NO num(5)  
**UNIQUE\_KEY** char(36)


*DOC\_ID* num(10)  
 OBJECT\_ID char(36)  
 DATA long raw  
**UNIQUE\_KEY** char(36)

*DOC\_ID* num(38)  
 INDEX\_ID num(38)  
 FIELD\_ID num(38)  
 FIELD\_VALUE varchar(255)  
 LINK\_ID num(10)  
 SUBSET varchar(255)  
**UNIQUE\_KEY** char(36)


*INDEX\_ID* num(38)  
 COLUMN\_NAME char(64)  
 FIELD\_ID num(38)  
 SEQUENCE num(38)  
**UNIQUE\_KEY** char(36)

ATTACH\_ID char(36)  
 ATTACH\_DATA long raw  
 ATTACH\_DESC varchar(255)  
 ATACH\_OBJECT char(36)  
 COLUMN\_NAME char(64)  
 STATUS\_CD char(2)  
 TABLE\_NAME char(64)  
**UNIQUE\_KEY** char(36)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX




LICENSE\_KEY char(30)  
LICENSE\_APPL char(8)  
LICENSE\_EXPIRES date




LICENSE\_APPL char(8)  
LICENSE\_COUNT num(10)  
INTERVAL\_COUNT num(10)  
LICENSE\_TIMESTAMP date

**OH\_PE\_ID** char(12)  
 OH\_PE\_NAME char(30)  
 OH\_PE\_NAME\_U char(30)  
 OH\_PEDB\_CD char(2)



**OH\_PE\_ID** char(12)  
 OH\_REF char(16)  
 OH\_DIV char(4)  
 OH\_GL\_KEY char(2)  
 OH\_GL\_KEY char(10)  
 OH\_GL\_OBJ char(8)  
 OH\_JL\_GR char(2)  
 OH\_JL\_KEY char(10)  
 OH\_JL\_OBJ char(8)  
 OH\_WO char(12)  
 OH\_SEC\_REF char(16)  
 OH\_DIST\_AMT num(20,2)  
 OH\_DISC\_TERMS num(5,4)  
 OH\_DISC\_AMT num(20,2)  
 OH\_TAX\_CD char(4)  
 OH\_TAX\_AMT num(20,2)  
 OH\_TAX\_CD2 char(4)  
 OH\_TAX\_AMT2 num(20,2)  
 OH\_CHARGE\_CD char(4)  
 OH\_CHARGE\_AMT num(20,2)  
 OH\_DUTY\_CD char(4)  
 OH\_DUTY\_AMT num(20,2)  
 OH\_REF\_AMT num(20,2)  
 OH\_RETAIL\_AMT num(20,2)  
 OH\_DESC char(30)  
 OH\_MISC char(4)  
 OH\_REL\_ONE char(2)  
 OH\_REL\_TWO char(2)  
 OH\_BATCH\_ID char(16)  
 OH\_DUE\_DT date

OH\_RCVD\_DT date  
 OH\_AUTH\_DT date  
 OH\_POST\_CD char(2)  
 OH\_TRNS\_FORMAT char(2)  
 OH\_STATUS char(2)  
 OH\_JOB\_NO num(10)  
 OH\_PE\_ADDR\_CD char(2)  
 OH\_PREP\_ID char(8)  
 OH\_PROD\_ID char(16)  
 OH\_UNITS num(20,5)  
 OH\_UNIT\_PRICE num(20,5)  
 OH\_MSUR char(8)  
 OH\_ENCB\_PART char(2)  
 OH\_ENCB\_PO char(8)  
 OH\_PR\_NO char(8)  
 OH\_PR\_ITEM char(4)  
 OH\_CHECK\_ID char(2)  
 OH\_CHECK\_NO char(8)  
 OH\_CK\_DT date  
 OH\_CK\_JOB num(10)  
 OH\_FORMER\_ID char(2)  
 OH\_FORMER\_NO char(8)  
 OH\_SEP\_CHECK char(2)  
 OH\_REFUND\_TYPE char(2)  
 OH\_SEQ\_NO num(5)  
 OH\_VEND\_ACCT char(16)  
 OH\_BID char(16)  
 OH\_CONTRACT char(16)  
 OH\_POST\_DT date  
 OH\_REF\_DT date  
 OH\_PE\_NAME char(30)



**PE\_ID** char(12)  
**BATCH\_ID** char(16)  
**INVOICE** char(16)  
 ADDENDA\_CONTENTS varchar(80)  
 ADDENDA\_TYPE char(8)  
 ADDENDA\_SORT num(5)

**OH\_BATCH\_ID** char(16)  
 OHH\_USER\_TOTAL num(20,2)  
 OHH\_CREATE\_USER char(8)  
 OHH\_CREATE\_DATE date  
 OHH\_UPDATE\_USER char(8)  
 OHH\_UPDATE\_DATE date  
 OHH\_BATCH\_TYPE char(2)  
 OH\_POST\_STATE char(2)  
 OH\_JOB\_NO num(10)




**OH\_TEXT\_ID** char(12)  
**OH\_TEXT\_REF** char(16)  
**OH\_PE\_ID** char(12)  
**OH\_TEXT\_SEQ** char(4)

**OH\_BATCH\_ID** char(16)  
**OH\_PE\_ID** char(12)  
**OH\_REF** char(16)  
 OH\_REF\_AMT num(20,2)  
 OH\_REF\_DT date  
 OH\_POST\_STATE char(2)  
 OH\_JOB\_NO num(10)  
 OH\_PE\_ADDR\_CD char(2)  
 OH\_PEDB\_CD char(2)


**OH\_REC\_NO** num(5)  
**OH\_PE\_ID** char(12)  
**OH\_REF** char(16)  
 OH\_DIV char(4)  
**OH\_GL\_GR** char(2)  
**OH\_GL\_KEY** char(8)  
**OH\_JL\_KEY** char(2)  
**OH\_JL\_OBJ** char(10)  
**OH\_JL\_OBJ** char(8)  
 OH\_WO char(12)  
 OH\_SEC\_REF char(16)  
 OH\_DIST\_AMT num(20,2)  
 OH\_DISC\_TERMS num(5,4)  
 OH\_DISC\_AMT num(20,2)  
 OH\_TAX\_CD char(4)  
 OH\_TAX\_AMT num(20,2)  
 OH\_TAX\_CD2 char(4)  
 OH\_TAX\_AMT2 num(20,2)  
 OH\_CHARGE\_CD char(4)  
 OH\_CHARGE\_AMT num(20,2)  
 OH\_DUTY\_CD char(4)  
 OH\_DUTY\_AMT num(20,2)  
 OH\_REF\_AMT num(20,2)  
 OH\_RETAIL\_AMT num(20,2)  
 OH\_DESC char(30)  
 OH\_MISC char(4)  
 OH\_REL\_ONE char(2)  
 OH\_REL\_TWO char(2)  
**OH\_BATCH\_ID** char(16)  
 OH\_DUE\_DT date  
 OH\_RCVD\_DT date  
 OH\_AUTH\_DT date  
 OH\_POST\_CD char(2)  
 OH\_TRNS\_FORMAT char(2)  
 OH\_STATUS char(2)  
 OH\_JOB\_NO num(10)  
 OH\_PE\_ADDR\_CD char(2)  
 OH\_PREP\_ID char(8)  
 OH\_PROD\_ID char(16)

**OH\_PE\_ID** char(12)  
**OH\_REF** char(16)  
 OH\_SEC\_CD char(4)  
 OH\_APRV\_CD char(4)  
 OHR\_NEXT\_APRV char(4)




OH\_UNITS num(20,5)  
 OH\_UNIT\_PRICE num(20,5)  
 OH\_MSUR char(8)  
 OH\_ENCB\_PART char(2)  
 OH\_ENCB\_PO char(8)  
 OH\_PR\_NO char(8)  
 OH\_PR\_ITEM char(4)  
 OH\_CHECK\_ID char(2)  
 OH\_CHECK\_NO char(8)  
 OH\_CK\_DT date  
 OH\_CK\_JOB num(10)  
 OH\_FORMER\_ID char(2)  
 OH\_FORMER\_NO char(8)  
 OH\_SEP\_CHECK char(2)  
 OH\_REFUND\_TYPE char(2)  
 OH\_SEQ\_NO num(5)  
 OH\_VEND\_ACCT char(16)  
 OH\_BID char(16)  
 OH\_CONTRACT char(16)  
 OH\_POST\_DT date  
 OH\_REF\_DT date  
 OH\_PE\_NAME char(22)  
 OHB\_PEDB\_CD char(2)  
 OHB\_SEC\_CD char(4)  
 OHB\_PO\_TYPE char(2)  
 OHB\_PAY\_TYPE char(2)  
 OHB\_CLAIM\_NO num(10)  
 OHB\_CHECK\_TYPE char(2)  
 OHB\_WAREHOUSE char(4)  
 OHB\_IMAGE\_REC num(10)  
 OHB\_DATA\_KEY num(10)  
 OHB\_CALC\_FLAG char(2)  
 OHB\_MSG char(20)  
 OHB\_SORT char(30)  
 OHB\_CATALOG char(16)  
 OHB\_POI\_QTY num(20,3)  
 OHB\_EXPLODE char(2)  
 OHB\_SORT\_FIELD char(32)  
 OHB\_UNDO\_JOB\_NO num(10)  
 OHB\_FORM\_NAME char(16)  
 OHB\_DELETE\_FLAG num(5)


**OH\_PE\_ID** char(12)  
**OH\_REF** char(16)  
 OH\_APRV\_CD char(4)  
 OH\_USER\_ID char(8)  
 OHV\_SORT\_DT date  
 OHV\_SORT\_TIME char(6)  
 OHV\_SORT\_SEQ char(4)



**OH\_SET\_ID** char(16)  
 OHP\_CREATE\_USER char(8)  
 OHP\_CREATE\_DATE date  
 OHP\_RECON\_DATE date  
 OHP\_STATUS char(2)  
 OHP\_START\_AMT num(20,2)  
 OHP\_OTHER\_AMT num(20,2)  
 OHP\_CASH\_HUNDRED num(20,2)  
 OHP\_CASH\_FIFTY num(20,2)  
 OHP\_CASH\_TWENTY num(20,2)




**OHA\_SET\_ID** char(16)  
 OHA\_RECEIPT\_ID char(16)  
 OHA\_GL\_GR char(2)  
 OHA\_GL\_KEY char(10)  
 OHA\_GL\_OBJ char(8)  
 OHA\_JL\_GR char(2)  
 OHA\_JL\_KEY char(10)  
 OHA\_JL\_OBJ char(8)  
 OHA\_WO char(12)  
 OHA\_AMOUNT num(20,2)




OHP\_CASH\_TEN num(20,2)  
 OHP\_CASH\_FIVE num(20,2)  
 OHP\_CASH\_TWO num(20,2)  
 OHP\_CASH\_ONE num(20,2)  
 OHP\_COIN\_DOLLAR num(20,2)  
 OHP\_COIN\_HALF num(20,2)  
 OHP\_COIN\_QUARTER num(20,2)  
 OHP\_COIN\_DIME num(20,2)  
 OHP\_COIN\_NICKEL num(20,2)  
 OHP\_COIN\_PENNY num(20,2)


**OH\_SET\_ID** char(16)  
 OHD\_RECEIPT\_ID char(16)  
 OHD\_RECEIPT\_FLAG char(2)  
 OHD\_RECEIPT\_DATE date  
 OHD\_PAYEE\_NAME char(10)  
 OHD\_DESCRIPTION char(18)



**OH\_CLASS\_CD** char(8)  
 OH\_CLASS\_DESC char(30)



**OH\_CLASS\_CD** char(8)  
 OH\_APRV\_CD char(4)  
 OHC\_DOL\_START num(10,2)  
 OHC\_DOL\_END num(10,2)  
 OHC\_GL\_SIDE char(2)  
 OHC\_ADD\_QUAL char(30)  
 OHC\_SORT\_NO char(2)



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**OHZ\_REPEAT\_ID** char(16)  
 OHZ\_STATUS char(2)  
 OHZ\_PE\_ID char(12)  
 OHZ\_ADDR\_CD char(2)  
 OHZ\_PEDB\_CD char(2)  
 OHZ\_REF char(16)  
 OHZ\_PO char(8)  
 OHZ\_DIST\_AMT num(20,2)  
 OHZ\_TAX\_CD char(4)  
 OHZ\_TAX\_AMT num(20,2)  
 OHZ\_CHARGE\_CD char(4)  
 OHZ\_CHARGE\_AMT num(20,2)  
 OHZ\_DISC\_TERMS num(5,4)  
 OHZ\_DISC\_AMT num(20,2)  
 OHZ\_GL\_GR char(2)  
 OHZ\_GL\_KEY char(10)  
 OHZ\_GL\_OBJ char(8)  
 OHZ\_JL\_GR char(2)  
 OHZ\_JL\_KEY char(10)  
 OHZ\_JL\_OBJ char(8)  
 OHZ\_WO char(12)  
 OHZ\_DESC char(30)  
 OHZ\_DIV char(4)  
 OHZ\_CHECK\_ID char(2)  
 OHZ\_TRNS\_FORMAT char(2)  
 OHZ\_REL\_ONE char(2)  
 OHZ\_REL\_TWO char(2)  
 OHZ\_MISC char(4)  
 OHZ\_SEC\_CD char(4)  
 OHZ\_START\_DT date  
 OHZ\_END\_DT date  
 OHZ\_PAY\_COUNT num(5)  
 OHZ\_LAST\_DUE\_DT date  
 OHZ\_NEXT\_DUE\_DT date  
 OHZ\_DAY num(5)  
 OHZ\_FREQ num(5)  
 OHZ\_FREQ\_UNITS char(2)  
 OHZ\_SEC\_REF char(16)  
 OHZ\_CONTRACT char(16)  
 OHZ\_VEND\_ACCT char(16)

**OHXP\_GL\_GR** char(2)  
**OHXP\_TYPE\_CD** char(8)  
 OHXP\_TYPE\_DESC char(30)  
 OHXP\_RATE num(20,5)  
 OHXP\_CHECK\_ID char(2)  
 OHXP\_DIV\_CD char(4)  
 OHXP\_MISC char(4)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date  
 OHXP\_DUP\_ALLOWED char(2)













**OHXP\_PE\_ID** char(12)  
 OHXP\_PEDB\_CD char(2)  
 OHXP\_PW char(16)  
 OHXP\_GL\_GR char(2)  
 OHXP\_JL\_GR char(2)  
 OHXP\_ADDR\_CD char(2)  
 OHXP\_ACCT\_GRP char(8)  
 OHXP\_TYPE\_CD char(8)  
 OHXP\_DEPT\_CD char(8)  
 OHXP\_SUPR\_NAME char(30)  
 OHXP\_SUPR\_TITLE char(30)  
 OHXP\_CHANGE\_PW char(1)  
 OHXP\_ACTIVE char(1)  
 OHXP\_RESTR\_INP char(2)  
 OHXP\_LAST\_LOGIN date  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

**OHXP\_GL\_GR** char(2)  
**OHXP\_ACCT\_GRP** char(8)  
 OHXP\_GRP\_DESC char(30)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

**OHXP\_GL\_GR** char(2)  
**OHXP\_PE\_ID** char(12)  
**OHXP\_REPORT\_DT** date  
 OHXP\_REPORT\_DESC char(30)  
 OHXP\_REPORT\_STAT char(2)  
 OHXP\_SUBMIT\_DT date  
 OHXP\_POST\_DT date  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date  
 OHXP\_JOB\_NO num(10)  
 OHXP\_REPORT\_CMNT char(30)

**TEMPLATE\_CODE** char(4)  
 TEMPLATE\_DESC char(30)  
 ACTIVE\_FLAG char(1)  
**OUTPUT\_TYPE** char(2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**SPFM\_ID** char(8)  
 SPFM\_FILE\_NAME char(26)  
 SPFM\_TITLE char(27)  
 STUB\_LOC char(3)  
 STOCK\_ID char(2)  
 RUN\_INTERACTIVE char(1)  
 PAGE\_EJECT char(1)  
 MOUNT\_MSG01 varchar(50)  
 MOUNT\_MSG02 varchar(50)  
 MOUNT\_MSG03 varchar(50)  
 NUM\_STARTERS num(5)  
 NUM\_ENDERS num(5)  
 START\_LINE\_NUM num(5)  
 CONTROL\_NUMBER char(1)  
 START\_NUMBER num(10)  
 END\_NUMBER num(10)  
 REWRITE\_NUM char(1)  
 IFAS\_VERSION char(6)  
 STUB\_SORT01 char(2)  
 STUB\_SORT02 char(2)  
 USER\_DEF\_FLAG char(1)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date



**OHXP\_GL\_GR** char(2)  
**OHXP\_ACCT\_GRP** char(8)  
 OHXP\_ACCT\_CD char(8)  
 OHXP\_GL\_KEY char(10)  
 OHXP\_GL\_OBJ char(8)  
 OHXP\_JL\_GR char(2)  
 OHXP\_JL\_KEY char(10)  
 OHXP\_JL\_OBJ char(8)  
 OHXP\_WO char(12)  
 OHXP\_PERCENT num(10,2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date  
 OHXP\_GRP\_ACCUM char(2)

**OHXP\_GL\_GR** char(2)  
**OHXP\_PE\_ID** char(12)  
**OHXP\_REPORT\_DT** date  
 OHXP\_EXP\_DT date  
 OHXP\_EXP\_DESC varchar(280)  
 OHXP\_QTY num(10,2)  
 OHXP\_TYPE\_CD char(8)  
 OHXP\_ACCT\_CD char(8)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date

**TEMPLATE\_CODE** char(4)  
**PROPERTY\_NAME** char(18)  
 COLUMN\_NUMBER num(5)  
 DEFAULT\_VALUE char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**SPFM\_ID** char(8)  
**LINE\_NUM** num(5)  
 FIELD\_NUM01 ... 20 num(5)  
 READ\_REC\_NUM01 ... 05 num(5)  
 OVERFLOW\_REC01 ... 05 num(5)  
 RESUME\_LINE\_NUM num(5)  
 OVERFLOW\_LINE01 ... 10 num(5)  
 OVERFLOW\_MSG01 ... 04 varchar(30)  
 OVERFLOW\_START01 ... 04 num(5)  
 OVERFLOW\_END01 ... 04 num(5)  
 OVERFLOW\_POS01 ... 04 num(5)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**SPFM\_ID** char(8)  
**FIELD\_NUMBER** num(5)  
 FIELD\_TYPE char(2)  
 FIELD\_DESC varchar(30)  
 FROM\_REC\_NUM num(5)  
 FROM\_START num(5)  
 FROM\_LEN num(5)  
 TO\_START num(5)  
 TO\_LEN num(5)  
 TO\_JUSTIFY char(1)  
 TO\_EDIT\_NUM num(5)  
 TOTAL\_PLUS01 ... 10 num(5)  
 TOTAL\_MINUS01 ... 10 num(5)  
 TOTAL\_CLEAR\_CD char(2)  
 ITEM\_NUM num(5)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date











**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

*JLGR* char(2)  
**PROJ** char(10)  
 SUBPROJ char(8)  
 JLKEY char(10)  
 PROJDESC char(30)  
 SUBPDESC char(30)  
 ACCT char(10)  
 CONTRACT char(10)  
 EST\_DT date  
 LEN num(5)  
 LIMITFR char(30)  
 LIMITTO char(30)  
 MAP char(10)  
 MGR char(30)  
 PDESC char(1024)  
 STAT char(2)  
 STYR char(4)  
 IMPACT char(512)  
 JUSTIFY char(512)  
 LONGDESC char(512)  
 NOTES char(512)  
 RELATED char(512)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

*JLGR* char(2)  
 FSPART char(4)  
 PROJPART char(4)  
 SUBPPART char(4)  
 PHASGRP char(4)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

*JLGR* char(2)  
 CODEID char(10)  
 CODEVAL char(16)  
 C\_DESC char(30)  
 XDESC char(30)

**LEDGR\_CODE** char(2)  
**TASK** char(8)  
**BEGDT** date  
 ENDDT date  
 OT\_RATE num(20,5)  
 REG\_RATE num(20,5)  
 UPDATED date



**PROJ** char(10)  
 SUBPROJ char(8)  
 FS char(8)  
**JLGR** char(2)  
**JLKEY** char(10)  
 FY char(4)  
 AMT num(20,2)  
 PERC num(10,1)  
 PHASE char(8)  
 PRI num(5)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date


*PROJ* char(10)  
 SUBPROJ char(8)  
 JLGR char(2)  
 PG num(5)  
 PDESC char(1024)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

*PROJ* char(10)  
 SUBPROJ char(8)  
 JLGR char(2)  
 COMM char(70)  
 CLINENO num(5)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

*PROJ* char(10)  
 SUBPROJ char(8)  
 JLGR char(2)  
 FIN\_TEXT char(512)  
 VARIANCE\_TEXT char(512)  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

**PROJ** char(10)  
 SUBPROJ char(8)  
 JLGR char(2)  
 PERC num(10,1)  
 ROAD char(8)

*PROJ* char(10)  
 SUBPROJ char(8)  
 JLGR char(2)  
 MILESTONE char(774)  
 PAGE\_NUM num(5)



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX



**pbrectp3**

<b>MODEL_ID</b>	char(12)
ALL_RECS	char(1)
RECTYPE	char(2)

**pcbdview**

<b>MODEL_ID</b>	char(12)
CHART_ID	char(4)
SNAPDATE	date

**pbwrkcmp**

<b>MODEL_ID</b>	char(12)
LEDGER	char(2)
OBJ	char(8)
POSTYPE	char(2)
WCOMP	char(8)
WORK_PERC	num(10,5)

**pbselect**

<b>MODEL_ID</b>	char(12)
COPY_MODEL	char(12)
SCREEN_ID	char(8)
SEQ_DESC	char(63)
SEQ_NO	char(8)
SQL_ID	char(73)
SQL_ID2 *** 4	char(73)

**pbcdhdef**

<b>MODEL_ID</b>	char(12)
AMOUNT	num(20,5)
AXP	char(1)
CDH	char(4)
CDHDESC	char(8)
COMMENTS	char(50)
DEL_ALL	char(1)
PERCENT	num(10,3)

**pbmakeen**

<b>MODEL_ID</b>	char(12)
BATCHNAME	char(8)
FY	char(4)
JE_DATE	date
JE_DESC	char(30)
MISC_CD	char(4)
PEID	char(12)
ROUND_CD	char(1)
USERNAME	char(10)
INTERFACE_NAME	char(8)

**pcovrtim**

<b>MODEL_ID</b>	char(12)
ACCOUNT1	char(40)
AMOUNT_HOL	num(20,2)
AMOUNT_OT	num(20,2)
BENE_EMP	char(12)
CDH	char(4)
LEDGER	char(2)
KEY	char(10)
OBJ	char(8)
MISC	char(7)
NOTES	char(12)
NOTESISID	char(1)

**pbimpspt**

<b>MODEL_ID</b>	char(12)
CODE0	char(4)
CODE1	char(10)
CODE2	char(30)
CODE3	num(20,5)
CODE4	num(5)
CODE5	char(1)
CODE6	char(7)
CODE_ID	char(8)
COPY_CODE	char(1)
COPYTO_MOD	char(12)
DATA_ATTR	char(10)
DATA_DESCS	char(78)
DATA_ID	char(12)
DATEDESC	char(30)
SEL_SCREEN	char(8)
VALUE_ID	char(10)
DATA_ATTR2	char(10)

**pbsetup**

<b>MODEL_ID</b>	char(12)
BARGCODE	char(1)
BASEHR_YN	char(1)
CALCMETHOD	char(8)
DEF_ACT	char(1)
DFLT_HRS	num(5,2)
FICA_CDH	char(4)
FICA_RATE	num(20,5)
HRSPERYEAR	num(5)
INC_ATTR	char(10)
INC_ATTR2	char(10)
INC_CLSTR	char(8)
INC_CLSTR2	char(8)
INC_DATE	date
INC_DATE2	date
MEDI_CDH	char(4)
MEDI_RATE	num(20,5)
OBJ_HOL	char(10)
OBJ_OT	char(10)
PAY_CLUSTR	char(8)
PAYORCALC	char(1)
PLUS_DAYS	num(5)
PLUS_DAYS2	num(5)
PP_YEAR	char(1)
REC_ATTR	char(10)
SDL_CDH	char(4)
SDL_RATE	num(20,5)
SUL_CDH	char(4)
SUL_RATE	num(20,5)
USE_FQA	char(1)
DFLT_DAYS	num(5,1)
FICA_LIMIT	num(20,2)
MEDI_LIMIT	num(20,2)
SDL_LIMIT	num(20,2)
SUL_LIMIT	num(20,2)

**pbrectpe**

<b>MODEL_ID</b>	char(12)
ADD_DATE1 *** 4	num(5)
ADDL_YN	char(1)
ADDCONT_W	char(140)
ALL_RECS	char(1)
APPR_CODE	char(4)
ATTRTYPE0 *** 9	char(2)
BARGCODE	char(1)
BEN_YN	char(1)
BENATRTR0 *** 4	char(2)
BENATRTR0 *** 4	char(10)
BENCLUST0 *** 4	char(8)
BENINFO_W	char(210)
BENMISC0 *** 5	char(10)
BENST0 *** 4	num(5)
BENSTR0 *** 4	num(5)
CDHASSGN_W	char(210)
CRSRHLDR	char(1)
CRSRHLDR1 *** 3	char(1)
CURSRHLDR1 *** 2	char(1)
DATE1FIELD *** 2	char(15)
DATE3FIELD *** 4	char(10)
DEF_ACT	char(1)
EMPPAY_W	char(210)
GLOBAL_W	char(210)
MAND_YN	char(1)
MANDDED_W	char(70)
MISC0 *** 10	char(10)
MISC_YN	char(1)
PAYATTR0 *** 10	char(10)
PAYCLUST0 *** 10	char(8)
PAYST0 *** 10	num(5)
PAYSTR0 *** 10	num(5)
RECTYPE	char(2)
RETIRE_YN	char(1)
RETIRECA_W	char(70)
SLRYTBLE_W	char(70)
STARTPOS1	num(5)
STOPPOS1	num(5)
TSA_YN	char(1)
TSAINFO_W	char(70)

**pbmdllck**

<b>MODEL_ID</b>	char(12)
EMP_ID	char(12)

**pcbdcalc**

<b>MODEL_ID</b>	char(12)
EMP_ID	char(12)
ACCOUNT	char(40)
ADDL_BENE	num(20,2)
BARGUNIT	char(8)
CDH	char(4)
COST	num(20,5)
DATEBEGIN	date
DATEEND	date
DISTMISC	char(8)
EXPENSE_TO	char(5)
FILLED	char(1)
FLAT_PER	char(1)
FRINGE	num(20,5)
FTE	num(10,5)
FULLACCT	char(18)
IS_SALARY	char(1)
JOB_ID	char(10)
KEYPART1 *** 8	char(8)
LOC_ID	char(8)
MISC0 *** 9	char(12)
MISC_DESC	char(15)
MODEL_MISC1 *** 4	char(10)
OBJ_CODE	char(8)
ORG_KEY	char(10)
ORIGMODEL	char(12)
PCN	char(12)
PERCENT	num(10,3)
POS_ID	char(10)
RECTYPE	char(2)
SALARY	num(20,2)
UNIQUEID	char(36)
VACANT	char(1)
WCOMP	char(8)
PERIOD	num(5)
TOTALPER	num(5)

**pcbencod**

<b>MODEL_ID</b>	char(12)
EMP_ID	char(12)
AMOUNT	num(10,2)
AXP	char(1)
BARGANUNIT	char(8)
BEG	date
BENE_DATE1 *** 4	date
BENE_FTE	num(10,5)
BENEPLAN	char(9)
CDH	char(4)
CODE	char(6)
DATEBEGIN	date
DATEEND	date
EXPENSE_TO	char(5)
FQ	char(2)
FROMDESC	char(20)
HDT	date
MISC0 *** 5	char(8)
NUMB_HRS	num(10,2)
OBJ_CODE	char(8)
PYDESC	char(20)
R_CODE	char(1)
RECTYPE	char(2)
SP_CODE1	char(1)
USEBASESAL	char(1)
PRIOR_CALC	num(5)
PCN_TYPE	char(2)
PCNPOS	char(21)
PCN	char(12)
POSITION	char(10)
PERCENT	num(10,3)

**pbcdhamt**

<b>EMP_ID</b>	char(12)
<b>MODEL_ID</b>	char(12)
ASSGN_BEG	date
ASSGN_END	date
CDH	char(4)
CDH_AMT	num(20,5)
CDH_DESC	char(15)
DATAFILTER	char(7)
RATIO_BEG	date
RATIO_END	date
UNIQUEID	char(36)
PRIOR_CALC	num(5)
ANNL_SAL	num(20,5)
AC_ADDLCDH	char(1)
PCT_VAL	num(10,5)

**pcpaytbl**

<b>MODEL_ID</b>	char(12)
EMP_ID	char(12)
ACCOUNT1 *** 36	char(40)
ADDL_BENE	num(20,2)
ANNL_SAL	num(20,5)
ANNUALIZE	char(1)
AXP	char(1)
BARGUNIT	char(8)
CALC_FLAG	char(1)
CALC_PER	char(1)
CALENDAR	char(8)
CKLIMIT_YN	char(1)
DATE1 *** 4	date
DATEBEGIN	date
DATESALIN2	date
DATESALINC	date
DEBUG_YN	char(1)
DFLT_DAYS	num(10,2)
DFLT_HRS	num(10,5)
DFLT_PRDS	num(5,2)
EMISC1 *** 36	char(8)
FTE	num(10,5)
JOB_ID	char(10)
LEDGER	char(2)
LOC_ID	char(8)
MAXSTEP	char(1)
MISC0 *** 10	char(10)
MULT_PAYS	char(1)
OBJ1 *** 36	char(8)

ORGKEY1 *** 36	char(10)
OVRD_DAYS	char(1)
OVRD_SAL	char(1)
PAYBEGIN	date
PAYCLASS	char(3)
PAYEND	date
PBPAY_BEG	date
PCN	char(12)
PCTADDLAMT	num(10,2)
PERCENT1 *** 36	num(10,2)
POS_ID	char(10)
POS_PCN	char(10)
POSTYPE	char(2)
RATIO_FTE	num(10,5)
RATIO_HRS	num(10,5)
RATIO_PCT	num(10,5)
RECTYPE	char(2)
SAL_AMOUNT	num(20,2)
SAL_INDEX	char(24)
SALDATE1 *** 2	date
SCHED_YN	char(1)
SUM_FTE	num(10,5)
SUM_HRS	num(10,5)
TOTAL_FTE	num(10,5)
VACANT	char(1)
VACPOS	char(1)
VIEW_DIST	char(1)
WCOMP	char(8)
YEAR_RATIO	num(10,5)
BENE_EMP	char(12)

**pcpostbl**

<b>MODEL_ID</b>	char(12)
PCN	char(12)
POS_ID	char(10)
DATEBEGIN	date
APPRV_FTE	num(10,5)
BARGANUNIT	char(8)
BASE_DAYS	num(10,2)
BASE_HRS	num(5,2)
CALENDAR	char(8)
DATEEND	date
DEPT_ID	char(8)
INDX_KEY	char(24)
JOB_ID	char(10)
LOC_ID	char(8)
MISC1 *** 4	char(8)
PCN_DESC	char(30)
POS_DESC	char(30)
POSTP_DESC	char(30)
POSTYPE	char(4)
PREFIXMAX	char(8)
PREFIXMIN	char(8)
SALARYMAX	num(10,2)
SALARYMIN	num(10,2)

**pcjobtbl**

<b>MODEL_ID</b>	char(12)
JOB_ID	char(10)
APUDEF1	num(20,5)
APUDEF2	num(20,5)
APUSALEBEG1 *** 2	date
APUSALEBEG2 *** 2	date
BARG_UNIT	char(8)
BENE_EMP	char(12)
DEFSAL1	num(20,5)
JOB_DESC	char(30)
MISC1 *** 4	char(8)
MISC5	char(12)
PREFIXMAX	char(8)
PREFIXMIN	char(8)
SAL_AMOUNT	num(20,2)
SAL_INDEX	char(24)
SALARYMAX	num(10,2)
SALARYMIN	num(10,2)
WCOMP	char(8)

**pbcdhvec**

<b>MODEL_ID</b>	char(12)
CDH	char(4)
EXPENSE_TO	char(5)
APPLIES_TO	char(122)
COPY_CDH	char(4)
COPY_TOMOD	char(12)
DEL_ALL	char(1)
OBJ	char(10)
ORGKEY	char(10)
OVRD_YN	char(1)
MISC1 *** 3	char(8)
MISC4	char(12)
MISC5 *** 8	char(4)
MISC_FLD	char(4)
PREFIX	char(20)
SCHED_TYPE	char(1)
STEP	char(4)
STEP_DESC	char(20)


**pcsaltbl**

<b>MODEL_ID</b>	char(12)
DATEBEGIN	date
INDEX_FIELD	char(24)
AMOUNT	num(20,5)
AXP	char(1)
BARGANUNIT	char(8)
DATEEND	date
ECHO_DESC	char(40)
MISC1 *** 3	char(8)
MISC4	char(12)
MISC5 *** 8	char(4)
MISC_FLD	char(4)
PREFIX	char(20)
SCHED_TYPE	char(1)
STEP	char(4)
STEP_DESC	char(20)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

<b>COURSE_ID</b>	<b>char(20)</b>	MIN_PART	num(5)
<b>COURSE_NAME</b>	<b>char(10)</b>	PART_COST	num(20,2)
<b>COURSE_TITLE</b>	<b>varchar(60)</b>	CREDITS	num(5,1)
<b>COURSE_DESC</b>		CREDIT_DT	date
	<b>varchar(250)</b>	SEAT_HRS	num(5,1)
<b>COURSE_STAT_CD</b>	<b>char(2)</b>	REQUIRE_EVAL	char(1)
<b>INST_PE_ID</b>	<b>char(12)</b>	COURSE_GR	char(2)
<b>INST_PEDB_CD</b>	<b>char(92)</b>	COURSE_KEY	char(10)
<b>START_DT</b>	<b>date</b>	COURSE_OBJ	char(8)
<b>END_DT</b>	<b>date</b>	COURSE_JLGR	char(2)
<b>SCHED</b>	<b>varchar(60)</b>	COURSE_JLKEY	char(10)
<b>LCTN_CD</b>	<b>char(12)</b>	COURSE_JLOBJ	char(8)
<b>ROOM</b>	<b>char(8)</b>	CREATE_WHEN	date
<b>MATERIALS</b>	<b>varchar(250)</b>	CREATE_WHO	char(12)
<b>PREREQS</b>	<b>varchar(250)</b>	UPDATE_WHEN	date
<b>MAX_PART</b>	<b>num(5)</b>	UPDATE_WHO	char(12)

<b>REQ_CATG</b>	<b>char(8)</b>	<b>REQ_CD</b>	<b>char(8)</b>	<b>COST_CD</b>	<b>char(8)</b>	<b>AREA_CD</b>	<b>char(8)</b>	<b>EVAL_ID</b>	<b>char(8)</b>
REQ_DESC	varchar(60)	REQ_DESC	varchar(60)	COST_DESC	varchar(60)	AREA_DESC	varchar(60)	EVAL_TEXT	varchar(250)
CREATE_WHEN	date	CREATE_WHEN	date	CREATE_WHEN	date	CREATE_WHEN	date	EVAL_RESP_TYPE	char(1)
CREATE_WHO	char(12)	CREATE_WHO	char(12)	CREATE_WHO	char(12)	CREATE_WHO	char(12)	EVAL_LOW_NUM	num(5)
UPDATE_WHEN	date	UPDATE_WHEN	date	UPDATE_WHEN	date	UPDATE_WHEN	date	EVAL_HIGH_NUM	num(5)
UPDATE_WHO	char(12)	UPDATE_WHO	char(12)	UPDATE_WHO	char(12)	UPDATE_WHO	char(12)	CREATE_WHEN	date
								CREATE_WHO	char(12)
								UPDATE_WHEN	date
								UPDATE_WHO	char(12)



<b>COURSE_ID</b>	<b>char(20)</b>
<b>CLASS_UID</b>	<b>char(36)</b>
CLASS_DTTM	date
CLASS_DURATION	num(5)
CLASS_ALT_LCTN	varchar(250)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)


<b>CLASS_UID</b>	<b>char(36)</b>
PART_PE_ID	char(12)
PART_PEDB_CD	char(2)
ATTEND_COMM	varchar(250)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

<b>COURSE_ID</b>	<b>char(20)</b>	<b>COURSE_ID</b>	<b>char(38)</b>	<b>COURSE_ID</b>	<b>char(20)</b>	<b>COURSE_ID</b>	<b>char(38)</b>	<b>COURSE_ID</b>	<b>char(20)</b>	<b>COURSE_ID</b>	<b>char(20)</b>
COURSE_NAME	char(10)	PART_PE_ID	char(12)	REQ_CD	char(8)	COST_CD	char(8)	AREA_CD	char(8)	EVAL_CD	char(8)
CREATE_WHEN	date	PART_PEDB_CD	char(2)	REQ_COMM	varchar(250)	COST_AMT	num(20,2)	CREATE_WHEN	date	EVAL_UID	char(36)
CREATE_WHO	char(12)	PART_GRADE	char(4)	CREATE_WHEN	date	COST_COMM	varchar(250)	CREATE_WHO	char(12)	EVAL_SORT_ORDER	num(5)
UPDATE_WHEN	date	REG_DTTM	date	CREATE_WHO	char(12)	COST_GR	char(2)	UPDATE_WHEN	date	CREATE_WHEN	date
UPDATE_WHO	char(12)	REG_CONFIRM	char(16)	UPDATE_WHEN	date	COST_KEY	char(10)	CREATE_WHO	char(12)	CREATE_WHO	char(12)
		PAY_METHOD	char(2)	UPDATE_WHO	char(12)	COST_OBJ	char(8)	UPDATE_WHEN	date	UPDATE_WHEN	date
		CC_NUMBER	char(16)			COST_JLGR	char(2)	UPDATE_WHO	char(12)	UPDATE_WHO	char(12)
		CC_EXP	char(4)			COST_JLKEY	char(10)				
		CC_SEC_CODE	char(3)			COST_JLOBJ	char(8)				
		CERT_AVAIL	char(1)			CREATE_WHEN	date				
		CERT_PRINT_DTTM	date			CREATE_WHO	char(12)				
		COURSE_PAID	char(1)			UPDATE_WHEN	date				
		EVAL_COMPLETE	char(1)			UPDATE_WHO	char(12)				
		DROP_DTTM	date								
		DROP_CONFIRM	char(16)								
		REG_STAT_CD	char(2)								
		REG_COMM	varchar(250)								
		CREATE_WHEN	date								
		CREATE_WHO	char(12)								
		UPDATE_WHEN	date								
		UPDATE_WHO	char(12)								


<b>EVAL_UID</b>	<b>char(20)</b>
EVAL_YN_RESP	char(1)
EVAL_NUM_RESP	num(5)
EVAL_COMM_RESP	varchar(250)
PART_PE_ID	char(12)
PART_PEDB_CD	char(2)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)

PART_PE_ID	char(12)
PART_PEDB_CD	char(2)
PART_NAME	varchar(128)
PART_GRADE	char(4)
REG_DTTM	date
REG_CONFIRM	char(16)
PAY_METHOD	char(2)
COURSE_PAID	char(1)
COURSE_ID	char(20)
COURSE_NAME	char(10)
COURSE_TITLE	varchar(60)
COURSE_DESC	varchar(250)
COURSE_STAT_CD	char(2)
CERT_AVAIL	char(1)
CERT_PRINT_DTTM	date
EVAL_COMPLETE	char(1)
INST_PE_ID	char(12)
INST_PEDB_CD	char(2)
INST_NAME	varchar(128)
START_DT	date
END_DT	date
SCHED	varchar(60)
LCTN_CD	char(12)
LOCATION	varchar(60)
ROOM	char(8)
MATERIALS	varchar(250)
PREREQS	varchar(250)
MAX_PART	num(5)
MIN_PART	num(5)
PART_COST	num(20,2)
CREDITS	num(5,1)
CREDIT_DT	date
SEAT_HRS	num(5,1)
REQUIRE_EVAL	char(1)
COURSE_GR	char(2)
COURSE_KEY	char(10)
COURSE_OBJ	char(8)
COURSE_JLGR	char(2)
COURSE_JLKEY	char(10)
COURSE_JLOBJ	char(8)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)


<b>PE_ID</b>	<b>char(12)</b>	NAME_FIRST	varchar(40)
PE_NAME		NAME_MIDDLE	varchar(40)
	varchar(128)	NAME_LAST	varchar(40)
<b>PE_NAME_U</b>		SECURITY_CD	char(8)
	varchar(128)	ENTITY_EXPIRE_DT	date
<b>PE_NAME_S</b>	<b>varchar(4)</b>	CONTACT	varchar(50)
PE_SUFFIX	char(4)	CREATE_WHO	char(12)
PE_NICKNAME	char(40)	CREATE_WHEN	date
PE_SALUTE_CD	char(4)	UPDATE_WHO	char(12)
PE_SSN	char(10)	UPDATE_WHEN	date
PE_AFFIL_CD	char(8)		
PE_SEL_CD1	char(8)		
PE_SEL_CD2	char(8)		
PE_ID_STATUS	char(2)		
PE_URL	varchar(128)		




<b>PE_ID</b>	<b>char(12)</b>
ID_TYPE_CD	char(8)
ALT_ID	char(128)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)




<b>PE_ID</b>	<b>char(12)</b>
DISCOUNT_PCT	num(5,2)
TAX_FLAG	char(1)
TAX_PCT	num(5,2)
BUNDLE_FLAG	char(1)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)




<b>PE_ID</b>	<b>char(12)</b>
PRICE_CD	char(2)
PRICE_CALC	varchar(30)
CREATE_WHEN	date
CREATE_WHO	char(12)
UPDATE_WHEN	date
UPDATE_WHO	char(12)




<b>PE_ID</b>	<b>char(12)</b>
TIN	char(9)
VEND_ACCOUNT	varchar(20)
DUE_DAYS	num(5)
EFT_FLAG	char(1)
BANK_ROUTE	char(9)
BANK_ACCT	char(17)
BANK_TYPE	char(1)
CONTACT	varchar(50)
NO_CHECK_FLAG	char(1)
NO_CHECK_REAS	varchar(30)
NO_INV_FLAG	char(1)
NO_INV_REAS	varchar(30)
NO_PR_FLAG	char(1)
NO_PR_REAS	varchar(30)
NO_PO_FLAG	char(1)
NO_PO_REAS	varchar(30)
DISCOUNT_PCT	num(5,2)
VEND_1099_FLAG	char(1)
VEND_1099_DFLT	char(2)
ADDR_1099_CD	char(2)
SOLE_NAME	varchar(80)
DIR_SALE_FLAG	char(1)
TIN_FLAG_2	char(1)
CONTACT_ID	char(12)
DBE_MO_FLAG	char(1)
DBE_WO_FLAG	char(1)
DBE_SM_FLAG	char(1)
DBE_8A_FLAG	char(1)
DBE_HUB_FLAG	char(1)
DBE_DV_FLAG	char(1)
DBE_LOC_FLAG	char(1)
ADDENDA_TYPE	char(8)
EFT_TYPE	char(4)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




<b>PE_ID</b>	<b>char(12)</b>
PE_ADDR1	varchar(50)
PE_ADDR2	varchar(50)
PE_ADDR3	varchar(50)
PE_ADDR4	varchar(50)
PE_CITY	char(30)
PE_STATE_CD	char(2)
PE_ZIP	char(20)
PE_COUNTRY_CD	char(4)
PE_URL	varchar(128)
PE_ADDR_CD	char(2)
ADDRESS1_PC	varchar(50)
ADDRESS2_PC	varchar(50)
ADDRESS3_PC	varchar(50)
ADDRESS4_PC	varchar(50)
CITY_PC	varchar(30)
CASS_STATUS_CD	char(2)
CASS_DT	date
POSTAL_LOT	char(5)
POSTAL_MV_CD	char(2)
POSTAL_MV_DT	date
CARRIER_RTE	char(2)
CARRIER_TYPE	char(2)
DELIVERY_PT	char(2)
ADDRESS_STAT_CD	char(2)
ADDR_ATTN	varchar(50)
CONTACT_ID	char(12)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




<b>PE_ID</b>	<b>char(12)</b>
PHONE_TYPE_CD	char(2)
PE_ADDR_CD	char(2)
PHONE_NUMBER	char(32)
PHONE_EXTENSION	char(8)
PHONE_COUNTRY_CD	char(4)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




<b>PE_ID</b>	<b>char(12)</b>
EMAIL_TYPE_CD	char(2)
PE_ADDR_CD	char(2)
EMAIL_ADDR	varchar(128)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




<b>PE_ID</b>	<b>char(12)</b>
PEA_ASSOC_CD	char(8)
PEA_CODE_VAL	char(12)
PEA_CODE_DESC	char(30)
CODE_NUM	num(20,5)
CODE_DT	date
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




<b>PE_ID</b>	<b>char(12)</b>
PET_TEXT	char(72)
PET_LNO	char(4)




<b>PE_ID</b>	<b>char(12)</b>
PEL_LOG_CD	char(8)
PEL_CHANGER_ID	char(12)
PEL_OLD_VAL	char(50)
PEL_NEW_VAL	char(50)
PEL_LOG_DT	date



<b>PE_ID</b>	<b>char(12)</b>
RELATED_ID	char(12)
RELATION_CD	char(6)
RELATION_TYPE_CD	char(4)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date



<b>PE_ID</b>	<b>char(12)</b>
USER_NO	num(5)
USER_DESC	varchar(30)
MANAGER_CD	char(8)
HOURS_CD	char(8)
PW_VALUE	varchar(32)
PW_HASH	varchar(32)
PW_DT	date
PW_TIMEOUT	num(5)
PW_FORMAT	char(2)
SESSION_TIMEOUT	num(5)
LP_PRINTER	char(8)
LP_MAX_PRI	num(5)
LP_PRI_DEFAULT	num(5)
FP_PRINTER	char(8)
FP_MAX_PRI	num(5)
FP_PRI_DEFAULT	num(5)
CHANGE_PW_FLAG	char(1)
OS_USER_FLAG	char(1)
DEFAULT_GL_CD	char(2)
DEFAULT_JL_CD	char(2)
LAST_JOB_DT	date
LOG_FLAG	char(2)
LOG_DAYS	num(5)
WF_ENABLE	char(2)
AUTH_STATUS_CD	char(2)
CERTIFICATE_ID	varchar(40)
CERTIFICATE_FMT	char(4)




<b>PE_ID</b>	<b>char(12)</b>
PW_VALUE	varchar(32)
PW_FORMAT	char(2)
PW_DT	date
TIMEOUT_INC	num(5)
TIMEOUT_MAX	num(5)
EXPIRE_DT	date
LOGON_DT	date
FAIL_COUNT	num(5)
FAIL_STAMP	char(6)
PW_EXPIRE_DAYS	num(5)
MAX_JOB_PRI	char(2)
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**PE\_PROD\_ID** char(16)  
 PE\_DESC char(30)  
 PE\_DESC\_U char(30)  
 PE\_DESC\_S char(4)  
 PE\_STATUS char(2)  
 PE\_UNIT char(8)  
 PE\_PROD\_CLASS char(6)  
 PE\_STOCK\_Q char(2)  
 PE\_CLASS char(2)  
 PE\_FLAG\_1 \*\*\* 4 char(1)  
 PE\_COM char(16)  
 PE\_PRI\_VENDOR char(12)  
 PE\_SCND\_VENDOR char(12)  
 PE\_BUYER char(12)  
 PE\_UNIT\_SZ num(10,1)  
 PE\_UNIT\_WT num(10,1)

PE\_MISC char(4)  
 PE\_CATEGORY\_1 char(8)  
 PE\_CATEGORY\_2 char(8)  
 PE\_USER\_1 char(16)  
 PE\_USER\_2 char(16)  
 PE\_CARRY\_CST num(10,2)  
 PE\_ORDER\_CST num(10,2)  
 PE\_RETAIL\_PR num(20,5)  
 PE\_GR1 char(2)  
 PE\_OBJ1 char(8)  
 PE\_GR2 char(2)  
 PE\_OBJ2 char(8)  
 PE\_PRICE\_CD01 \*\*\* 06 char(2)  
 PE\_PRICE\_CALC01 \*\*\* 06 char(2)  
 PE\_DISC\_QTY01 \*\*\* 06 char(2)  
 PE\_DISC\_TERMS01 \*\*\* 06 char(2)  
 PE\_DISC\_AMT01 \*\*\* 06 char(2)  
 PE\_COM\_TYPE char(8)

[ SEE PREVIOUS PAGE ]



**PE\_PROD\_ID** char(16)  
**PE\_ID** char(12)  
**PEP\_PE** char(12)  
**PEP\_PROD** char(16)  
 PEP\_BUYER\_ID char(12)  
 PEP\_VEND\_PROD\_NO char(20)  
 PEP\_MIN\_ORD\_QTY num(20,5)  
 PEP\_MAX\_ORD\_QTY num(20,5)  
 PEP\_LEAD num(5)  
 PEP\_EXPR\_AS char(2)  
 PEP\_DISC\_QTY01 \*\*\* 06 char(2)  
 PEP\_DISC\_TERMS01 \*\*\* 06 char(2)  
 PEP\_DISC\_AMT01 \*\*\* 06 char(2)  
 PEP\_UNIT01 \*\*\* 06 char(8)  
 PEP\_OP01 \*\*\* 06 char(2)  
 PEP\_FACTOR01 \*\*\* 06 num(10)  
 PEP\_PERF\_RTG char(4)

**PE\_PROD\_ID** char(16)  
 PED\_DESC char(50)  
 PED\_SEQ\_NO char(4)

**PE\_PROD\_ID** char(16)  
 PEP\_PE char(12)  
 PEP\_PROD char(16)  
 PE\_LST\_VENDOR char(12)  
 PE\_LST\_TIME num(5)  
 PE\_LST\_QTY num(20,2)  
 PE\_LST\_UNITS char(8)  
 PE\_LST\_UNIT\_PRC num(20,2)  
 PE\_LST\_PR char(8)  
 PE\_LST\_PR\_ITEM char(4)  
 PE\_LST\_ORDER\_DT date  
 PE\_LST\_BRAND\_CD char(2)


**PE\_PROD\_ID** char(16)  
 PE\_BRAND\_CD char(2)  
 PE\_BRAND\_DESC char(50)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PE\_ZIP\_CD** char(14)  
 PEZ\_ZIP\_CITY char(28)  
 PEZ\_ZIP\_ST char(2)  
 PEZ\_COUNTY\_ID char(4)  
 PEZ\_COUNTY\_NAME char(26)



**PE\_ZIP\_CD** char(14)  
 PEZ\_ZIP\_CITY char(28)

**COMMODITY\_TYPE** char(8)  
**COMMODITY\_CODE** char(16)  
 COMMODITY\_PART1 char(8)  
 COMMODITY\_PART2 char(8)  
 COMMODITY\_PART3 char(8)  
 COMMODITY\_PART4 char(8)  
 COMMODITY\_PART5 char(8)  
 COMMODITY\_DESC varchar(50)  
 COMMODITY\_TITLE varchar(250)  
 COMMODITY\_DEFN varchar(250)



**PELB\_LABEL\_ID** char(8)  
 PELB\_DESC char(30)  
 PELB\_LABEL01 \*\*\* 08 char(60)  
 PELB\_DEF01 \*\*\* 25 char(2)  
 PELB\_NCHARS num(5)  
 PELB\_NLINES num(5)  
 PELB\_SPACING num(5)  
 PELB\_START\_COL num(5)  
 PELB\_END\_COL num(5)  
 PELB\_PER\_LINE num(5)  
 PELB\_COLS num(5)  
 PELB\_ROWS num(5)  
 PELB\_ALIGN num(5)



CURRENTLY NOT USED

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX

peims\_codes

CODE\_ID char(12)  
 CODE\_VALUE char(20)  
 CODE\_DESC char(50)  
 ADDITIONAL\_TEXT char(1024)  
 IMPORT\_MATCH char(50)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_budget

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 PEIMS\_FUND char(3)  
 PEIMS\_FUNCTION char(2)  
 PEIMS\_OBJECT char(4)  
 PEIMS\_ORG char(3)  
 PEIMS\_FY char(1)  
 PEIMS\_PROG char(2)  
 BUDGET\_AMT num(20,2)  
 IFAS\_GR char(2)  
 IFAS\_KEY char(10)  
 IFAS\_OBJ char(8)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_actual

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 PEIMS\_FUND char(3)  
 PEIMS\_FUNCTION char(2)  
 PEIMS\_OBJECT char(4)  
 PEIMS\_ORG char(3)  
 PEIMS\_FY char(1)  
 PEIMS\_PROG char(2)  
 ACTUAL\_AMT num(20,2)  
 IFAS\_GR char(2)  
 IFAS\_KEY char(10)  
 IFAS\_OBJ char(8)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_crosswalk

CODE\_ID char(12)  
 CODE\_VALUE char(20)  
 PEIMS\_FUND char(3)  
 PEIMS\_FUNCTION char(2)  
 PEIMS\_OBJECT char(4)  
 PEIMS\_ORG char(3)  
 PEIMS\_FY char(1)  
 PEIMS\_PROG char(2)  
 START\_DATE date  
 END\_DATE date  
 PART\_CODE01 \*\*\* 12 char(10)  
 PART\_MATCH01 \*\*\* 12 char(50)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_py\_acct

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 EMPLOYEE\_ID char(12)  
 PAY\_ACTIVITY char(2)  
 PEIMS\_FUND char(3)  
 PEIMS\_FUNCTION char(2)  
 PEIMS\_OBJECT char(4)  
 PEIMS\_ORG char(3)  
 PEIMS\_FY char(1)  
 PEIMS\_PROG char(2)  
 PAY\_AMT num(20,2)  
 IFAS\_GR char(2)  
 IFAS\_KEY char(10)  
 IFAS\_OBJ char(8)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_permits

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 EMPLOYEE\_ID char(12)  
 PERMIT\_TYPE char(2)  
 ISSUE\_DATE date  
 ISSUE\_STATUS char(1)  
 RENEWAL\_DATE date  
 RENEWAL\_STATUS char(1)  
 RENEWAL\_NUMBER char(10)  
 ROLE\_ID char(3)  
 POP\_SERVED char(2)  
 GRADE\_RANGE char(2)  
 SUBJECT\_AREA char(2)  
 HOURS\_IN\_SUBJECT num(10)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_resp

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 EMPLOYEE\_ID char(12)  
 SERVICE\_ID char(8)  
 CAMPUS\_ID char(12)  
 MULTI\_SERVICE char(1)  
 ESC\_SSA char(1)  
 INST\_SETTING char(2)  
 ROLE\_ID char(3)  
 POP\_SERVED char(2)  
 DAYS\_OF\_WK char(2)  
 WKS\_OF\_MONTH char(2)  
 RESP\_START\_TIME num(10)  
 RESP\_END\_TIME num(10)  
 NUMBER\_IN\_CLASS num(10)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_demography

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 EMPLOYEE\_ID char(12)  
 FIRST\_NAME char(17)  
 MIDDLE\_NAME char(14)  
 LAST\_NAME char(25)  
 DATE\_OF\_BIRTH date  
 INST\_SETTING char(2)  
 SEX\_CODE char(1)  
 ETHNICITY char(1)  
 GEN\_CODE char(1)  
 HIGHEST\_DEGREE char(1)  
 YEARS\_EXPERIENCE num(10)  
 YEARS\_IN\_DIST num(10)  
 PERCENT\_OF\_DAY num(10)  
 DAYS\_EMPLOYED num(10)  
 PRIOR\_ID char(12)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_submission

SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 DISTRICT\_ID char(6)  
 SUBMISSION\_DESC char(50)  
 SUBMISSION\_DATE date  
 SUB\_DUE\_DATE date  
 SUB\_STATUS char(1)  
 ADDITIONAL\_TEXT char(1024)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)

peims\_cis\_fte

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 CAMPUS\_ID char(12)  
 PEIMS\_PROG char(2)  
 FTE\_COUNT num(10)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)


peims\_sh\_serv

DISTRICT\_ID char(6)  
 SS\_TYPE char(2)  
 SS\_FISCAL\_AGENT char(6)  
 START\_DATE date  
 END\_DATE date  
 PART\_CODE01 \*\*\* 12 char(10)  
 PART\_MATCH01 \*\*\* 12 char(50)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 ADDITIONAL\_TEXT char(1024)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)


peims\_ss\_actual

DISTRICT\_ID char(6)  
 SUBMISSION\_YEAR char(4)  
 SUBMISSION\_NO char(2)  
 SS\_MEMBER\_DIST char(6)  
 SS\_TYPE char(2)  
 PEIMS\_FUND char(3)  
 PEIMS\_FY char(1)  
 ACTUAL\_AMT num(20,2)  
 IFAS\_GR char(2)  
 IFAS\_KEY char(10)  
 IFAS\_OBJ char(8)  
 MISC\_CODE01 \*\*\* 12 char(10)  
 EXTRACT\_DATE date  
 EXTRACT\_AS\_OF date  
 EXTRACT\_USER char(12)  
 EXTRACT\_SOURCE char(12)  
 UPDATE\_DATE date  
 UPDATE\_USER char(12)  
 CREATE\_DATE date  
 CREATE\_USER char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)


**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*




POP\_PR\_PREFIX char(2)  
 POP\_PR\_NO char(8)  
 POP\_PO\_PREFIX char(2)  
 POP\_PO\_NO char(8)  
 POP\_STATUS char(2)  
 POP\_SEC\_CD char(4)  
 POP\_APR\_CD char(4)  
 POP\_NEXT\_APRV char(4)  
 POP\_PE\_ID char(12)  
 POP\_PEDB\_CODE char(2)  
 POP\_ADDR\_CD char(2)  
 POP\_CONFIRM char(20)  
 POP\_ACCOUNT\_NO char(16)  
 POP\_TERMS char(8)  
 POP\_CURRENCY char(4)  
 POP\_DOC\_FILE char(8)  
 POP\_FORMAT char(2)  
 POP\_CATEGORY char(2)  
 POP\_BID\_NO char(16)  
 POP\_TYPE char(2)  
 POP\_CONTRACT char(16)  
 POP\_BLANKET\_NO char(8)  
 POP\_BLANKET\_AMT num(20,2)  
 POP\_BLANKET\_RM num(20,2)  
 POP\_SHIP\_ID char(12)  
 POP\_SHIP\_DB\_CD char(2)  
 POP\_SHIP\_ADDR\_CD char(2)  
 POP\_BILL\_ID char(12)  
 POP\_BILL\_DB\_CD char(2)  
 POP\_BILL\_ADDR\_CD char(2)  
 POP\_RQR\_DT date  
 POP\_REQ\_CODES01 \*\*\* 10 char(2)  
 POP\_ENTRY\_DT date  
 POP\_EXP\_DT date  
 POP\_EN\_FLAG char(2)  
 POP\_EN\_DIV char(4)  
 POP\_RQS\_BY char(20)  
 POP\_RQS\_DT date  
 POP\_APRV\_BY char(20)  
 POP\_APRV\_DT date  
 POP\_END\_USE char(20)  
 POP\_PRINT\_BY char(20)  
 POP\_PRINT\_DT date  
 POP\_BUYER char(12)  
 POP\_USER\_ID char(8)  
 POP\_PROJECT\_ID char(16)  
 POP\_REMIT\_ID char(12)  
 POP\_REMIT\_DB\_CD char(1)  
 POP\_REMIT\_ADDR char(2)  
 POP\_ORIG\_PRINT\_DT date  
 POP\_EXT\_REF varchar(2)(255)  
 CREATE\_WHEN char(8)  
 UPDATE\_WHEN char(8)  
 UPDATE\_WHEN date  
 UPDATE\_WHEN date  
 POP\_EXPECTED\_DT date  
 POP\_DELIVERY\_DT date




POI\_PR\_PREFIX char(2)  
 POI\_PR\_NO char(8)  
 POI\_PO\_PREFIX char(2)  
 POI\_PO\_NO char(8)  
 POI\_GL\_GR char(2)  
 POI\_GL\_KEY char(10)  
 POI\_GL\_OBJ char(8)  
 POI\_JL\_GR char(2)  
 POI\_JL\_KEY char(10)  
 POI\_JL\_OBJ char(8)  
 POI\_WO char(12)  
 POI\_QTY num(20,3)  
 POI\_AMT num(20,5)  
 POI\_UNITS char(8)  
 POI\_TERM num(10,2)  
 POI\_DISC num(20,2)  
 POI\_TAX\_CD char(4)  
 POI\_TAX num(20,2)  
 POI\_TAX\_CD2 char(4)  
 POI\_TAX2 num(20,2)  
 POI\_CHARGE\_CD char(4)  
 POI\_CHARGES num(20,2)  
 POI\_DUTY\_CD char(4)  
 POI\_DUTY num(20,2)  
 POI\_PE\_ID char(12)  
 POI\_PEDB\_CODE char(2)  
 POI\_SHIP\_ID char(12)  
 POI\_SHIP\_DB\_CD char(2)  
 POI\_SHIP\_ADDR\_CD char(2)  
 POI\_JOIN char(4)  
 POI\_COM\_CD char(16)  
 POI\_WAREHOUSE char(4)  
 POI\_FA\_FLAG char(2)  
 POI\_PO\_ITEM char(4)  
 POI\_CATALOG char(20)  
 POI\_PRINT char(1)  
 POI\_DELETE char(1)  
 POI\_CHANGE char(2)  
 POI\_JOB\_NO num(10)  
 POI\_REF\_PREFIX char(2)  
 POI\_REF\_PR\_NO char(8)  
 POI\_REF\_ITEM\_NO char(4)  
 POI\_RQS\_BY char(30)  
 POI\_RQR\_DT date  
 CREATE\_WHEN char(8)  
 UPDATE\_WHEN char(8)  
 UPDATE\_WHEN date  
 POI\_BRAND\_CD char(2)  
 POI\_EN\_DT date  
 POI\_EXT\_REF varchar(2)(255)  
 POI\_EXT\_REF2 varchar(2)(255)




POR\_REF\_PREFIX char(2)  
 POR\_REF\_NO char(8)  
 POR\_ITEM char(4)  
 POR\_QTY num(20,3)  
 POR\_QTY\_DAM num(20,3)  
 POR\_PACK char(16)  
 POR\_FREIGHT char(16)  
 POR\_CARRIER char(16)  
 POR\_WAREHOUSE char(4)  
 POR\_BATCH\_NAME char(8)  
 POR\_TAG char(16)  
 POR\_SERIAL char(25)  
 POR\_JOB\_NO num(10)  
 POR\_ENTRY\_DT date  
 POR\_TYPE char(2)  
 POR\_USER char(8)  
 POR\_SEQ char(4)  
 POR\_DT date  
 POR\_SORT\_TIME num(10)




PON\_REF\_PREFIX char(2)  
 PON\_REF\_NO char(8)  
 PON\_ITEM char(4)  
 PON\_GL\_GR char(2)  
 PON\_GL\_KEY char(10)  
 PON\_GL\_OBJ char(8)  
 PON\_JL\_GR char(2)  
 PON\_JL\_KEY char(10)  
 PON\_JL\_OBJ char(8)  
 PON\_WO char(12)  
 PON\_PERCENT num(10)  
 PON\_AMT num(20,2)  
 PON\_SORT\_DT date  
 PON\_SORT\_TIME num(10)




POL\_REF\_PREFIX char(2)  
 POL\_REF\_NO char(8)  
 POL\_ITEM char(4)  
 POL\_SEQ char(4)  
 POL\_FROM char(70)  
 POL\_TO char(70)  
 POL\_LOG\_CD char(8)  
 POL\_USER char(8)  
 POL\_SORT\_DT date  
 POL\_SORT\_TIME num(10)




POT\_REF\_PREFIX char(2)  
 POT\_REF\_PR\_NO char(8)  
 POT\_REF\_ITEM\_NO char(4)  
 POT\_TEXT char(70)  
 POT\_TYPE char(2)  
 POT\_SEQ\_NO char(2)  
 POT\_SORT\_DT date  
 POT\_SORT\_TIME num(10)




POA\_REF\_PREFIX char(2)  
 POA\_REF\_PR\_NO char(8)  
 POA\_REF\_ITEM\_NO char(4)  
 POA\_ASSOC\_CD char(8)  
 POA\_CODE\_VAL char(16)  
 POA\_SORT\_DT date  
 POA\_SORT\_TIME num(10)



POE\_REF\_PREFIX char(2)  
 POE\_REF\_NO char(8)  
 POE\_ITEM char(4)  
 POE\_EVENT\_CD char(4)  
 POE\_DT date  
 POE\_SORT\_TIME num(10)




POV\_PR\_PREFIX char(2)  
 POV\_PR\_NO char(8)  
 POV\_APRV\_CD char(4)  
 POV\_USER char(8)  
 POV\_SORT\_DT date  
 POV\_SORT\_TIME num(10)




POQ\_PR\_PREFIX char(2)  
 POQ\_PR\_NO char(8)  
 POQ\_QUOTE\_NO char(8)  
 POQ\_PE\_ID char(12)  
 POQ\_DT date



PO\_GEN\_KEY char(2)  
 PO\_EN\_FLAG char(2)  
 PO\_FA\_FLAG char(2)  
 PO\_EN\_DIV char(4)  
 PO\_DEF\_FORMAT char(2)  
 PO\_DEF\_EXP\_DT char(2)  
 PO\_LEDGER\_FLAG char(2)  
 PO\_OPEN\_DT date  
 PO\_CLOSE\_DT date  
 PO\_FLAGS01 \*\*\* 20 char(1)




POU\_USER\_ID char(8)  
 POU\_PRINT char(2)  
 POU\_APPROVER char(2)  
 POU\_ALT\_PO char(2)  
 POU\_ALT\_PO\_NUM char(2)  
 POU\_SEC\_CC01 \*\*\* 48 char(6)  
 POU\_APRV\_CC01 \*\*\* 48 char(6)  
 POU\_APRV\_TYPE char(2)




POS\_SEC\_CD char(4)  
 POS\_SEC\_DESC char(30)  
 POS\_HIER\_FLAG char(2)  
 POS\_APR\_CLASSES01 \*\*\* 10 char(8)



POXM\_GR char(2)  
 POXM\_ACTIVE\_FLAG char(2)  
 POXM\_BFP\_URL char(250)  
 POXM\_PR\_SEED char(8)  
 POXM\_EN\_FLAG char(2)  
 POXM\_EN\_DIV char(4)  
 POXM\_SHIP\_ID char(12)  
 POXM\_SHIP\_DB\_CD char(2)  
 CREATE\_WHEN char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHEN char(12)  
 UPDATE\_WHEN date  
 POX\_VENDOR\_DTL




PO\_FORMAT\_KEY char(2)  
 PO\_FORMAT\_DESC char(30)  
 PO\_QUOTE\_FLAG char(2)  
 PO\_PO\_TYPE char(2)  
 PO\_NUM\_DETAIL num(5)  
 PO\_ITEM\_NO char(744)  
 PO\_LINE char(744)  
 PO\_START char(744)  
 PO\_LEN char(744)  
 PO\_CONT\_FORMAT char(2)  
 PO\_IMPORT\_FORMAT char(2)  
 PO\_IMPORT\_FORMAT char(2)  
 PO\_IMP\_START num(5)  
 PO\_IMP\_LEN num(5)



POC\_CLASS\_CD char(8)  
 POC\_CLASS\_DESC char(30)  
 POC\_CLASS\_CD char(8)  
 POC\_APRV\_CD char(4)  
 POC\_DOL\_START num(10,2)  
 POC\_DOL\_END num(10,2)  
 POC\_PO\_TYPE char(2)  
 POC\_GL\_SIDE char(2)  
 POC\_ADD\_QUAL char(30)  
 POC\_SORT\_NO char(2)

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*






**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX
















<i>PO_ID</i>	<i>char(16)</i>	CONTACT_PHONE_CD	REMIT_EMAIL_CD	<i>char(2)</i>	FREIGHT_AMT	num(20,2)
PO_STATUS	<i>char(2)</i>	<i>char(2)</i>	REMIT_PEDB_CD	<i>char(1)</i>	FREIGHT_PCT	num(10,5)
PO_TYPE	<i>char(2)</i>	CONTACT_EMAIL_CD	PO_TOTAL_AMT	num(20,2)	VENDOR_ACCOUNT	
SECURITY_CD	<i>char(4)</i>	<i>char(2)</i>	ORIG_FINAL_DT	date		<i>char(30)</i>
FISCAL_YEAR	<i>char(4)</i>	CONTACT_PEDB_CD	ORIG_FINAL_USER	<i>char(12)</i>	VENDOR_TERMS	<i>char(30)</i>
BUYER_ID	<i>char(12)</i>	<i>char(1)</i>	ORIG_DELIV_DT	date	EXPIRE_DT	date
BUYER_ADDR_CD	<i>char(2)</i>	SHIP_TO_ID	ORIG_DELIV_USER	<i>char(12)</i>	ENCUMBER_FLAG	<i>char(1)</i>
BUYER_PHONE_CD	<i>char(2)</i>	SHIP_TO_ADDR_CD	LAST_FINAL_DT	date	EXT_REF	<i>varchar(255)</i>
BUYER_EMAIL_CD	<i>char(2)</i>	SHIP_TO_PHONE_CD	LAST_FINAL_USER	<i>char(12)</i>	EXT_REF2	<i>varchar(255)</i>
PO_DESC	<i>char(30)</i>	<i>char(2)</i>	LAST_DELIV_DT	date	USER_1	<i>char(8)</i>
PO_NOTES	<i>varchar(1000)</i>	SHIP_TO_EMAIL_CD	LAST_DELIV_USER	<i>char(12)</i>	USER_2	<i>char(8)</i>
VENDOR_ID	<i>char(12)</i>	<i>char(2)</i>	PO_VERSION	num(5)	APPROVE_FLAG	<i>char(1)</i>
VENDOR_ADDR_CD	<i>char(2)</i>	SHIP_TO_PEDB_CD	PO_CHANGE_FLAG	<i>char(1)</i>	DELIV_METHOD_CD	
VENDOR_PHONE_CD	<i>char(2)</i>	BILL_TO_ID	SENT_DT	date		<i>char(6)</i>
VENDOR_FAX_CD	<i>char(2)</i>	BILL_TO_ADDR_CD	ORIG_PROMISE_DT	date	SERVICE_START_DT	date
VENDOR_EMAIL_CD	<i>char(2)</i>	BILL_TO_PHONE_CD	LAST_PROMISE_DT	date	SERVICE_END_DT	date
		<i>char(2)</i>	SHIP_DT	date	CONFIRM_FLAG	<i>char(1)</i>
		<i>char(2)</i>	NEED_BY_DT	date	CONFIRM_DT	date
VENDOR_PEDB_CD	<i>char(1)</i>	BILL_TO_EMAIL_CD	REQUEST_BY	<i>char(3)</i>	SHIP_NOTES	<i>varchar(1000)</i>
CONTACT_ID	<i>char(12)</i>	BILL_TO_PEDB_CD	REMIT_ID	<i>char(12)</i>	BID_ID	<i>char(16)</i>
CONTACT_ADDR_CD	<i>char(2)</i>	REMIT_ADDR_CD	REMIT_ADDR_CD	<i>char(2)</i>	CONTRACT_ID	<i>char(16)</i>
		REMIT_PHONE_CD	REMIT_PHONE_CD	<i>char(2)</i>		
			DISCOUNT_AMT	num(20,2)		
			DISCOUNT_PCT	num(10,5)		



**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*


<b>HR_PE_ID</b> char(12)	PY_EMP_ADDR_DB char(2)	PY_EMP_BIRTH_DT date	PY_EMP_XTD_CX char(8)	<b>PY_GEN_ID</b> char(10)	PY_GEN_P_VECT char(42)	PY_GEN_HRS_XTD num(10)	<b>PY_PER_CC</b> num(10)	PY_PER_CHECK_DT date
HR_PE_NAME char(30)	PY_EMP_ADDR_CD char(2)	PY_EMP_HIRE_DT date	PY_EMP_CK_CMNT char(50)	PY_GEN_NAME char(60)	PY_GEN_L_VECT char(32)	PY_GEN_HRS_XTD num(10)	PY_PER_FREQ char(2)	PY_PER_CHK_ID char(2)
HR_PE_NAME_U char(30)	PY_EMP_STREET_1***2	PY_EMP_LEAVE_DT date	PY_EMP_CK_PER num(10)	PY_GEN_STREET_1 *** 2	PY_GEN_MAX_PAY num(10)	PY_GEN_HRS_XTD num(10)	PY_PER_FREQ_VECT01 *** 10	PY_PER_EFT_DT date
HR_PE_FOID char(12)	PY_EMP_CITY char(30)	PY_EMP_SEP_DT date	PY_EMP_MAX_PAY num(10)	PY_GEN_CITY char(30)	PY_GEN_FID01 *** 04	PY_GEN_BEG date	PY_PER_FY char(2)	PY_PER_EFT_ID char(2)
HR_PE_SSN char(10)	PY_EMP_STATE char(2)	PY_EMP_BEG date	PY_EMP_VECT char(32)	PY_GEN_CITY char(20)	PY_GEN_FID01 *** 04	PY_GEN_END date	PY_PER_FREQ num(5)	PY_PER_CALC_FLAG char(2)
HR_PE_SEC_CC01***4	PY_EMP_CITY char(20)	PY_EMP_END date	PY_HR_M_EXT char(2)	PY_GEN_ST_NAME char(20)	PY_GEN_SID01 *** 04	PY_GL_DEPT_NDX num(5)	PY_PER_FM num(5)	PY_PER_PAID_FLAG char(2)
HR_PE_REC char(14)	PY_EMP_STATE char(2)	PY_EMP_SRT_ADJ num(5)	PY_HR_D_EXT char(2)	PY_GEN_ST_CD char(2)	PY_GEN_SID01 *** 04	PY_JL_DEPT_NDX num(5)	PY_PER_CY num(5)	PY_PER_CD char(2)
HR_PE_UPDT_DT num(10)	PY_EMP_ZIP char(10)	PY_EMP_SKIL_CD01***5	PY_EMP_PART1***4	PY_GEN_ST_NO char(2)	PY_GEN_ST_CD char(2)	PY_HR_M_EXT char(2)	PY_PER_CQ num(5)	PY_PER_CD char(2)
HR_AUDIT char(20)	PY_EMP_ZIP_EXT char(6)	char(4)	char(12)	PY_GEN_ZIP char(10)	PY_GEN_ZIP_EXT char(6)	PY_GEN_PART_SQ01***18	PY_PER_CM num(5)	PY_PER_BS_FLAGS char(8)
PY_EMP_PAY_CYCLE num(5)	PY_EMP_CNTRY char(4)	PY_EMP_EDUC_CD01***5	char(12)	PY_GEN_ZIP_EXT char(6)	PY_GEN_COUNTY char(20)	PY_GEN_PART_LEN01***18	PY_PER_TM num(5)	PY_PER_ASSC_PERS01 *** 10
PY_EMP_L_NAME char(20)	PY_EMP_CLD_CD char(8)	PY_EMP_SEL_CD01***2	PY_EMP_MSC_NUM01***15	PY_GEN_CNTRY char(40)	PY_GEN_CNTRY char(40)	PY_GEN_PART1 *** 4	PY_PER_IN_Y num(5)	PY_PER_OPEN char(2)
PY_EMP_F_NAME char(20)	PY_EMP_GEN_CD char(4)	char(8)	char(8)	char(4)	char(8)	CREATE_WHEN date	PY_PER_IN_TM num(5)	PY_PER_OPEN char(2)
PY_EMP_M_NAME char(10)	PY_EMP_PAY_SEL char(2)	PY_EMP_UNIT char(8)	PY_EMP_MSC_SCHR01***12	PY_GEN_PERSON char(50)	PY_GEN_PART_DL char(8)	CREATE_WHO char(12)	PY_PER_SEQ num(5)	PY_PER_CTR_FLAGS char(10)
PY_EMP_P_NAME char(20)	PY_EMP_FLSA char(2)	PY_EMP_VAL01***4	CREATE_WHEN date	PY_GEN_PHONE01 *** 02	char(2)	UPDATE_WHEN date	PY_PER_SEQ num(5)	PY_PER_CTR_FLAGS char(10)
PY_EMP_SUFFIX char(4)	PY_EMP_AA_CD char(8)	CREATE_WHO char(12)	UPDATE_WHEN date	PY_GEN_PHONE01 *** 02	char(2)	UPDATE_WHO char(12)	PY_PER_SEQ num(5)	PY_PER_CTR_FLAGS char(10)
PY_EMP_SALUTE char(4)	PY_EMP_MRT_ST char(2)	PY_EMP_PER_CX num(10)	UPDATE_WHO char(12)	PY_GEN_FM num(5)	PY_GEN_SEED num(10)	UPDATE_WHO char(12)	PY_PER_SEQ num(5)	PY_PER_CTR_FLAGS char(10)
					PY_GEN_TL_FTE num(10)		PY_PER_SEQ num(5)	PY_PER_CTR_FLAGS char(10)











<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)	<b>HR_PE_ID</b> char(12)
PYP_NUM_CD num(10)	PYA_ASSOC_CD char(12)	PY_PER_CCYY num(10)	PY_PER_CCYY num(10)	PY_PER_CCYY num(10)	PY_CNT_ID char(32)	PY_CNT_ID char(32)	HR_AUDIT char(20)	PYX_NO num(10)	PYX_NO num(10)	PYXP_CHK_DT date	
PYP_ST char(2)	PYA_ASSOC_DESC char(30)	PYXT_STATUS char(2)	PYG_PER_CC num(10)	PYR_CALEDAR char(8)	PYCX_REG_HRS num(20)	PYCN_SCHED_PAY num(10)	HR_LOG_PTR num(10)	PYX_MTD01***12 num(20)	PYX_QTD01***04 num(20)	PYXP_CHK_ID char(2)	
PYP_FREQ char(2)		PYXT_AMT num(10)	PYG_POST_DT date	PYR_SCHEDULE char(8)	PYCX_REG_PAY num(10)	num(10)	<b>HR_AT_VALUE</b> char(12)	PYX_QTD01***04 num(20)	PYXP_CHK_NO num(10)		
PYP_FREQ_TYPE num(5)		PYXT_CODE2 char(2)	PYG_CK_DT date	PYR_STATUS char(2)	PYCX_SICK_HRS num(20)	PYCN_SCHED_DAYS num(20)	<b>HR_CL_ID</b> char(4)	PYX_CTD num(20)	PYXP_PER_CC num(10)		
PYP_XP char(2)		PYXT_CODE4 char(4)	PYG_CK_ID char(2)	PYR_DATE01***10 date	PYCX_SICK_HRS num(10)	num(20)	HR_REC char(1000)	PYX_FTD num(20)	PYXP_CHK_NOTE char(2)		
PYP_SAL num(10)		PYXT_CODE8 char(8)	PYG_CK_NO char(8)	PYR_RI_HH01***10 num(5)	PYCX_VAC_HRS num(20)	PYCN_SCHED_HRS num(20)	HR_REC_UPDT_DT num(10)	PYX_ITD num(20)	PYXP_NUM_CD num(10)		
PYP_REG_RT num(10)		PYXT_TYPE char(2)	PYG_JOB_NO num(10)	PYR_RI_MM01***10 num(5)	PYCX_VAC_PAY num(10)	num(20)	CPV_FASTKEY char(28)	PYX_ITD num(20)	PYXP_NO num(10)		
PYP_OT_RT num(10)		PYXT_CDH num(5)	PYG_GL_GR char(2)	PYR_RI_SS01***10 num(5)	PYCX_OTH_HRS num(20)	PYCN_PERIOD_PAY num(10)	CVP_FASTKEY char(28)	PYX_NUM_PER num(5)	PYXP_AMT num(20)		
PYP_LMT_XP char(2)		PYXT_DT date	PYG_GL_KEY char(10)	PYR_RO_HH01***10 num(5)	PYCX_OTH_PAY num(20)	num(10)		PYX_OVR_VECT char(10)	PYXP_YY num(5)		
PYP_LMT num(10)		CREATE_WHEN date	PYG_GL_OBJ char(8)	PYR_RO_MM01***10 num(5)	PYCX_RETRO_HRS num(20)	PYCN_NUM_PERIODS num(10)		PYX_OVR_BYTES char(32)	PYXP_QTR num(5)		
PYP_EFFORT num(10)		CREATE_WHO char(12)	PYG_JL_GR char(2)	PYR_RO_SS01***10 num(5)	num(20)	num(10)		PYX_YY char(4)	PYXP_MO num(5)		
PYP_CDH_VECT01***03		UPDATE_WHEN date	PYG_JL_KEY char(10)	PYR_DTL_OPEN01***10	PYCX_RETRO_PAY num(10)	PYCN_DAILY_RT num(10)		PYX_PTD num(20)	PYXP_F_YY num(5)		
char(6)		UPDATE_WHO char(12)	PYG_JL_OBJ char(8)	char(4)	num(10)	num(10)		PYX_PER num(10)	PYXP_QTR num(5)		
PYP_BEG date	PYP_CLD_PCT num(10)		PYG_DR_AMT num(10)	PYR_PER_CC char(16)	PYCX_REG_WOP_HRS num(20)	PYCN_HOURLY_RT num(10)		PYX_OPEN char(8)	PYXP_F_MO num(5)		
PYP_END date	PYP_PATCH_BEG date		PYG_CR_AMT num(10)	PYR_OPEN1 char(8)	num(20)						
PYP_REC_TYPE char(2)	PYP_PATCH_END date		PYG_UNITS num(10)	PYR_OPEN2 char(8)	PYCX_REG_WOP_PAY num(10)						
PYP_MISC_CD01***08	PYP_PATCH_FLAG char(2)		PYG_CDH_NO num(5)	PYR_OPEN_NUM1 num(10)	num(10)						
char(4)	PYP_PAYOUT_TP char(2)		PYG_NUM_CD num(10)	PYR_OPEN_NUM2 num(10)	PYCX_OTH_WOP_HRS num(20)						
PYP_SPREAD_INFO	PYP_RETRO_FACTOR		PYG_CHK_NOTE char(2)		num(20)						
char(12)	num(910)		PYG_WO char(12)		PYCX_OTH_WOP_PAY num(10)						
PYP_CLD char(8)	PYP_PAID_BEG date		PYG_WO_AUX char(8)		num(10)						
PYP_UNIT char(8)	PYP_PAID_END date		PYG_REG char(4)		PYCX_DEPOSITS num(10)						
PYP_RETRO_DT date			PYG_TYPE char(2)		PYCX_WITHDRAWALS num(10)						
PYP_RETRO_TP char(2)	PYP_OPEN char(8)		PYG_MISC char(2)		num(10)						
PYP_HRS_DAY num(10)	PYP_CX_NDX num(5)		PYG_POST_VIEWS char(4)		PYCX_USER_AMT01***20 num(20)						
PYP_AUX_SALARY num(10)	PYP_DOL_DAY num(10)										
PYP_MISC_NUM01***05	PYP_UNIQ_ID char(36)										
num(10)	CREATE_WHEN date										
PYP_MISC_CHR01***05	CREATE_WHO char(12)										
char(8)	UPDATE_WHEN date										
	UPDATE_WHO char(12)										

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

[SEE PREVIOUS PAGE]



**PC\_GEN\_ID** char(10)  
 PC\_GEN\_NAME char(60)  
 PC\_GEN\_GLOBAL char(2)  
 PC\_GEN\_DFLT\_VERS char(2)  
 PC\_GEN\_DFLT\_STEP char(4)  
 PC\_GEN\_GRAD\_HEIR01 \*\*\*07 char(2)  
 PC\_GEN\_YN\_VECT char(32)  
 PC\_GEN\_BEG\_DT date  
 PC\_GEN\_END\_DT date



**HR\_PE\_ID** char(12)  
 PYRW\_EXTRACT\_DT date  
 PYRW\_STATE char(2)  
 PYRW\_FUNC\_ID char(2)  
 PYRW\_EMPER\_CD char(2)  
 PYRW\_BATCH\_ID char(16)  
 PYRW\_REC\_ID char(4)  
 PYRW\_RPT\_CD char(4)  
 PYRW\_RPT\_GRP char(8)  
 PYRW\_RPT\_FREQ char(4)  
 PYRW\_AGENCY char(8)  
 PYRW\_DEPT char(8)  
 PYRW\_STAT char(6)  
 PYRW\_STATUS\_DT date  
 PYRW\_REASON char(8)  
 PYRW\_CATEGORY char(8)  
 PYRW\_DEMO\_CD char(2)  
 PYRW\_DEMO\_REC\_NO num(5)  
 PYRW\_WAGE\_CD\_H01 \*\*\*16 num(5)  
 PYRW\_WAGE\_PLAN01 \*\*\*16 char(12)  
 PYRW\_WAGE\_TP01 \*\*\*16 char(4)  
 PYRW\_CRED\_IND01 \*\*\*16 char(20)  
 PYRW\_WAGE\_RATE01 \*\*\*16 num(10)  
 PYRW\_WAGE\_AMT01 \*\*\*16 num(10)  
 PYRW\_A\_SOURCE char(4)  
 PYRW\_A\_DT date  
 PYRW\_A\_STATUS char(2)  
 PYRW\_A\_USER char(12)  
 PYRW\_A\_JOB\_NO num(10)  
 PYRW\_WAGE\_HRS01 \*\*\*16 num(10)

PYRW\_SRVC\_BEGIN01 \*\*\*16 date  
 PYRW\_SRVC\_END01 \*\*\*16 date  
 PYRW\_PERIOD01 \*\*\*16 num(10)  
 PYRW\_WAGE\_NC01 \*\*\*16 num(10)  
 PYRW\_WAGE\_RT01 \*\*\*16 char(2)  
 PYRW\_CD\_CD\_H01 \*\*\*16 num(5)  
 PYRW\_CD\_TYPE01 \*\*\*16 char(4)  
 PYRW\_CD\_CODE01 \*\*\*16 char(8)  
 PYRW\_CD\_RATE01 \*\*\*16 num(10)  
 PYRW\_O\_CODE01 \*\*\*16 char(8)  
 PYRW\_O\_RATE01 \*\*\*16 num(10)  
 PYRW\_O\_AMT01 \*\*\*16 num(10)  
 PYRW\_A\_DT date  
 PYRW\_A\_STATUS char(2)  
 PYRW\_A\_USER char(12)  
 PYRW\_A\_JOB\_NO num(10)  
 PYRW\_RPT\_PERIOD num(10)

**HR\_PE\_ID** char(12)  
 PYRD\_EXTRACT\_DT date  
 PYRD\_HR\_PE\_ID char(12)  
 PYRD\_HR\_PE\_NAME char(30)  
 PYRD\_HR\_PE\_NAME\_U char(30)  
 PYRD\_HR\_PE\_FOID char(12)  
 PYRD\_MISC char(10)  
 PYRD\_HR\_PE\_SEC\_CC01 \*\*\*04 char(14)  
 PYRD\_HR\_PE\_REC char(400)  
 PYRD\_HR\_PE\_UPDT\_DT num(10)  
 PYRD\_HR\_AUDIT char(20)  
 PYRD\_EMP\_PAY\_CYCLE num(5)  
 PYRD\_EMP\_L\_NAME char(20)  
 PYRD\_EMP\_F\_NAME char(20)  
 PYRD\_EMP\_M\_NAME char(10)  
 PYRD\_EMP\_P\_NAME char(20)  
 PYRD\_EMP\_SUFFIX char(4)  
 PYRD\_EMP\_SALUTE char(4)  
 PYRD\_EMP\_ADDR\_DB char(2)  
 PYRD\_EMP\_ADDR\_CD char(2)

PYRD\_EMP\_STREET\_1 \*\*\*2 char(30)  
 PYRD\_EMP\_CITY char(20)  
 PYRD\_EMP\_STATE char(2)  
 PYRD\_EMP\_ZIP char(10)  
 PYRD\_EMP\_ZIP\_EXT char(6)  
 PYRD\_EMP\_CNTRY char(4)  
 PYRD\_EMP\_ST char(2)  
 PYRD\_EMP\_TP char(4)  
 PYRD\_EMP\_CLD\_CD char(8)  
 PYRD\_EMP\_GEN\_CD char(4)  
 PYRD\_EMP\_PAY\_SEL char(2)  
 PYRD\_EMP\_HIRE\_DT date  
 PYRD\_EMP\_AA\_CD char(8)  
 PYRD\_EMP\_SEX char(2)  
 PYRD\_EMP\_MRT\_ST char(2)  
 PYRD\_EMP\_BIRTH\_DT date  
 PYRD\_EMP\_HIRES\_DT date  
 PYRD\_EMP\_LEAVE\_DT date  
 PYRD\_EMP\_SEP\_DT date  
 PYRD\_EMP\_BEG date  
 PYRD\_EMP\_END date  
 PYRD\_EMP\_SRT\_ADJ num(5)  
 PYRD\_EMP\_SKIL\_CD01 \*\*\*05 char(4)  
 PYRD\_EMP\_EDUC\_CD01 \*\*\*05 char(4)

PYRD\_EMP\_SEL\_CD01 \*\*\*02 char(8)  
 PYRD\_EMP\_UNIT char(8)  
 PYRD\_EMP\_MISC\_VAL01 \*\*\*04 num(10)  
 PYRD\_EMP\_PER\_CX num(10)  
 PYRD\_EMP\_XTD\_CX char(8)  
 PYRD\_EMP\_CK\_CMNT char(50)  
 PYRD\_EMP\_CK\_PER num(10)  
 PYRD\_EMP\_MAX\_PAY num(10)  
 PYRD\_EMP\_VECT char(32)  
 PY\_HR\_M\_EXT char(2)  
 PY\_HR\_D\_EXT char(2)  
 PYRD\_EMP\_PART1 \*\*\*4 char(12)  
 PYRD\_EMP\_MSC\_NUM01 \*\*\*15 num(10)  
 PYRD\_EMP\_MSC\_LCHR01 \*\*\*16 char(8)  
 PYRD\_EMP\_MSC\_SCHR01 \*\*\*12 char(4)

HR\_PE\_ID char(12)  
 PYCT\_CX\_ID char(32)  
 PYCT\_TCV num(10)  
 PYCT\_TCV\_OVR num(10)  
 PYCT\_PRD\_PAY num(10)  
 PYCT\_BEG date  
 PYCT\_END date  
 PYCT\_E\_PRDS\_TOTAL num(5)  
 PYCT\_E\_PRDS\_REMAIN num(5)  
 PYCT\_P\_PRDS\_TOTAL num(5)  
 PYCT\_P\_PRDS\_REMAIN num(5)  
 PYCT\_YTD\_HRS num(20)  
 PYCT\_YTD\_EARN num(10)  
 PYCT\_YTD\_PAY num(10)  
 PYCT\_RTR\_HRS num(20)  
 PYCT\_RTR\_EARN num(10)  
 PYCT\_RTR\_PAY num(10)  
 PYCT\_FUT\_HRS num(20)  
 PYCT\_FUT\_EARN num(10)  
 PYCT\_FUT\_PAY num(10)  
 PYCT\_PEND\_RTR\_HRS num(20)  
 PYCT\_PEND\_RTR\_EARN num(10)  
 PYCT\_PEND\_RTR\_PAY num(10)  
 PYCT\_PEND\_RTR\_PRDS num(10)  
 PYCT\_USER\_AMT01 \*\*\*20 num(20)

**HR\_PE\_ID** char(12)  
 PYRE\_EXTRACT\_DT date  
 PYRE\_REC\_ID char(12)  
 PYRE\_FLAG01 \*\*\*04 char(1)  
 PYRE\_DATE01 \*\*\*04 date  
 PYRE\_NUM01 \*\*\*04 num(10)  
 PYRE\_ALPHA01 \*\*\*04 char(30)  
 PYE\_PER\_CC num(10)  
 PYE\_ENC\_YR char(4)  
 PYE\_GL\_GR char(2)  
 PYE\_GL\_KEY char(10)  
 PYE\_GL\_OBJ char(8)  
 PYE\_JL\_KEY char(2)  
 PYE\_JL\_OBJ char(8)  
 PYE\_ENC\_AMT num(10)  
 PYE\_ENC\_DELTA num(10)  
 PYE\_JOB\_NO num(10)  
 PYE\_CDH\_NO num(5)  
 PYCT\_ESCROW\_IN num(10)  
 PYCT\_ESCROW\_OUT num(10)  
 PYCT\_SPREAD\_BAL num(10)  
 PYCT\_RETRO\_BAL num(10)  
 PYCT\_LWOP\_HRS num(20)  
 PYCT\_LWOP\_EARN num(10)  
 PYCT\_CALC\_DT char(8)  
 PYCT\_LWOP\_BAL num(10)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**HR\_PE\_ID** char(12)  
 PYF\_PLAN\_TP char(4)  
 PYF\_PLAN\_YR char(4)  
 PYF\_CLAIM\_NO char(8)  
 PYF\_PROVIDER char(30)  
 PYF\_SERVICE\_DT date  
 PYF\_CLAIM\_DT date  
 PYF\_PMT\_DT date  
 PYF\_CLAIM\_REQ num(10)  
 PYF\_CLAIM\_PMT num(10)  
 PYF\_PER\_CC num(10)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**HR\_PE\_ID** char(12)  
 PYRC\_EXTRACT\_DT date  
 PYRC\_CONTRACT\_ID char(20)  
 PYRC\_JOB\_CD char(10)  
 PYRC\_JOB\_TP char(4)  
 PYRC\_WAGE\_TP char(4)  
 PYRC\_CD01 \*\*\*05 char(8)  
 PYRC\_STATUS01 \*\*\*05 char(10)  
 PYRC\_BEG\_DT01 \*\*\*05 date  
 PYRC\_END\_DT01 \*\*\*05 date  
 PYRC\_MONTHS01 \*\*\*05 num(10)  
 PYRC\_UNITS01 \*\*\*05 num(10)  
 PYRC\_FLAG01 \*\*\*10 char(1)  
 PYRC\_FLAG\_DT01 \*\*\*10 date


**BOLD . . . . CONSTRAINT**  
*ITALICS . . . . INDEX*

<b>PY_BATCH_NAME</b>	char(16)	PY_BATCH_OPEN_X4	char(4)
PY_BATCH_PER	num(10)		
PY_MAX_REC	char(6)	PY_BATCH_OPEN_X8	char(8)
PY_BATCH_STATUS			char(8)
	char(2)	PY_BATCH_OPEN_92	char(6)
PY_BATCH_VECTOR	num(5)		
	char(8)	PY_BATCH_OPEN_94	char(6)
PY_BATCH_DATE	date		num(10)
PY_BATCH_TIME	char(8)	PY_BATCH_OPEN_98	char(6)
PY_BATCH_USER	char(8)		num(20)
PY_BATCH_JOB	char(8)	CREATE_WHEN	date
PY_BATCH_ACT	char(2)	CREATE_WHO	char(12)
PY_BATCH_OPEN_X2		UPDATE_WHEN	date
	char(2)	UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)		
PY_CDH_CD	char(8)		
PY_CDH_TITLE	char(20)		
PY_CDH_MISC_CD01***08			char(4)
	char(4)		
PY_CDH_REL_CD01***08			char(6)
	char(6)		
PY_CDH_XTD	char(2)		
PY_CDH_BEG	date		
PY_CDH_END	date		
PY_HR_M_EXT	char(2)		
PY_HR_D_EXT	char(2)		
CREATE_WHEN	date		
CREATE_WHO	char(12)		
UPDATE_WHEN	date		
UPDATE_WHO	char(12)		

<b>PY_PAY_NO</b>	num(5)		
PY_PAY_CD	char(8)		
PY_PAY_TITLE	char(20)		
PY_PAY_MISC_CD01***08			char(4)
	char(4)		
PY_PAY_REL_CD01***08			char(6)
	char(6)		
PY_PAY_VECT	char(32)		
PY_PAY_BEG	date		
PY_PAY_END	date		
PY_HR_M_EXT	char(2)		
PY_HR_D_EXT	char(2)		
CREATE_WHEN	date		
CREATE_WHO	char(12)		
UPDATE_WHEN	date		
UPDATE_WHO	char(12)		

[SEE PREVIOUS PAGE]



<b>PY_BATCH_NAME</b>	char(16)	PYTC_JL_GR	char(2)
HR_PE_ID	char(12)	PYTC_JL_KEY	char(10)
<b>PY_PER_CCYY</b>	num(10)	PYTC_JL_OBJ	char(8)
PY_BRC_CC	char(22)	PYTC_USER_1***9	char(12)
PYT_PART1***4	char(12)	PYTC_SORT	num(5)
PYT_PER_CC	num(10)	PYTC_GROUP	char(12)
PYT_NUM_CD	num(10)	PYTC_MISC	char(4)
PYT BUM_OVR	char(2)	PYTC_BEG_DT	date
PYT_REC_TYPE	char(2)	PYTC_TRN_DT	date
PYT_STATUS	char(2)	PYTC_REC_TYPE	char(2)
PYT_SPREAD_INFO	char(12)	PYTC_NUM_CD	num(10)
	date	PYTC_CDH	num(5)
PYT_DATE01***25	date	PYTC_HRS	num(10)
PYT_HRS_NO01***25	num(5)	PYTC_RATE	num(10)
PYT_HRS01***25	num(10)	PYTC_AMT	num(10)
PYT_HRS_OVR01***25	char(2)	PYTC_RATE_CD	char(10)
	num(10)	PYTC_REASON_CD	char(2)
PYT_RT01***25	num(10)	PYTC_OVR_HRS	char(2)
PYT_RT_OVR01***25	char(2)	PYTC_OVR_RT	char(2)
PYT_RT_ADJ01***25	num(10)	PYTC_OVR_AMT	char(2)
	char(4)	PYTC_OVR_NUM	char(2)
PYT_SERV_DT01***25	date	PYTC_STATUS	char(2)
PYT_AUDIT_DATE	date	PYTC_JOB_NO	num(10)
PYT_AUDIT_TIME	char(8)	PYTC_ORIG	char(6)
PYT_AUDIT_USER	char(8)	PYTC_TEXT	char(40)
PYT_OPEN1***2	char(8)	PYTC_LINK	char(8)
PYT_JOB_NO	num(10)	PYTC_EMP_ID2	char(12)
PYT_HANDCHECK_NO	num(10)	PYTC_PAY_CLASS	char(4)
		PYTC_POS	char(10)
		PYTC_STEP	char(4)
		PYTC_GL_GR	char(2)
		PYTC_GL_KEY	char(10)
		PYTC_GL_OBJ	char(8)

<b>PYCHR_CD</b>	char(128)	<b>HR_PE_ID</b>	char(12)
PY_NUM_CD	num(10)	PY_PER_CCYY	num(10)
PY_PAY	char(4)	PYH_PER_CC	num(10)
PYN_POS	char(10)	PYH_CHK_NO	num(10)
PYN_STEP	char(4)	PYH_NUM_WK	num(5)
PYN_GL	char(2)	PYH_NUM_DT	num(5)
PYN_GLKEY	char(10)	PYH_NO01***15	num(5)
PYN_GLOBJ	char(8)	PYH_AMT01***15	num(10)
PYN_JL	char(2)	PYH_OVR_VECT	num(10)
PYN_JLKEY	char(10)	PYH_OVR_BYTES	char(32)
PYN_JLOBJ	char(8)	PYH_POST_DT	date
PYN_USER1***9	char(12)	PYH_CHK_DT	date
PYN_CX_ID	char(32)	PYH_NUM_CD	num(10)
		PYH_CHK_NOTE	char(2)
		PYH_JOB_NO	num(10)
		PYH_TC_BATCH	char(16)
		PYH_CHK_STOCK	char(2)
		PYH_SPREAD_INFO	char(12)
		PYH_REC_TYPE	char(2)
		PYH_CHANGE_DATE	date
		PYH_OPEN	char(8)
		PYH_OPEN_NUM	num(10)
		PYH_PART1***4	char(12)
		CREATE_WHEN	date
		CREATE_WHO	char(12)
		UPDATE_WHEN	date
		UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>HR_PE_ID</b>	char(12)
PYS_SRC	char(58)	<b>PY_CDH_NO</b>	num(5)
PYS_SEQ	char(4)	PYD_ST	char(2)
		PYD_FREQ	char(2)
		PYD_FREQ_TYPE	num(5)
		PYD_XP	char(2)
		PYD_ADD	num(10)
		PYD_ADD_BEG	date
		PYD_ADD_END	date
		PYD_AMT	num(10)
		PYD_LMT_XP	char(2)
		PYD_LMT	num(10)
		PYD_BEG	date
		PYD_END	date
		PYD_SPEC_CD01***4	char(4)
		PYD_MISC_S	char(2)
		PYD_MISC_M	char(12)
		PYD_MISC_L	char(20)
		CREATE_WHEN	date
		CREATE_WHO	char(12)
		UPDATE_WHEN	date
		UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PYM_HRS_BASE	num(5)	PYM_HRS_VECT	char(42)
PYM_PAY_BASE	num(5)	PYM_PAY_VECT	char(42)
PYM_HRS_VECT	char(42)	PYM_VAL01***10	num(20)
PYM_PAY_VECT	char(42)	PYM_VAL_DS01***10	char(20)
PYM_VAL01***10	num(20)	PYM_VAL_DS01***10	char(20)
		PYM_OBJ01***04	char(8)
		PYM_VECT	char(42)
		PYM_PRI	char(4)
		PYM_BEG	date
		PYM_END	date
		PYM_KEY01***04	char(10)
		PYM_FREQ	char(2)
		PYM_FREQ_TYPE	num(5)
		PYM_ST	char(2)
		PYM_OPEN1	char(8)
		PYM_OPEN2	char(8)
		PYM_OPEN_NUM1	num(10)
		PYM_OPEN_NUM2	num(10)
		CREATE_WHEN	date
		CREATE_WHO	char(12)
		UPDATE_WHEN	date
		UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PY_CDH_NO	num(5)	PY_PAY_NO	num(5)
PY_CDH_NO	num(5)	PY_PAY_CD	char(8)
PY_CDH_NO	num(5)	PY_PAY_TITLE	char(20)
PY_CDH_NO	num(5)	PY_PAY_MISC_CD01***08	char(4)
PY_CDH_NO	num(5)	PY_PAY_REL_CD01***08	char(6)
PY_CDH_NO	num(5)	PY_PAY_VECT	char(32)
PY_CDH_NO	num(5)	PY_PAY_BEG	date
PY_CDH_NO	num(5)	PY_PAY_END	date
PY_CDH_NO	num(5)	PY_HR_M_EXT	char(2)
PY_CDH_NO	num(5)	PY_HR_D_EXT	char(2)
PY_CDH_NO	num(5)	CREATE_WHEN	date
PY_CDH_NO	num(5)	CREATE_WHO	char(12)
PY_CDH_NO	num(5)	UPDATE_WHEN	date
PY_CDH_NO	num(5)	UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PY_CDH_NO	num(5)	PYM_HRS_BASE	num(5)
PY_CDH_NO	num(5)	PYM_PAY_BASE	num(5)
PY_CDH_NO	num(5)	PYM_HRS_VECT	char(42)
PY_CDH_NO	num(5)	PYM_PAY_VECT	char(42)
PY_CDH_NO	num(5)	PYM_VAL01***10	num(20)
PY_CDH_NO	num(5)	PYM_VAL_DS01***10	char(20)
PY_CDH_NO	num(5)	PYM_OBJ01***04	char(8)
PY_CDH_NO	num(5)	PYM_VECT	char(42)
PY_CDH_NO	num(5)	PYM_PRI	char(4)
PY_CDH_NO	num(5)	PYM_BEG	date
PY_CDH_NO	num(5)	PYM_END	date
PY_CDH_NO	num(5)	PYM_KEY01***04	char(10)
PY_CDH_NO	num(5)	PYM_FREQ	char(2)
PY_CDH_NO	num(5)	PYM_FREQ_TYPE	num(5)
PY_CDH_NO	num(5)	PYM_ST	char(2)
PY_CDH_NO	num(5)	PYM_OPEN1	char(8)
PY_CDH_NO	num(5)	PYM_OPEN2	char(8)
PY_CDH_NO	num(5)	PYM_OPEN_NUM1	num(10)
PY_CDH_NO	num(5)	PYM_OPEN_NUM2	num(10)
PY_CDH_NO	num(5)	CREATE_WHEN	date
PY_CDH_NO	num(5)	CREATE_WHO	char(12)
PY_CDH_NO	num(5)	UPDATE_WHEN	date
PY_CDH_NO	num(5)	UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PY_CDH_NO	num(5)	PY_PAY_NO	num(5)
PY_CDH_NO	num(5)	PY_PAY_CD	char(8)
PY_CDH_NO	num(5)	PY_PAY_TITLE	char(20)
PY_CDH_NO	num(5)	PY_PAY_MISC_CD01***08	char(4)
PY_CDH_NO	num(5)	PY_PAY_REL_CD01***08	char(6)
PY_CDH_NO	num(5)	PY_PAY_VECT	char(32)
PY_CDH_NO	num(5)	PY_PAY_BEG	date
PY_CDH_NO	num(5)	PY_PAY_END	date
PY_CDH_NO	num(5)	PY_HR_M_EXT	char(2)
PY_CDH_NO	num(5)	PY_HR_D_EXT	char(2)
PY_CDH_NO	num(5)	CREATE_WHEN	date
PY_CDH_NO	num(5)	CREATE_WHO	char(12)
PY_CDH_NO	num(5)	UPDATE_WHEN	date
PY_CDH_NO	num(5)	UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PY_CDH_NO	num(5)	PY_PAY_NO	num(5)
PY_CDH_NO	num(5)	PY_PAY_CD	char(8)
PY_CDH_NO	num(5)	PY_PAY_TITLE	char(20)
PY_CDH_NO	num(5)	PY_PAY_MISC_CD01***08	char(4)
PY_CDH_NO	num(5)	PY_PAY_REL_CD01***08	char(6)
PY_CDH_NO	num(5)	PY_PAY_VECT	char(32)
PY_CDH_NO	num(5)	PY_PAY_BEG	date
PY_CDH_NO	num(5)	PY_PAY_END	date
PY_CDH_NO	num(5)	PY_HR_M_EXT	char(2)
PY_CDH_NO	num(5)	PY_HR_D_EXT	char(2)
PY_CDH_NO	num(5)	CREATE_WHEN	date
PY_CDH_NO	num(5)	CREATE_WHO	char(12)
PY_CDH_NO	num(5)	UPDATE_WHEN	date
PY_CDH_NO	num(5)	UPDATE_WHO	char(12)

<b>PY_CDH_NO</b>	num(5)	<b>PY_CDH_NO</b>	num(5)
PY_CDH_NO	num(5)	PY_PAY_NO	num(5)
PY_CDH_NO	num(5)	PY_PAY_CD	char(8)
PY_CDH_NO	num(5)	PY_PAY_TITLE	char(20)
PY_CDH_NO	num(5)	PY_PAY_MISC_CD01***08	char(4)
PY_CDH_NO	num(5)	PY_PAY_REL_CD01***08	char(6)
PY_CDH_NO	num(5)	PY_PAY_VECT	char(32)
PY_CDH_NO	num(5)	PY_PAY_BEG	date
PY_CDH_NO	num(5)	PY_PAY_END	date
PY_CDH_NO	num(5)	PY_HR_M_EXT	char(2)
PY_CDH_NO	num(5)	PY_HR_D_EXT	char(2)
PY_CDH_NO	num(5)	CREATE_WHEN	date
PY_CDH_NO	num(5)	CREATE_WHO	char(12)
PY_CDH_NO	num(5)	UPDATE_WHEN	date
PY_CDH_NO	num(5)	UPDATE_WHO	char(12)





**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**PY\_JOB\_CD** char(10)  
 PY\_JOB\_TITLE char(30)  
 PY\_JOB\_FAMILY char(4)  
 PY\_JOB\_DS01\*\*\*2 char(60)  
 PY\_JOB\_SUPR\_Q char(2)  
 PY\_JOB\_EEOC\_CD char(4)  
 PY\_JOB\_WC\_CD char(8)  
 PY\_JOB\_FLSA\_Q char(2)  
 PY\_JOB\_SAL\_GRD char(8)  
 PY\_JOB\_TTL\_FTE num(10)  
 PY\_JOB\_MISC\_CD01\*\*\*04 char(4)  
 PY\_JOB\_MISC\_VAL01\*\*\*04 num(10)

**PY\_GRD\_CD** char(8)  
 PY\_GRD\_TITLE char(30)  
 PY\_GRD\_RANGE char(8)  
 PY\_GRD\_MISC\_CD01\*\*\*08 char(8)  
 PY\_GRD\_CLD\_CD char(8)  
 PY\_GRD\_BEG date  
 PY\_GRD\_END date  
 PY\_GRD\_BEG date  
 PY\_GRD\_END date  
 PY\_GRD\_M\_EXT char(2)  
 PY\_GRD\_M\_EXT char(2)  
 PY\_GRD\_D\_EXT char(2)  
 PY\_GRD\_D\_EXT char(2)

**PY\_CLD\_CD** char(8)  
 PY\_CLD\_DS char(30)  
 PY\_CLD\_BEG date  
 PY\_CLD\_END date  
 PY\_CLD\_M\_EXT char(2)  
 PY\_CLD\_M\_EXT char(2)  
 PY\_CLD\_D\_EXT char(2)  
 PY\_CLD\_D\_EXT char(2)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PY\_SCH\_CC** char(8)  
 PY\_SCH\_DESC char(30)  
 PY\_SCH\_VECT char(6)  
 PY\_SCH\_TC\_FLAG char(1)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)



**PY\_JOB\_CD** char(10)  
 PY\_POS\_CD char(10)  
 HR\_PE\_ID char(12)  
 PYP\_SUPR\_ID char(12)  
 PYP\_TYPE char(2)  
 PYP\_TTL\_FTE num(10)  
 PYP\_CLD\_CD char(8)  
 PYP\_GEN\_CD char(4)  
 PYP\_SHARE\_FLAG char(2)  
 PYP\_MISC\_CD01\*\*\*08 char(4)  
 PYP\_PAY\_BEG date  
 PYP\_PAY\_END date  
 PYP\_POS\_DESC char(30)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)


**PY\_GRD\_CD** char(8)  
 PYS\_SAL\_AMT01\*\*\*05 num(10)  
 PYS\_HRS\_RT num(10)  
 PYS\_BEG date  
 PYS\_END date  
 PY\_STP\_CC char(12)

**PY\_CLD\_CD** char(8)  
 PYC\_SCH\_CD char(6)  
 PYC\_MONTH01 \*\*\* 14 char(31)  
 PYC\_DAYS num(10)  
 PYC\_HRS\_WW num(10)  
 PYC\_HRS\_BW num(10)  
 PYC\_HRS\_SM num(10)  
 PYC\_HRS\_MM num(10)  
 PYC\_HRS\_DD num(10)  
 PYC\_HRS\_YY num(10)  
 PYC\_VECT char(32)  
 PYC\_BEG date  
 PYC\_END date  
 PYC\_YR char(4)  
 PYC\_OPEN char(8)  
 PYC\_OPEN\_NUM num(10)  
 CREATE\_WHEN date  
 CREATE\_WHO char(12)  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PY\_SCH\_CC** char(8)  
 PYS\_HRS\_NO num(5)  
 PYS\_PUNCH\_IN num(5)  
 PYS\_PUNCH\_OUT num(5)  
 PYS\_HRS num(10)  
 PYS\_SEQ\_NO char(2)  
 PYS\_HRS\_TYPE char(4)  
 PYS\_OPEN char(4)  
 CREATE\_WHEN date  
 UPDATE\_WHEN date  
 UPDATE\_WHO char(12)

**PY\_SSN** char(10)  
 PYD\_EMPEE\_ID char(12)  
 PYD\_EXTRACT\_DT date  
 PYD\_EMP\_MSTR01\*\*\*14 char(77)

**PY\_SSN** char(10)




**PY\_SSN** char(10)  
 PYC\_EMPEE\_ID char(12)  
 PYC\_EXTRACT\_DT date  
 PYC\_CONTRACT\_ID char(20)  
 PYC\_JOB\_CD char(10)  
 PYC\_JOB\_TP char(4)  
 PYC\_WAGE\_TP char(4)  
 PYC\_CD01\*\*\*05 char(8)  
 PYC\_STATUS01\*\*\*05 char(10)  
 PYC\_BEG\_DT01\*\*\*05 date  
 PYC\_END\_DT01\*\*\*05 date  
 PYC\_MONTHS01\*\*\*05 num(10)  
 PYC\_UNITS01\*\*\*05 num(10)  
 PYC\_FLAG01\*\*\*10 char(1)  
 PYC\_FLAG\_DT01\*\*\*10 date

**PY\_SSN** char(10)  
 PYR\_STATE char(2)  
 PYR\_FUNC\_ID char(2)  
 PYR\_EMPER\_CD char(12)  
 PYR\_BATCH\_ID char(16)  
 PYR\_REC\_ID char(4)  
 PYR\_EMPEE\_ID char(12)  
 PYR\_RPT\_CD char(4)  
 PYR\_RPT\_GROUP char(8)  
 PYR\_RPT\_DT date  
 PYR\_RPT\_FREQ char(4)  
 PYR\_AGENCY char(8)  
 PYR\_DEPT char(8)  
 PYR\_STAT char(6)  
 PYR\_STATUS\_DT date  
 PYR\_REASON char(8)  
 PYR\_CATEGORY char(8)  
 PYR\_DEMO\_CD char(2)  
 PYR\_DEMO\_REC\_NO char(2)  
 PYR\_WAGE\_CDH01\*\*\*16 num(5)  
 PYR\_WAGE\_PLAN01\*\*\*16 char(12)  
 PYR\_WAGE\_TP01\*\*\*16 char(4)  
 PYR\_WAGE\_CD01\*\*\*16 char(8)  
 PYR\_CRED\_IND01\*\*\*16 char(2)


PYR\_WAGE\_RATE01\*\*\*16 num(10)  
 PYR\_WAGE\_AMT01\*\*\*16 num(10)  
 PYR\_WAGE\_HRS01\*\*\*16 num(10)  
 PYR\_SRVC\_BEGIN01\*\*\*16 date  
 PYR\_SRVC\_END01\*\*\*16 date  
 PYR\_PERIOD01\*\*\*16 num(10)  
 PYR\_WAGE\_NC01\*\*\*16 num(10)  
 PYR\_WAGE\_RT01\*\*\*16 char(2)  
 PYR\_CD\_CDH01\*\*\*16 num(5)  
 PYR\_CD\_TYPE01\*\*\*16 char(4)  
 PYR\_CD\_CODE01\*\*\*16 char(8)  
 PYR\_CD\_RATE01\*\*\*16 num(10)  
 PYR\_CD\_AMT01\*\*\*16 num(10)  
 PYR\_O\_CODE01\*\*\*16 char(8)  
 PYR\_O\_RATE01\*\*\*16 num(10)  
 PYR\_O\_AMT01\*\*\*16 num(10)  
 PYR\_A\_SOURCE char(4)  
 PYR\_A\_DT date  
 PYR\_A\_STATUS char(2)  
 PYR\_A\_USER char(12)  
 PYR\_A\_JOB\_NO num(10)  
 PYR\_REMARKS01\*\*\*04 char(50)

**PY\_LOG\_MSTR\_KEY** char(4)

PY\_LOG\_FILE\_NO num(5)  
 PY\_LOG\_STRT\_DATE date  
 PY\_LOG\_ENTRIES num(10)



PY\_LOG\_KEY1 char(30)  
 PY\_LOG\_DATE date  
 PY\_LOG\_AUDIT char(20)  
 PY\_LOG\_USER\_ID char(12)  
 PY\_LOG\_PROG char(14)  
 PY\_LOG\_DSET char(16)  
 PY\_LOG\_TYPE char(2)  
 PY\_LOG\_CLS\_LEN num(5)  
 PY\_LOG\_NEW\_REC num(10)  
 PY\_LOG\_NEW\_FILE num(5)  
 PY\_LOG\_OLD\_REC num(10)  
 PY\_LOG\_OLD\_FILE num(5)



**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX

<b>HR_JOB_ID</b> char(10)	HR_JOB_SKIL_RQ01 *** 05
HR_JOB_TITLE char(30)	char(4)
HR_JOB_FAMILY char(4)	HR_JOB_SKIL_DS01 *** 02
HR_JOB_DESC01 *** 02	char(4)
	char(68)
<b>HR_ORG_ID</b> char(10)	HR_JOB_ED_RQ01 *** 05
HR_ORG_DEPT_NM char(30)	char(4)
	HR_JOB_ED_DS01 *** 02
	char(4)
<b>HR_ORG_SUPR_NM</b> char(30)	HR_JOB_WRK_COMP char(4)
	char(2)
	HR_JOB_REV_TP char(2)
	HR_JOB_REV_FQ char(2)
<b>HR_ORG_SUPR_TI</b> char(30)	HR_JOB_CREATE_DT char(2)
	HR_JOB_REV_DESC char(2)
	char(30)
<b>HR_ORG_EFF_DT</b> num(10)	HR_JOB_PREV_ID char(10)
HR_ORG_PARTS01 *** 08	HR_JOB_PREV_TI char(30)
	HR_JOB_PREV_GR char(4)
	HR_JOB_PREV_DT char(10)
<b>HR_ORG_RPTS_TO01</b> *** 05	HR_JOB_RCLS_DT num(10)
	HR_JOB_RCLS_RE char(30)
	HR_JOB_DEL_DT num(10)
<b>HR_ORG_UPDT_DT</b> num(10)	HR_JOB_DEL_RE char(20)
	HR_JOB_UPDT_DT num(10)
<b>HR_AUDIT</b> char(20)	HR_JOB_POINTS num(10)
	HR_AUDIT char(20)

<b>HR_GEN_ID</b> char(10)
HR_GEN_NAME char(24)
HR_GEN_FED_ID char(20)
HR_GEN_STATE_ID char(20)
HR_GEN_TYPE01 *** 10
char(2)
HR_GEN_TYPE_DSC01 *** 10
char(20)
HR_GEN_TYPE_SZ01 *** 10
num(10)
HR_GEN_ORG_LEV01 *** 08
char(12)
HR_GEN_Q_DESC01 *** 08
char(20)
HR_GEN_Q01 *** 08
char(20)
HR_GEN_V_DESC01 *** 08
char(20)
HR_GEN_V01 *** 08
char(20)
HR_GEN_HELP_CH char(2)
HR_GEN_UPDT_DT num(10)
HR_GEN_LOG_NO num(5)
HR_GEN_SYS_FLAG char(2)

<b>HR_PE_ID</b> char(12)
<b>HR_CL_ID</b> char(4)
HR_SEC_ID01 *** 80
char(6)
HR_SEC_CODE01 *** 80
char(1)
HR_SEC_USER_NO num(5)


<b>HR_CLAT_KEY</b> char(6)
HR_CLAT_INFO char(1560)

<b>HR_ATRD_CC</b> char(10)
HR_ATRD_DB char(8)
HR_ATRD_DB_GRP char(8)
HR_ATRD_DB_ACCT char(8)
HR_ATRD_DB_PASS char(8)
HR_ATRD_MDSET char(16)
HR_ATRD_MSIN char(16)
HR_ATRD_MSIV01 *** 04
char(8)
HR_ATRD_KSAM char(2)
HR_ATRD_KLOC num(5)
HR_ATRD_KREC num(5)
HR_ATRD_START num(5)
HR_ATRD_LEN num(5)
HR_ATRD_TYPE char(2)
HR_ATRD_DSET char(16)
HR_ATRD_DSIN char(16)
HR_ATRD_DDIR char(2)
HR_ATRD_DLEN num(5)
HR_ATRD_DREL char(2)
HR_ATRD_DSIV01 *** 04
char(8)
HR_ATRD_DUSE char(2)
HR_ATRD_DVAL char(6)


<b>HR_CD_ID</b> char(4)
<b>HR_AT_ID</b> char(6)
<b>HR_AT_VAL</b> char(10)
HR_CD_DESC char(30)

<b>HR_CL_ID</b> char(4)
<b>HR_AT_ID</b> char(6)
HR_AT_DESC char(24)
HR_AT_HELP01 *** 04
char(70)
HR_AT_TYPE char(2)
HR_AT_ORDER num(5)
HR_AT_FIELDS num(5)
HR_AT_IN_LEN num(5)
HR_AT_UPSHIFT_Q char(2)
HR_AT_JUSTIFY char(2)
HR_AT_VAL_Q char(2)
HR_AT_VAL_CLAT char(10)
HR_AT_ECHO_Q char(2)
HR_AT_ECHO_LEN num(5)
HR_AT_KEY_Q char(2)
HR_AT_DFLT_VAL char(10)
HR_AT_DRV_CLAT char(10)
HR_AT_REQ_Q01 *** 10
char(2)
HR_AT_TRNCDD_Q char(2)
HR_AT_TRAN_CD char(8)
HR_AT_LOG_Q char(2)
HR_AT_HEAD401 *** 03
char(4)
HR_AT_HEAD char(56)
HR_AT_START num(5)
HR_AT_LEN num(5)

<b>HR_CL_ID</b> char(4)
HR_CL_DESC char(28)
HR_CL_SORT_ATT char(6)
HR_CL_KEY_ATT char(6)
HR_CL_SEC_ATT char(6)
HR_CL_LOG_ATT char(6)
HR_CL_TYPE char(2)
HR_CL_LINK char(10)
HR_CL_KLINK_VAL char(2)
HR_CL_KLINK_ECHO char(6)
HR_CL_SEQ_NO num(5)
HR_CL_PER_FORM num(5)
HR_CL_MAX_ENTRY num(5)
HR_CL_NARR01 *** 04
char(70)
HR_CL_LEN num(5)



<b>HR_ORG_ID</b> char(10)
<b>HR_POS_NO</b> char(10)
HR_POS_DESC char(30)
HR_POS_TYPE char(2)
HR_POS_OPEN_DT num(10)
HR_POS_EFF_DT num(10)
HR_JOB_ID char(10)
HR_POS_FTE num(10)
HR_POS_DOLLARS num(10)
HR_POS_HRS_PER num(10)
HR_POS_FUND_BV01 *** 06
char(5)
HR_POS_FUND_PR01 *** 06
num(10)
HR_POS_REQ_DT num(10)
HR_POS_POST_DT num(10)
HR_POS_EX_FL_DT num(10)
HR_POS_FILLED_DT num(10)
HR_POS_WDRAW_DT num(10)
HR_POS_WDRAW_RE char(30)
HR_POS_DEL_DT num(10)
HR_POS_DEL_RE char(30)
HR_POS_UPDT_DT num(10)
HR_AUDIT char(20)



<b>HR_GEN_ID</b> char(10)
HR_KADR_TYPE char(30)
HR_KADR_NAME char(30)
HR_KADR_TITLE char(30)
HR_KADR_STREET char(36)
HR_KADR_CITY char(20)
HR_KADR_STATE char(2)
HR_KADR_ZIP char(10)
HR_KADR_PH_CC char(14)
HR_KADR_NOTE char(38)

<b>HR_GEN_ID</b> char(10)
HR_GEN_CL_TYPE char(2)
HR_GEN_CL_ORD01 *** 40
char(4)

<b>HR_LOG_KEY</b> char(20)
<b>HR_CL_ID</b> char(4)
<b>HR_SEQ_NO</b> char(6)
HR_LOG_ID char(20)
HR_LOG_CHANGE_DT num(5)
HR_LOG_USER_ID char(12)
HR_LOG_TYPE01 char(1)
HR_LOG_ATT_MAP01 *** 08
num(5)
HR_LOG_FILE_NO num(5)
HR_LOG_REC_PTR num(10)
HR_LOG_EFF_DT char(8)

<b>HR_CL_ID</b> char(4)
<b>HR_KEY_VAL</b> char(12)
<b>HR_KEY_SORT</b> char(8)
HR_KEY_REC char(1000)
HR_KEY_UPDT_DT num(10)
HR_AUDIT char(20)

<b>HR_PE_ID</b> char(12)
<b>HR_CL_ID</b> char(4)
<b>HR_AT_ID</b> char(6)
<b>HR_AT_VALUE</b> char(12)
<b>HR_ALL</b> char(12)
HR_SEARCH_COUNT num(5)



<b>HR_CL_ID</b> char(4)
<b>HR_AT_ID</b> char(6)
<b>HR_AT_VAL</b> char(10)
HR_CD_VAL char(10)

<b>HR_CL_ID</b> char(4)
<b>HR_AT_ID</b> char(6)
<b>HR_AT_AL_ORD</b> char(4)

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX






**RCD\_ID** char(20)  
**RCT\_CATEGORY** char(20)  
**RCD\_DESC** char(50)  
**RCD\_AUTO** char(1)  
**RCD\_STATUS** char(1)  
**RCD\_PC** char(4)  
**RCD\_SC** char(8)  
**RCD\_TC** char(12)  
**RCD\_START\_DT** date  
**RCD\_END\_DT** date  
**RCD\_GL\_GR** char(2)  
**RCD\_JL\_GR** char(2)  
**RCD\_LAST\_RUN\_DT** date  
**RCD\_LAST\_STATUS** char(1)  
**RCD\_MISC01 \*\*\* 20** char(1)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date



**RCD\_ID** char(20)  
**RCD\_SEQ\_NO** num(5)  
**RCD\_TABLE** varchar(255)  
**RCD\_COLUMN** varchar(255)  
**RCD\_PROP\_DESC** varchar(255)  
**RCD\_SELECTCODE** char(1)  
**RCD\_TABLE\_DESC** varchar(255)  
**RCD\_NAME** char(20)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date



**RCT\_CATEGORY** char(20)  
**RCT\_TABLE\_NAME** varchar(255)  
**RCT\_DESC** varchar(255)  
**RCT\_DT\_COLUMN** varchar(255)  
**RCT\_IO\_FLAG** char(1)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date



**RCT\_CATEGORY** char(20)  
**RCT\_FROM\_TABLE** varchar(255)  
**RCT\_TO\_TABLE** varchar(255)  
**RCT\_FROM\_COLUMN** varchar(255)  
**RCT\_TO\_COLUMN** varchar(255)  
**RCT\_SEQ\_NO** num(5)  
**RCT\_DESC** varchar(255)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date



**RCT\_CATEGORY** char(20)  
**RCT\_FROM\_TABLE** varchar(255)  
**RCT\_FROM\_COLUMN** varchar(255)  
**RCT\_ASSOC\_CD** char(12)  
**RCT\_DESC** varchar(255)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date

**RCS\_ID** char(20)  
**RCD\_ID** char(20)  
**RCS\_STEP\_NO** num(5)  
**RCS\_DESC** char(50)  
**RCS\_DT\_TABLE** varchar(255)  
**RCS\_DT\_COLUMN** varchar(255)  
**RCS\_START\_DT** date  
**RCS\_END\_DT** date  
**RCS\_SYM\_START\_DT** date  
**RCS\_SYM\_END\_DT** date  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date





**RCC\_NAME** char(20)  
**RCS\_ID** char(20)  
**RCD\_ID** char(20)  
**RCC\_SEQ\_NO** num(5)  
**RCC\_EXPRESSION** varchar(2047)  
**RCC\_VALID** char(1)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date

**RCD\_ID** char(20)  
**RCD\_ID** char(20)  
**RCS\_ID** char(20)  
**RCT\_CATEGORY** char(20)  
**RCD\_DESC** char(50)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date




**RCD\_ID** char(20)  
**RCD\_ID** char(20)  
**RCT\_TO\_TABLE** varchar(255)  
**RCT\_TO\_COLUMN** varchar(255)  
**RCT\_FROM\_TABLE** varchar(255)  
**RCT\_FROM\_COLUMN** varchar(255)  
**RCO\_LITERAL** varchar(255)  
**RCO\_SEQ\_NO** num(5)  
**RCO\_PROP\_DESC** varchar(255)  
**RCO\_SELECTCODE** char(1)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date

**RC\_GR** char(2)  
**RC\_CODE\_ID** char(12)  
**RC\_CODE\_VAL** char(16)  
**RC\_DESC** varchar(255)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date



**RCS\_ID** char(20)  
**RCD\_ID** char(20)  
**RCF\_SEQ\_NO** num(5)  
**RCF\_TABLE** varchar(255)  
**RCF\_COLUMN** varchar(255)  
**RCF\_RELATIONAL\_OP** char(12)  
**RCF\_LOGICAL\_OP** char(4)  
**RCF\_VALUE** varchar(255)  
**RCF\_OPEN\_PAREN** char(8)  
**RCF\_CLOSE\_PAREN** char(8)  
**RCF\_PRI\_NO** num(5)  
**RCF\_ID\_PREVIOUS** char(20)  
**CREATE\_WHO** char(12)  
**CREATE\_WHEN** date  
**UPDATE\_WHO** char(12)  
**UPDATE\_WHEN** date

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*




**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

<b>US_NO</b>	<b>num(5)</b>	US_FP_PRINTERS01 *** 5	char(8)
US_ID	char(12)	US_FP_PRINT_PRI01 *** 5	char(8)
US_NAME	char(30)	US_FP_DEF_PRI	num(5)
US_NAME_U	char(30)	US_DESC	char(30)
US_DESC	char(30)	US_MPE_CMND01 *** 5	char(10)
US_LOC_CD	char(8)	US_JOB_CLASS01 *** 2	char(8)
US_MGR_CD	char(8)	US_DB_CLASS01 *** 2	char(8)
US_HRS_CD	char(8)	US_LAST_JOB_DT	date
US_PW	char(16)	US_LOG_FLAG	char(2)
US_PW_EXP_LEN	num(5)	US_LOG_DAYS	num(5)
US_PW_DT	date	US_MISC_FLAGS01 *** 20	char(2)
US_TERM_CD	char(8)	US_EMP_ID	char(12)
US_PW_TIMEOUT	num(5)	US_WF_ENABLE	char(2)
US_TIMEOUT	num(5)	US_PW_FMT	char(2)
US_EMAIL	char(60)	US_STATUS	char(2)
US_LDEV01 *** 10	num(5)	US_CERT	char(40)
US_MAX_JOB_PRI	char(2)	US_CERT_FMT	char(4)
US_LP_PRINTERS01 *** 5	char(8)	US_PWHEX	char(32)
US_LP_PRINT_PRI01 *** 5	num(5)		
US_LP_DEF_PRI	char(8)		


<b>NU_JOB_NO</b>	<b>num(10)</b>	NUJ_END_DT	date
FE_ID	char(12)	NUJ_CPU	num(10)
<b>US_NO</b>	<b>num(5)</b>	NUJ_PROGRESS	char(64)
US_ID	char(12)	NUJ_PROGRESS_DT	date
NUJ_TYPE	char(16)	US_JLOG_FORM	char(12)
NUJ_MASK	char(30)	NUJ_START_CK_ID	char(2)
NUJ_STATUS	char(2)	NUJ_START_CK_NO	char(2)
NUJ_DESC	char(64)	NUJ_END_CK_ID	char(2)
NUJ_PAGE	num(10)	NUJ_END_CK_NO	char(2)
NUJ_URL	char(64)	NUJ_LOG_FLAG	char(1)
STERM_STRG_TYPE	char(16)	NUJ_DOC_FLAG	char(1)
STERM_STRG_INFO	char(256)	NUJ_DOC_ID	num(10)
LTERM_STRG_TYPE	char(16)	NUJ_WF_FLAG	char(1)
LTERM_STRG_INFO	char(256)	NUJ_WF_MODEL_ID	char(16)
NUJ_BATCH_FILE	char(256)	NUJ_WF_MODEL_VER	num(10)
NUJ_POST_DT	date	NUJ_WF_INSTANCE	char(36)
NUJ_CHECK_DT	date	NUJ_MISC_KEY	char(36)
NUJ_MPE	num(10)	CREATE_WHEN	date
NUJ_START_DT	date	UPDATE_WHO	char(12)
		UPDATE_WHEN	date
		UPDATE_WHO	char(12)

<b>EL_ID</b>	<b>varchar(128)</b>
EL_TYPE	char(16)
EL_SEC_CD	char(8)
EL_GR	char(2)
EL_TABLE	char(128)
EL_SQL	varchar(2500)
EL_EXP_DT	date
CREATE_WHO	char(12)
CREATE_WHEN	date
UPDATE_WHO	char(12)
UPDATE_WHEN	date




**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


**GROUP\_ID** char(12)  
 GROUP\_GR char(2)  
 GROUP\_KEY char(10)  
 CASH\_OBJECT char(8)  
 TRANSFER\_OBJECT char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**GROUP\_ID** char(12)  
**EVENT\_CD** char(8)  
 EVENT\_DESC char(30)  
 EVENT\_STATUS char(1)  
 EVENT\_GR char(2)  
 EVENT\_OBJECT char(8)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**DEPOSIT\_UID** char(36)  
 GROUP\_ID char(12)  
 DEPOSIT\_REF char(16)  
 DEPOSIT\_STATUS char(2)  
 CASH\_COIN num(10,2)  
 CASH\_ONES num(10)  
 CASH\_FIVES num(10)  
 CASH\_TENS num(10)  
 CASH\_TWENTIES num(10)  
 CASH\_FIFTIES num(10)  
 CASH\_HUNDREDS num(10)  
 CASH\_AMT num(20,2)  
 CHECK\_AMT num(20,2)  
 OTHER\_AMT num(20,2)  
 USER\_TOTAL num(20,2)  
 SET\_ID char(16)  
 DEPOSIT\_NO char(10)  
 BANK\_ID char(2)  
 DEPOSIT\_DT date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**CHECK\_UID** char(36)  
 GROUP\_ID char(12)  
 CHECK\_REF char(16)  
 CHECK\_STATUS char(2)  
 REQUESTED\_BY char(30)  
 REQUESTED\_DT date  
 CHECK\_NO char(8)  
 VENDOR\_ID char(12)  
 VENDOR\_NAME varchar(50)  
 VENDOR\_ADDR1 varchar(50)  
 VENDOR\_ADDR2 varchar(50)  
 VENDOR\_ADDR3 varchar(50)  
 VENDOR\_ADDR4 varchar(50)  
 VENDOR\_CITY varchar(30)  
 VENDOR\_STATE char(2)  
 VENDOR\_ZIP varchar(20)  
 VENDOR\_COUNTRY char(4)  
 SET\_ID char(16)  
 VENDOR\_PEDB char(2)  
 VENDOR\_ADDR\_CD char(2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**XFER\_UID** char(36)  
 GROUP\_ID char(12)  
 XFER\_REF char(16)  
 XFER\_STATUS char(2)  
 REQUESTED\_BY char(30)  
 REQUESTED\_DT date  
 TO\_GROUP\_ID char(12)  
 TO\_GROUP\_AMT num(20,2)  
 TO\_GROUP\_DESC char(30)  
 SET\_ID char(16)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**ITEM\_UID** char(36)



**ITEM\_UID** char(36)  
 GROUP\_ID char(12)  
 EVENT\_CD char(8)  
 STUDENT\_ID char(12)  
 STUDENT\_NAME char(30)  
 ITEM\_DT date  
 ITEM\_DESC char(30)  
 ITEM\_QTY num(10)  
 ITEM\_AMT num(20,2)  
 ITEM\_COMMENTS varchar(250)  
 ITEM\_STATUS char(1)  
 STUDENT\_PEDB char(1)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**ITEM\_UID** char(36)  
 SOLD\_DT date  
 SOLD\_QTY num(10)  
 SOLD\_CASH num(20,2)  
 SOLD\_CHECK num(20,2)  
 SOLD\_OTHER num(20,2)  
 SOLD\_COMMENTS varchar(250)  
 DEPOSIT\_REF char(16)  
 SOLD\_UID char(36)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**ITEM\_UID** char(36)  
 RET\_DT date  
 RET\_QTY num(10)  
 RET\_COMMENTS varchar(250)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**DEPOSIT\_UID** char(36)  
 DEPOSIT\_DT date  
 DEPOSIT\_AMT num(20,2)  
 PAY\_TYPE char(2)  
 PAY\_REF char(16)  
 DEPOSIT\_GR char(2)  
 DEPOSIT\_OBJECT char(8)  
 DEPOSIT\_DESC char(30)  
 SOLD\_UID char(12)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**CHECK\_UID** char(36)  
 ITEM\_GR char(2)  
 ITEM\_OBJECT char(8)  
 ITEM\_DESC char(30)  
 ITEM\_INVOICE char(16)  
 ITEM\_RESALE num(20,2)  
 ITEM\_AMT num(20,2)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**CHECK\_UID** char(36)  
 TEXT\_SEQ char(4)  
 TEXT\_VALUE char(80)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**XFER\_UID** char(36)  
 ITEM\_AMT num(20,2)  
 ITEM\_TYPE char(2)  
 ITEM\_GR char(2)  
 ITEM\_FROM\_OBJECT char(8)  
 ITEM\_TO\_OBJECT char(8)  
 ITEM\_DESC char(30)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


bsi_cdd_ tableref		bsi_sec_ _views		bsi_seeds		bsi_sys_ _blob		bsi_table_ _def		bsi_column_ _def		bsi_rpt_def		bsi_macro_ _def		bsi_sec_ folder_obj	
DBNO	num(10)	DBNO	num(10)	CATEGORY	char(30)	DBNO	num(10)	DBNO	num(10)	DBNO	num(10)	DBNO	num(10)	DBNO	num(10)	DBNO	num(10)
NAME	char(64)	USER_ID	char(30)	SEEDVALUE	num(10)	NAME	char(64)	TABLENO	num(10)	TABLENO	num(10)	DESCRIPTION	varchar(255)	DESCRIPTION	varchar(255)	OBJ_NO	num(10)
TYPE	char(20)	TABLE_NAME	char(30)			CATEGORY	char(64)	DICT_TABLE_NAME	char(64)	COLUMNNO	num(100)	RPT_ID	char(64)	MACRO_ID	char(64)	OBJ_TYPE	num(10)
ITEM	char(64)	VIEW_NAME	char(30)			QUALIFIER_1	char(64)			DICT_TABLE_NAME	char(64)	QU_ID	char(64)	READ_STATUS	char(2)	OBJ_NAME	char(80)
		AS_OF	date			APP	char(8)	DESCRIPTION	varchar(255)			FOLDER	num(10)			FOLDER	char(36)
						AS_OF	date	TYPE	char(2)	DICT_COL_NAME	char(30)	READ_STATUS	char(2)				
						DATA	long raw	CLASS	char(2)	COLUMN_NAME	char(30)	SELCRI_COUNT	num(10)				
						VERSIONABLE	num(10)	TABLE_NAME	char(64)	TABLE_ALIAS	char(30)						
								FOLDER	num(10)	DESCRIPTION	varchar(255)						
								READ_STATUS	char(2)	ALIAS	varchar(255)						
										DEFAULT_MASK	char(30)						
										DISPLAY_LEN	num(10)						
										DICT_TYPE	char(20)						
										PRECISION	num(10)						
										SCALE	num(10)						
										MINLEN	num(10)						
										MAXLEN	num(10)						
										ODBC_DATA_TYPE	num(10)						
										AUTO_INCREMENT	num(10)						
										CASE_SENSITIVE	num(10)						
										DISPLAY_SIZE	num(10)						
										COLUMN_MONEY	num(10)						
										COLUMN_NULLABLE	num(10)						
										COL_TYPE	num(10)						
										FROM_COLUMNNO	num(10)						
										BACK_COLOR	num(10)						
										TEXT_COLOR	num(10)						
										HEADING	num(10)						
										SELECTABLE	varchar(255)						
										MULTILINE	num(10)						
										FONT_EFFECTS	num(10)						
										DEFAULT_JUSTIFY	num(10)						

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX




**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX


**SIG\_GEN\_KEY** char(2)  
 SIG\_FLAGS01 ... 10 char(2)  
 SIG\_CD01 ... 12 char(2)  
 SIG\_CALC01 ... 8 char(30)  
 SIG\_SUB\_COUNT num(5)




**SI\_FORMAT\_GR** char(2)  
**SI\_FORMAT\_ID** char(2)  
 SI\_FORMAT\_DESC char(30)  
 SI\_NUM\_DETAIL num(5)  
 SI\_PICK\_TICKET char(2)  
 SI\_CONT\_FORMAT char(2)  
 SI\_ITEM\_NO char(744)  
 SI\_LINE char(744)  
 SI\_START char(744)  
 SI\_LEN char(744)




**SIU\_USER\_ID** char(8)  
 SIU\_FLAGS01 ... 10 char(1)  
 SIU\_SEC\_CC01 ... 48 char(6)  
 SIU\_APRV\_CC01 ... 48 char(8)




**SIS\_SEC\_CD** char(4)  
 SIS\_SEC\_DESC char(30)  
 SIS\_HIER\_FLAG char(2)  
 SIS\_APR\_CLASSES01 ... 10 char(8)




**SI\_YEAR\_ID** char(8)  
**SI\_PE\_ID** char(12)  
 SI\_PRI\_ROUTE\_ID char(4)  
 SI\_SEC\_ROUTE\_ID char(4)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date




**SI\_YEAR\_ID** char(8)  
 SI\_YEAR\_DESC char(30)  
 SI\_ACTIVE\_FLAG char(2)  
 SI\_YEAR\_START\_DT date  
 SI\_YEAR\_END\_DT date  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date




**SI\_YEAR\_ID** char(8)  
**SI\_ROUTE\_ID** char(4)  
 SI\_ROUTE\_DESC char(30)  
 SI\_ACTIVE\_FLAG char(2)  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date




**SI\_YEAR\_ID** char(8)  
**SI\_ROUTE\_ID** char(4)  
 SI\_PICK\_DT date  
 SI\_DELIV\_DT date  
 CREATE\_WHO char(8)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(8)  
 UPDATE\_WHEN date



**SIB\_BATCH\_ID** char(16)  
 SIB\_USER\_TOTAL num(20,2)  
 SIB\_CREATE\_USER char(8)  
 SIB\_CREATE\_DATE date  
 SIB\_UPDATE\_USER char(8)  
 SIB\_UPDATE\_DATE date  
 SIB\_BATCH\_TYPE char(2)  
 SIB\_POST\_STATE char(2)  
 SIB\_JOB\_NO num(10)




**SIR\_BATCH\_ID** char(16)  
 SIR\_REC\_NO num(5)  
 SIR\_PE\_ID char(12)  
 SIR\_REF char(16)  
 SIR\_DIV char(4)  
 SIR\_GL\_GR char(2)  
 SIR\_GL\_KEY char(10)  
 SIR\_GL\_OBJ char(8)  
 SIR\_JL\_GR char(2)  
 SIR\_JL\_KEY char(10)  
 SIR\_JL\_OBJ char(8)  
 SIR\_WO char(12)  
 SIR\_SEC\_REF char(16)  
 SIR\_DIST\_AMT num(20,2)  
 SIR\_DISC\_TERMS num(5,4)  
 SIR\_DISC\_AMT num(20,2)  
 SIR\_TAX\_CD char(4)  
 SIR\_TAX\_AMT num(20,2)  
 SIR\_TAX\_CD2 char(4)  
 SIR\_TAX\_AMT2 num(20,2)  
 SIR\_CHARGE\_CD char(4)  
 SIR\_CHARGE\_AMT num(20,2)  
 SIR\_DUTY\_CD char(4)  
 SIR\_DUTY\_AMT num(20,2)  
 SIR\_REF\_AMT num(20,2)  
 SIR\_RETAIL\_AMT num(20,2)  
 SIR\_DESC char(30)  
 SIR\_MISC char(4)  
 SIR\_REL\_ONE char(2)  
 SIR\_REL\_TWO char(2)  
 SIR\_DUE\_DT date  
 SIR\_RCVD\_DT date  
 SIR\_AUTH\_DT date  
 SIR\_POST\_CD char(2)  
 SIR\_TRNS\_FORMAT char(2)  
 SIR\_STATUS char(2)  
 SIR\_JOB\_NO num(9,10)  
 SIR\_PE\_ADDR\_CD char(2)  
 SIR\_PREP\_ID char(8)  
 SIR\_PROD\_ID char(16)  
 SIR\_UNITS num(20,5)




SIR\_UNIT\_PRICE num(20,5)  
 SIR\_MSUR char(8)  
 SIR\_ENCB\_PART char(2)  
 SIR\_ENCB\_PO char(8)  
 SIR\_PR\_NO char(8)  
 SIR\_PR\_ITEM char(4)  
 SIR\_CHECK\_ID char(2)  
 SIR\_CHECK\_NO char(8)  
 SIR\_CK\_DT date  
 SIR\_CK\_JOB num(10)  
 SIR\_FORMER\_ID char(2)  
 SIR\_FORMER\_NO char(8)  
 SIR\_SEP\_CHECK char(2)  
 SIR\_REFUND\_TYPE char(2)  
 SIR\_SEQ\_NO num(5)  
 SIR\_VEND\_ACCT char(16)  
 SIR\_BID char(16)  
 SIR\_CONTRACT char(16)  
 SIR\_POST\_DT date  
 SIR\_REF\_DT date  
 SIR\_PE\_NAME char(30)  
 SIR\_PE\_NAME\_U char(30)  
 SIR\_PEDB\_CD char(2)  
 SIR\_SEC\_CD char(4)  
 SIR\_PO\_TYPE char(2)  
 SIR\_PAY\_TYPE char(2)  
 SIR\_CLAIM\_NO num(10)  
 SIR\_CHECK\_TYPE char(2)  
 SIR\_WAREHOUSE char(4)  
 SIR\_IMAGE\_REC num(10)  
 SIR\_DATA\_KEY num(10)  
 SIR\_CALC\_FLAG char(2)  
 SIR\_MSG char(20)  
 SIR\_SORT char(30)  
 SIR\_CATALOG char(16)  
 SIR\_POI\_QTY num(20,3)  
 SIR\_EXPLODE char(2)  
 SIR\_SORT\_FIELD char(32)  
 SIR\_UNDO\_JOB\_NO num(10)  
 SIR\_FORM\_NAME char(16)  
 SIR\_DELETE\_FLAG num(5)


**SIP\_BATCH\_ID** char(16)  
 SIP\_REC\_NO num(5)  
 SIP\_PROD\_ID char(16)  
 SIP\_COUNT num(10)  
 SIP\_IN\_STOCK num(10)  
 SIP\_WHSE char(4)  
 SIP\_FLOOR char(2)  
 SIP\_ROW char(6)  
 SIP\_SHELF char(4)  
 SIP\_BIN char(10)  
 SIP\_REF\_DT date  
 SIP\_DESC char(24)  
 SIP\_POST\_CD char(2)  
 SIP\_USER\_ID char(12)  
 SIP\_FORM\_NAME char(16)  
 SIP\_DELETE\_FLAG num(5)



**SI\_CLASS\_CD** char(8)  
 SI\_CLASS\_DESC char(30)



**SI\_CLASS\_CD** char(8)  
 SIC\_APRV\_CD char(4)  
 SIC\_DOL\_START num(10,2)  
 SIC\_DOL\_END num(10,2)  
 SIC\_OR\_TYPE char(2)  
 SIC\_GL\_SIDE char(2)  
 SIC\_ADD\_QUAL char(30)  
 SIC\_SORT\_NO char(2)








**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX



<b>SEQ_NO</b>	<b>num(5)</b>
GLOB_ORDER	num(5)
GLOB_RUNID	char(12)
NOTES	char(156)
SEQ_DESC	char(66)
SQL_ACTION	char(11)
ST_STMT	char(234)
ST_STMT2	char(234)
ST_STMT3	char(234)
ST_STMT4	char(234)
SQL_CLUSTR	char(8)

JOBCODE	char(4)
REASON	char(2)
CREATE_WHEN	date
CREATE_WHO	char(8)
UPDATE_WHEN	date
UPDATE_WHO	char(8)



ENTITY_ID	char(4)
IMPORTSITE	char(9)
IFASLOC	char(8)











ENTITY_ID	char(4)
BLANKME	char(7)
IFAS_ID	char(12)
IMPORT_ID	char(12)

ACCOUNT	char(4)
GL_LEDGER	char(2)
GL_KEY	char(10)
GL_OBJ	char(8)
JL_LEDGER	char(2)
JL_KEY	char(10)
JL_OBJ	char(8)
UNIQUEID	char(36)
PERCENT	num(8)

ENTITY_ID	char(4)
ABSENCE_DT	date
ERRCOMMENT	char(71)
EXPORTDATE	date
FILENAME	char(12)
ID	char(12)
JOB_ID	char(9)
REASON	char(6)
SITE	char(9)
SUB_ID	char(12)
POSITION	char(31)

ENTITY_ID	char(4)
ABS_OR_SUB	char(1)
DEPARTMENT	char(8)
MISC1 *** 2	char(33)
OUT_ASSGN	char(2)
OUT_CLASS	char(3)
OUT_POS	char(10)
OUT_POSEND	char(10)
OUT_REASON	char(2)
OUT_RT	char(2)
POSBEG	char(31)
POSEND	char(31)
RECORDFMT	char(1)
SLRYTBSTEP	char(2)
WHOSEREC	char(3)
RULEORDER	num(5)
MISC3	char(19)
MISC4	char(19)
GENMISC1	char(33)
GENMISC2	char(33)

REASONCODE	char(6)
REASONDESC	char(30)



ENTITY_ID	char(4)
ABS_CDH	num(5)
ABS_IFASID	char(12)
ABS_IMPTID	char(12)
ABS_MISC1 *** 3	char(19)
ABS_PAYCLS	num(5)
ABS_POS	char(10)
ABS_PY_OVD	char(1)
ABS_RATE	num(18,5)
ABS_RECTPE	char(2)
ABS_RT_OVD	char(1)
ABS_STATUS	char(2)
ABS_STEP	char(4)
ABS_TC_YN	char(1)
ABS_TTLHRS	num(18,5)
ABS_VW_ALL	char(1)
ABSENCE_DT	date
ACCT	char(43)
CREATE_DT	date
INPUT_BTCH	char(12)
JOB_ID	char(9)
NOTES	char(70)
POSITION	char(31)
PY_PERIOD	char(7)
PY_PERIOD2	char(7)

REASON	char(6)
REASONDESC	char(30)
SITE	char(9)
SUB_CDH	num(5)
SUB_ID	char(12)
SUB_IFASID	char(12)
SUB_IMPTID	char(12)
SUB_MISC1 *** 3	char(19)
SUB_PAYCLS	num(5)
SUB_POS	char(10)
SUB_PY_OVD	char(1)
SUB_RATE	num(18,5)
SUB_RECTPE	char(2)
SUB_RT_OVD	char(1)
SUB_STATUS	char(2)
SUB_STEP	char(4)
SUB_TC_YN	char(1)
SUB_TTLHRS	num(18,5)
SUB_VW_ALL	char(1)
TC_BATCH	char(12)
TC_BATCH2	char(12)
TC_YN	char(1)
VW_ATTEND1	char(1)
ABS_PAY	num(18,2)
SUB_PAY	num(18,2)

ENTITY_ID	char(4)
ABS_OR_SUB	char(1)
ABSENCE_DT	date
ACCOUNT	char(40)
CREATE_DT	date
DISP_ATND1	char(1)
GL_LEDGER	char(2)
GL_KEY	char(10)
GL_OBJ	char(8)
INPUT_BTCH	char(12)
JL_LEDGER	char(2)
JL_KEY	char(10)
JL_OBJ	char(8)
JOB_ID	char(9)
RECORDFROM	char(8)
U_ID	char(36)
AMOUNT	num(10,2)
HOURS	num(10,5)
PERCENT	num(10,3)

ENTITY_ID	char(4)
ABSID	char(60)
ACTION	char(12)
ASOFDATE	date
DATE1	date
DATE2	date
EMPLOYEES	num(5)
ERRORCNT	num(5)
ERRORFILE	char(8)
ERRPRINTER	char(8)
FILENAME	char(12)
PERIOD	char(7)
REASON	char(6)
RECSDELETE	num(5)
RECSINSERT	num(5)
RECSREAD	num(5)
RECSUPDATE	num(5)
RUNBY	char(8)
RUNDATE	date
RUNNOTES	char(40)
SITE	char(40)
SUBID	char(70)
SUBCNT	num(5)
CREATE_WHEN	date
CREATE_WHO	char(8)
UPDATE_WHEN	date
UPDATE_WHO	char(8)

ENTITY_ID	char(4)
ABSENCE_DT	date
ABS_HOURS	num(18,5)
ABS_ID	char(12)
ABS_MISC1 *** 10	char(33)
ABS_RATE	num(18,5)
ACCOUNT	char(45)
DATASOURCE	char(8)
EXPORTBEG	date
EXPORTDATE	date
EXPORTTIME	char(8)
FILENAME	char(12)
JOB_ID	char(9)
POSITION	char(31)
REASON	char(6)
REASONDESC	char(30)
SITE	char(9)
SUB_HOURS	num(18,5)
SUB_ID	char(12)
SUB_MISC1 *** 10	char(33)
SUB_PAY	num(18,2)
SUB_RATE	num(18,5)

ENTITY_ID	char(4)
ABS_BARG	char(8)
ABS_EMP_TP	char(4)
ABS_OR_SUB	char(1)
ACCOUNT	char(43)
HIGHHOURS	num(18,5)
HRS_MISC1 *** 7	char(4)
LOCATION	char(8)
LOWHOURS	num(18,5)
MISC1	char(33)
MISC2	char(33)
OVRHOURS	num(18,5)
OVRPAY	num(18,5)
OVRRATE	num(18,5)
PLUSMINUS	char(1)
POSITION	char(31)
REASON_CD	char(6)
RECORDFMT	char(1)
SITE	char(9)
SUB_BARG	char(8)
SUB_EMP_TP	char(4)
GENMISC1	char(33)
GENMISC2	char(33)
RULEORDER	num(5)

ENTITY_ID	char(4)
REASON_CD	char(6)
ABS_BARG	char(8)
ABS_EMP_TP	char(4)
ABS_OR_SUB	char(1)
ACCOUNT	char(43)
BEGINDT	date
CDH	num(5)
ENDDT	date
LOCATION	char(8)
MISC1	char(33)
MISC2	char(33)
POSITION	char(31)
SITE	char(9)
SUB_BARG	char(8)
SUB_EMP_TP	char(4)
TC_YN	char(1)
RECORDFMT	char(1)
GENMISC1	char(33)
GENMISC2	char(33)
RULEORDER	num(5)

REASON	char(2)
GL_LGR	char(2)
INPUT_ACCT	char(28)
JL_LGR	char(2)
JOBCODE	char(4)
LOCATION	char(3)

REASON_CD	char(6)
ENTITY_ID	char(4)
ABS_OR_SUB	char(1)
ACCOUNT	char(43)
BARG_UNIT	char(8)
CDH	num(5)
GL_LEDGER	char(2)
GLKEY	char(10)
GLOBJ	char(8)
JL_LEDGER	char(2)
JLKEY	char(10)
JLJOB	char(8)
MISC3	char(19)
PERCENT	num(5)
SITE	char(9)
MISC1	char(33)
MISC2	char(33)
POSITION	char(31)
ASSG_STAT	char(2)
CALCASOFTD	date

CODEVALUE	char(5)
DEPARTMENT	char(8)
EMPPPOSN	char(10)
PAY_ASOFDT	date
PAYCLASS	char(3)
REAS_CD	char(2)
REC_TYPE	char(2)
RECORDFMT	char(1)
UIDFLAG	char(1)
UNIQUEID	char(36)
VIEW_DIST	char(1)
ETYPE	char(4)
RULEORDER	num(5)
GENMISC1	char(33)
GENMISC2	char(33)
NOTPAYCLAS	char(1)
CREATE_WHEN	date
CREATE_WHO	char(8)
UPDATE_WHEN	date
UPDATE_WHO	char(8)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

**US\_ROLE\_ID** char(16)  
 US\_ROLE\_TITLE char(30)  
 US\_NEED\_CONV char(2)  
 US\_RR\_ENABLE char(2)  
 US\_WF\_ENABLE char(2)  
 US\_BASE\_ROLE\_ID char(32)  
 US\_DERIVE\_ID char(16)  
 US\_DESIGNER\_ID char(36)  
 US\_LAST\_REBUILD date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**US\_SO\_ID** char(64)  
 US\_SO\_DESC varchar(70)  
 US\_SO\_OWNER char(8)  
 US\_SO\_PARENT\_ID char(36)  
 US\_SO\_STATUS char(2)

**OUTPUT\_ID** num(10)  
 OUTPUT\_TYPE char(32)  
 OUTPUT\_DESC char(64)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date

**USER\_ID** char(12)  
**US\_SO\_ID** char(64)  
**US\_ACCESS\_TYPE** char(2)  
**US\_STATUS** char(2)  
**US\_SEQUENCE** char(2)  
 US\_ACCESS char(2)  
 US\_ACCESS\_EXT varchar(4000)  
 US\_AS\_OF date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**SOURCE\_TABLE** varchar(128)  
 LOG\_TABLE varchar(128)  
 LOG\_PROCEDURE varchar(128)  
 INSERT\_TRIGGER varchar(128)  
 UPDATE\_TRIGGER varchar(128)  
 DELETE\_TRIGGER varchar(128)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 INSERT\_EVENT num(5)  
 UPDATE\_EVENT num(5)  
 DELETE\_EVENT num(5)  
 LOG\_STATUS num(5)  
 LOG\_METHOD num(5)

**CACHE\_ID** char(32)  
**SUB\_GROUP** char(32)  
 CACHE\_TYPE char(12)  
 CACHE\_STATUS char(2)  
 CACHE\_BY\_SECURITY char(1)  
 CACHE\_POLICY char(1)  
 TIME\_TO\_LIVE num(10)  
 READ\_ATTEMPTS num(10)  
 READ\_HITS num(10)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**US\_ROLE\_ID** char(16)  
 US\_NO num(5)  
 US\_WF\_ENABLE char(2)  
 US\_RR\_PRI num(5)  
 US\_START\_DT date  
 US\_END\_DT date  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date

**US\_ROLE\_ID** char(16)  
**US\_SO\_ID** char(64)  
 US\_SO\_ACCESS\_R char(1)  
 US\_SO\_ACCESS\_W char(1)  
 US\_SO\_ACCESS\_U char(1)  
 US\_SO\_ACCESS\_D char(1)  
 US\_SO\_ACCESS\_X char(1)  
 US\_SO\_ACCESS\_EXT long

**OUTPUT\_ID** num(10)  
 SORT\_NO num(10)  
 OUTPUT varchar(1000)

**NAME** char(64)  
 CATEGORY char(64)  
 CODE char(64)  
 APP char(64)  
 AS\_OF data  
 DATA blob  
 MISC1 ... 4 char(64)  
 COMPRESSED char(1)

**USER\_ID** char(12)  
**US\_SO\_ID** char(64)  
**US\_ACCESS\_TYPE** char(2)  
**US\_STATUS** char(2)  
**US\_VIEW\_NAME** varchar(64)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date


**SOURCE\_TABLE** varchar(128)  
 SOURCE\_COLUMN varchar(128)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date  
 LOG\_STATUS num(5)

**CACHE\_ID** char(32)  
**SUB\_GROUP** char(32)  
 TBL\_NAME char(32)  
 COL\_NAME char(32)  
 LOW\_VALUE char(32)  
 HI\_VALUE char(32)  
 INCL\_EXCL char(1)  
 ORDER\_NO num(5)



**CACHE\_ID** char(32)  
**SUB\_GROUP** char(32)  
 TBL\_NAME char(32)  
 KEY\_VALUE char(128)  
 ACTIVITY\_TYPE char(2)  
 REC\_UNIQUE\_KEY char(36)  
 EVENT\_WHO char(16)  
 EVENT\_WHEN date

**BOLD . . . . . CONSTRAINT**  
*ITALICS . . . . . INDEX*


**THREAD\_TBL\_UK** char(36)  
**THREAD\_UK** char(36)  
 THREAD\_TBL\_NAME  
 char(18)  
**THREAD\_CD1** ... 4 char(8)  
 THREAD\_SUBJECT  
 varchar(240)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date




**THREAD\_UK** char(36)  
**NOTE\_UK** char(36)  
**NOTE\_CD1** ... 4 char(8)  
 NOTE\_SUBJECT  
 varchar(240)  
 CREATE\_WHO char(12)  
 CREATE\_WHEN date  
 UPDATE\_WHO char(12)  
 UPDATE\_WHEN date



**TXT\_TABLE** char(18)  
**TXT\_UK** char(36)  
**TXT\_TYPE** char(8)  
 TXT\_TEXT varchar(240)  
 TXT\_SEQ\_NO num(5)




**NOTE\_UK** char(36)  
 NOTE\_KEYWORD char(20)




**NOTE\_UK** char(36)  
 NOTE\_TEXT varchar(240)  
 NOTE\_LINE\_NO num(5)

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX


UF\_GR char(2)  
 UF\_ITEM\_VAL\_CD char(6)  
 UF\_CODE\_VALUE char(30)  
 UF\_NAME char(16)  
 UF\_TABLE char(16)  
 UF\_CREATE\_WHO char(12)  
 UF\_CREATE\_WHEN date  
 UF\_UPDATE\_WHO char(12)  
 UF\_UPDATE\_WHEN date




UF\_GR char(2)  
 UF\_DATE\_VALUE date  
 UF\_NAME char(16)  
 UF\_TABLE char(16)  
 UF\_CREATE\_WHO char(12)  
 UF\_CREATE\_WHEN date  
 UF\_UPDATE\_WHO char(12)  
 UF\_UPDATE\_WHEN date




UF\_GR char(2)  
 UF\_NUMBER\_VALUE num(12)  
 UF\_NAME char(16)  
 UF\_TABLE char(16)  
 UF\_CREATE\_WHO char(12)  
 UF\_CREATE\_WHEN date  
 UF\_UPDATE\_WHO char(12)  
 UF\_UPDATE\_WHEN date



UF\_GR char(2)  
 UF\_TEXT\_VALUE varchar(240)  
 UF\_NAME char(16)  
 UF\_TABLE char(16)  
 UF\_CREATE\_WHO char(12)  
 UF\_CREATE\_WHEN date  
 UF\_UPDATE\_WHO char(12)  
 UF\_UPDATE\_WHEN date




**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

<b>WONO</b>	<b>char(12)</b>	LOCADDR1	char(40)	POSTED	char(1)
ADDR1	char(40)	LOCADDR2	char(40)	PRI	char(2)
ADDR2	char(40)	LOCADDR3	char(40)	REAS	char(8)
ADDR3	char(40)	ENFLAG	char(1)	RQBY	char(20)
ADDR4	char(40)	ENSTAT	char(2)	RQDEPT	char(8)
CITY	char(20)	ESTCOST	num(20,2)	RQDT	date
STATE	char(2)	ESTENDDT	date	SCODE	char(4)
ZIP	char(10)	ESTSTDT	date	STAT	char(2)
EMAIL	varchar(320)	FAID	char(12)	TYPE	char(2)
BILL	char(1)	GR	char(2)	CREDITGR	char(2)
CATE	char(4)	KEY	char(10)	CREDITKEY	char(10)
COMPDT	date	OBJ	char(8)	CREDITOBJ	char(8)
CONTACT	char(40)	JLGR	char(2)	CREDITJLGR	char(2)
CUST	char(12)	JLKEY	char(10)	CREDITJLKY	char(10)
DESCL	char(200)	JLOBJ	char(8)	CREDITJLOB	char(8)
DESCS	char(30)	INTEXT	char(1)	CROSSCHG	char(1)
EAMT	num(20,2)	LAMT	num(20,2)	DEBITGR	char(2)
ENDT	date	LCTN	char(12)	DEBITJLGR	char(2)
		LOCCITY	char(20)	DEBITJLKEY	char(10)
		LOCST	char(2)	DEBITJLOBJ	char(8)
		LOCZIP	char(10)	DEBITKEY	char(10)
		LOCEMAIL	varchar(320)	DEBITOBJ	char(8)
		MAMT	num(20,2)	ESTHRS	num(10,2)
		MISC	char(8)	ENREF	char(8)
		NEXTAPRV	char(4)	CREATE_WHEN	date
		OAMT	num(20,2)	CREATE_WHO	char(12)
		ORIGAMT	num(20,2)	UPDATE_WHEN	date
		PHONE	char(22)	UPDATE_WHO	char(12)






<b>WONO</b>	<b>char(12)</b>	<b>WONO</b>	<b>char(12)</b>	<b>WONO</b>	<b>char(12)</b>	<b>WONO</b>	<b>char(12)</b>	<b>WONO</b>	<b>char(12)</b>	<b>WONO</b>	<b>char(12)</b>
DETAIL	char(4)	ASGNTO	char(12)	AMT	num(20,2)	GR	char(2)	INST	char(1350)	COMM	char(1350)
FQA	char(40)	CONTACT	char(30)	CODEID	char(4)	KEY	char(10)				
GR	char(2)	CONTPH	char(22)	CODEVAL	char(16)	OBJ	char(8)				
KEY	char(10)	LOC	char(67)	EXTRA	char(12)	JLGR	char(2)				
OBJ	char(8)	PERFBY	char(12)	FAID	char(12)	JLKEY	char(10)				
JLGR	char(2)	RQCONTACT	char(30)	GR	char(2)	JLOBJ	char(8)				
JLKEY	char(10)	RQCONTPH	char(22)	KEY	char(10)	POST	char(2)				
JLOBJ	char(8)	SUP	char(30)	OBJ	char(8)	AGR	char(2)				
PERC	num(10,2)	SUPPH	char(22)	JLGR	char(2)	AKEY	char(10)				
		STARTDT	date	JLKEY	char(10)	AOBJ	char(8)				
		ENDDT	date	JLOBJ	char(8)	AJLGR	char(2)				
		DEDFLAG	char(1)	ITEMDESC	char(30)	AJLKEY	char(10)				
				JOBNO	char(8)	AJLOBJ	char(8)				
				OVERAMT	num(20,2)	APOST	char(2)				
				OVERHEAD	char(4)	AMT	num(20,2)				
				POSTED	char(1)	ARBILLDT	date				
				RATETYPE	char(8)	CODEID	char(4)				
				SIPOSTED	char(8)	CODEVAL	char(16)				
				SSN	char(12)	GLPOSTDT	date				
				WHSE	char(4)	ITEM	num(10)				
				ITEM	num(10)	ITEMDESC	char(30)				
				QTY	num(10,2)	JOBNO	char(8)				
				RATE	num(20,5)	OVERAMT	num(20,2)				
						PEID	char(12)				
						POSTDT	date				
						POSTJOB	char(8)				
						QTY	num(20,5)				
						RATE	num(20,5)				
						REFR	char(16)				
						SECREP	char(16)				
						SUBSYS	char(2)				

CUSTADDR	char(2)
CUSTID	char(16)
FY	char(4)
GR	char(2)
KEY	char(1)
OBJ	char(8)
GLKEY	char(10)
GOBJ	char(8)
GLOGR	char(10)
JLGR	char(2)
JLKEY	char(10)
JLOBJ	char(8)
JOBJ	char(8)
JLORG	char(10)
MTRLVAL	char(1)
POST	char(2)
PRICECD	char(2)
RATE	num(10,2)
SI_FLAG	char(1)
WAREHOUSE	char(4)

<b>SID</b>	<b>char(8)</b>
APRV	char(4)
COMPDT	date
CURRUN	num(5)
CURRVAL	num(20)
DESCL	char(240)
DESCS	char(30)
ENDDT	date
ENDMO	char(2)
FREQ	num(5)
FREQTYPE	char(8)
LASTDT	date
LASTUN	num(20,1)
LASTWONO	char(12)
NEXTDT	date
PRI	char(1)
PROJDT	date
STARTDT	date
STARTMO	char(2)
STAT	char(2)
UNITTYPE	char(8)
WOFLAG	char(1)
WONO	char(12)
WOPREFIX	char(8)



<b>WO_GR</b>	<b>char(2)</b>
<b>WO_NO</b>	<b>char(12)</b>
WO_DESC	char(30)
WO_DESC_U	char(30)
WO_START_DT	date
WO_END_DT	date
WO_MGR	char(30)



CODEID	char(4)
GR	char(2)
KEY	char(10)
OBJ	char(8)
JLGR	char(2)
JLKEY	char(10)
JLOBJ	char(8)
POST	char(2)
SUBSYS	char(2)


GR	char(2)
JLGR	char(2)
KEY	char(10)
LCTN	char(12)

GR	char(2)
OBJ	char(8)
PRODID	char(16)



**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX

***XI\_ID*** ***char(16)***  
*XI\_SOURCE* *char(30)*  
*XI\_TYPE* *char(4)*  
*XI\_ASOF\_DT* *date*  
*XI\_EXP\_DT* *date*  
*XI\_SEC\_CD* *char(8)*  
*XI\_VAL\_LBL01* ... 10  
*char(16)*  
*XI\_AMT\_LBL01* ... 10  
*char(16)*  
*XI\_DT\_LBL01* ... 10  
*char(16)*  
*CREATE\_WHO* *char(12)*  
*CREATE\_DT* *date*




***XI\_ID*** ***char(16)***  
*XIT\_NAME* *char(16)*  
*XIT\_VAL01* ... 10  
*varchar(128)*  
*XIT\_AMT01* ... 10  
*num(20,2)*  
*XIT\_DT01* ... 10 *date*  
*XIT\_SEQ* *num(10)*

**BOLD . . . . .** CONSTRAINT  
*ITALICS . . . . .* INDEX



<b>WD_REPORT_ID</b>	<i>char(8)</i>	WD_HORIZ_FORMS	num(5)
WD_GEN_YR	char(4)	WD_VERT_FORMS	num(5)
WD_GEN_QTR	char(1)	WD_LINES_BET_FORMS	num(5)
WD_GEN_MONTH	char(2)	WD_SORT_CL01 ***	05
WD_GEN_LINE	num(5)	WD_SORT_AT01 ***	05
WD_GEN_W2_LASER	char(1)	WD_SORT_NDX01 ***	05
WD_GEN_VOID	num(5)	WD_SORT_BEG01 ***	05
WD_GEN_LDEV	num(5)	WD_SORT_END01 ***	05
WD_GEN_FED_TAPE	char(1)	WD_ES_OVERRIDE	char(1)
WD_GEN_STATE_TAPE	char(1)	WD_ES_ORIENTATION	char(1)
WD_GEN_CITY_FLAG	char(1)	WD_ES_LPI	char(3)
WD_GEN_W2_FORM	char(1)	WD_ES_CPI	num(5,2)
WD_GEN_ST_CD	char(2)	WD_ES_TOP_MARGIN	char(2)
WD_GEN_ST_ONLY	char(1)	WD_ES_LEFT_MARGIN	char(3)
WD_GEN_STATE_SORT	char(1)	WD_ES_HORIZ_ADJ	char(4)
WD_PAGE_COLUMNS	num(5)	WD_ES_VERT_ADJ	char(4)
WD_FORM_COLUMNS	num(5)	WD_ES_elf_FORM	char(3)
WD_FORM_LINES	num(5)	WD_ES_TOP_OFFSET	char(4)
WD_FORMS_PER_PAGE	num(5)	WD_ES_LEFT_OFFSET	char(4)
WD_COLS_BET_FORMS	num(5)		



<b>WD_REPORT_ID</b>	<i>char(8)</i>	<b>WD_REPORT_ID</b>	<i>char(8)</i>	<b>WD_REPORT_ID</b>	<i>char(8)</i>
WD_VAL_NAME	char(16)	WD_FORM_LINE	char(3)	WD_TAPE_REC_TYPE	char(2)
WD_VAL_TYPE	char(1)	WD_FO_BEG_COL	num(5)	WD_TP_BEG_COL	num(5)
WD_VAL_PAY_BASE	num(5)	WD_FO_END_COL	num(5)	WD_TP_END_COL	num(5)
WD_VAL_MISC_CD01 ***	12	WD_FO_LEN	num(5)	WD_TP_LEN	num(5)
WD_VAL_MISC_CD01 ***	12	WD_FO_FIELD	char(1)	WD_TP_FIELD	char(1)
WD_VAL_COL	num(5)	WD_FO_CST_TYPE	char(1)	WD_TP_CST_TYPE	char(1)
WD_VAL_MISC_TYPED1 ***	12	WD_FO_CHAR	char(34)	WD_TP_CHAR	char(34)
WD_VAL_NUM_OPTION	char(1)	WD_FO_QUALIFY	char(16)	WD_TP_QUALIFY	char(16)
WD_VAL_SEQ_NO	num(5)	WD_FO_CL	char(4)	WD_TP_CL	char(4)
		WD_FO_AT	char(6)	WD_TP_AT	char(6)
		WD_FO_NDX	num(5)	WD_TP_NDX	num(5)
		WD_FO_VALUE_NAME	char(16)	WD_TP_VALUE_NAME	char(16)
		WD_FO_COMPARE	char(2)	WD_TP_COMPARE	char(2)
		WD_FO_SEQ_NO	num(5)	WD_TP_SEQ_NO	num(5)

**BOLD . . . .** CONSTRAINT  
*ITALICS . . . .* INDEX